

Just for your  
Tandy Color  
Computer 1, 2 and 3

January 1988

Canada \$4.95 U.S. \$3.95

# The RAINBOW<sup>®</sup>

THE COLOR COMPUTER MONTHLY MAGAZINE

## Putting the Pieces Together

*Our  
Beginners  
Issue*

A step-by-step guide to computing

A glossary of computer terms

Lessons in BASIC, OS-9  
and disk operation

Programs to:

Generate job descriptions

Organize tax records


Track appointments

Plus: games, graphics,  
new product reviews  
and two easy-to-build  
hardware projects





# DIECOM PRODUCTS INC.



Requires 128 k Coco 3 and one disk drive

## IRON FOREST

This is the first in our series of light phaser games. You have just been teleported to a strange land. As the mist clears you find a light phaser in your hand and yourself deep inside the Iron Forest. Your mission: to protect the sacred White Dove and all good creatures from the evil of the forest. As you aim, you zap a space pod, and then quickly turn and zap an evil spinning blade as it comes dangerously close to the Dove. Many evil creatures inhabit the forest. How long can you keep them under control? Many different backgrounds and increasing difficulty make this a unique new game for your Coco 3.

Iron Forest  
\$28.95 U.S.  
\$38.95 Can.


Light Phaser with interface  
\$34.95 U.S.  
\$49.95 Can.

Once you have purchased one light phaser you will only need to purchase future games at regular price.



Game and phaser together  
\$59.95 U.S.  
\$83.95 Can.

AVAILABLE APPROX. SEPT. 1, 1987



Requires 128 k Coco 3 and one disk drive

\$28.95 U.S.  
\$38.95 CAN. NEW LOW PRICE DISK ONLY

## GATES OF DELIRIUM



\$28.95 U.S.  
\$38.95 CAN.

## GANTELET

For the Coco 1, 2 or 3




\$28.95 U.S.  
\$38.95 CAN.

## BOUNCING BOULDERS



\$28.95 U.S.  
\$38.95 CAN.

## WRESTLE MANIAC



# DIECOM PRODUCTS INC.

6715 FIFTH LINE, MILTON, ONT., CANADA L9T 2X8

We accept:




cheque or money order

24 hr. order line:  
(416) 878-8358  
personal service 9-5

Please add \$2 for shipping & handling.  
Ontario residents add 7% sales tax.  
C.O.D. Canada only. Dealer inquiries  
invited. Looking for new software.

SEE BACK COVER  
FOR OTHER DIECOM GAMES

From Computer Plus to YOU ...  
**PLUS** after **PLUS** after **PLUS**




Tandy 1400 LT \$1239  
 Tandy 102 24K \$379  
 Tandy 200 24K \$429\*




Color Computer 3  
 w/128K Ext. Basic \$115\*




Tandy 1000 HX \$519\*  
 Tandy 1000 TX \$859\*



DMP-130A \$229\*



Color Computer Disk Drive  
 Drive 0 \$199\* Drive 1 \$149



DMP-106 \$169

**BIG SAVINGS ON A FULL COMPLEMENT OF RADIO SHACK COMPUTER PRODUCTS**

**COMPUTERS**

Tandy 1000 EX 1 Drive 256K	429.00*
Tandy 1000 SX 1 Drive 384K	649.00
Tandy 3000 HL 1 Drive 512K	899.00*
Tandy 4000 1 Drive 1 Meg. Ram	1959.00
Color Computer 2 w/64K Ext. Basic	89.00

**PRINTERS**

Radio Shack DMP-106 80 CPS	169.00
Radio Shack DMP-130A 120 CPS	229.00*
Radio Shack DMP-430 180 CPS	559.00
Radio Shack DWP-230 Daisy Wheel	339.00
Star Micronics NP-10 100 CPS	169.00
Star Micronics NX-10 120 CPS	199.00
Star Micronics NX-15 120 CPS	359.00
Panasonic P-1080i 120 CPS	189.00
Panasonic P-1091i 160 CPS	210.00
Panasonic P-1092i 240 CPS	349.00
Okidata 182 120 CPS	229.00
Okidata 192+ 200 CPS	339.00
Okidata 292 240 CPS	489.00

**MODEMS**

Radio Shack DCM-6	52.00
Radio Shack DCM-7	85.00
Radio Shack DCM-212	179.00
Practical Peripheral 1200 Baud	149.00

**COLOR COMPUTER MISC.**

Radio Shack Drive Controller	99.00
Extended Basic Rom Kit	14.95
64K Ram Upgrade Kit	39.00
Radio Shack Deluxe Keyboard Kit	24.95
Hi-RES Joystick Interface	8.95
Color Computer Deluxe Mouse	44.00
Multi Pak Interface	89.00
Multi Pak Pal Chip for COCO 3	14.95
CM-8 6' Extension Cable	19.95
Serial to Parallel Conv.	59.95
Radio Shack Deluxe Joystick	26.95
Magnavox 8515 RGB Monitor	329.00
Radio Shack CM-8 RGB Monitor	249.00
Radio Shack VM-4 Green Monitor	99.00
PBJ 512K COCO 3 Upgrade	99.00
Tandy 512K COCO 3 Upgrade	129.00
Mark Data Universal Video Driver	29.95

**COLOR COMPUTER SOFTWARE**

	TAPE	DISK
The Wild West (CoCo3)	25.95	25.95
Worlds Of Flight	34.95	34.95
Mustang P-51 Flight Simul.	34.95	34.95
Flight 16 Flight Simul.	34.95	34.95
Nuke the Love Boat (CoCo3)	34.95	34.95

The Magic of Zanth (CoCo3)	34.95
Sam Sleuth Private Eye	24.95 27.95
Color Max 3 (CoCo3)	59.95
COCO Util II by Mark Data	39.95
COCO Max by Colorware	69.95
COCO Max II by Colorware	79.95
AutoTerm by PXE Computing	29.95 39.95
TelePatch III by Spectrum	29.95
C III Graphics by Spectrum (CoCo3)	19.95
Font Bonanza by Spectrum (CoCo3)	29.95
TW-80 by Spectrum (CoCo3)	39.95
TeleWriter 64	49.95 59.95
Elite Word 80	79.95
Elite Calc 3.0	69.95
CoCo3 512K Ram Disk by CerComp	19.95
OS-9 Level II by Tandy	71.95
Inside OS-9 Level II Book by FHL	39.95
VIP Writer (disk only)	69.95
VIP Integrated Library (disk)	149.95

\*Sale prices through 12/31/87

Prices are subject to change without notice. Please call for shipping charges. Prices in our retail store may be higher. Send for complete catalog.


**CALL TOLL FREE  
 1-800-343-8124**

- LOWEST POSSIBLE PRICES
- BEST POSSIBLE WARRANTY
- KNOWLEDGEABLE SALES STAFF
- TIMELY DELIVERY
- SHOPPING CONVENIENCE



**computer  
 plus**  
 P.O. Box 1094  
 480 King Street  
 Littleton, MA 01460  
 SINCE 1973

IN MASSACHUSETTS CALL (617) 486-3193



58

## Novices Niche

**72**  
**From Scales to Mozart**  
Gip Wayne Plaster

**73**  
**Laying It on the Line**  
Keiran Kenny

**73**  
**Flying Machine**  
John Musumeci

**74**  
**CoCo Cuddler**  
Bernice Shoobs

**74**  
**Back to Square One**  
Louis Martinez

**76**  
**Hit Me If You Can**  
Chris Gleason

**78**  
**Color Creator**  
Adam Breindel

**78**  
**Smooth Operator**  
John Blochowiak

**80**  
**Monitor Adjustments**  
Ken Ostrer

**80**  
**Happy (Un)Birthday!**  
J.T. Smiley

**82**  
**Typing Skills**  
Brent Dingle

**82**  
**I Owe, I Owe**  
Bill Bernico

**84**  
**Financial Planning**  
Paul Ruby, Jr.

106




## Features

**20**  
**Starting from Scratch**  
Lauren Willoughby  
Tips for the new Color Computer user

**31**  
**Urchins from the Black Lagoon**  
Eric Tilenius  
A fast, fun game with a really bizarre scenario

**37**  
**BASIC for Beginners**  
David W. Ostler  
A tutorial of BASIC for the new programmer

44



**44**  
**The Clown of a Hundred Faces**  
Bill Bernico & George Aftamonow  
Create over 100 different funny faces

**58**  
**Usetown Annex**  
Paul French  
Build a city from scratch

**85**  
**A Glossary of Computer Terms**  
Lee Veal  
Get a handle on computer jargon

**100**  
**Appointment Calendar**  
William J. Holdorf  
A monthly planner for organizing your time

**106**  
**Finding the Right Person for the Job**  
Larry M. Paroubek  
A management utility for minimizing personnel costs

**112**  
**Preparing for Uncle Sam**  
Robert S. Schlottmann  
Keep tax records in order

**142**  
**Childproofing the CoCo**  
Ray Onley  
An easy-to-build, keyboard-locking device

**156**  
**Stalking the Fire-Breathing Dragon**  
Nancy Ewart  
Tips for the OS-9 beginner

**166**  
**OS-9 — Catch the Wave**  
Cray Augsburg  
Help for OS-9 users

**171**  
**Solitaire Upgrade**  
Tudor Jones  
A modification to the Solitaire game


## Columns

- 96**  
**BASIC Training**  
Joseph Kolar  
*The Kolar Progression*
- 16**  
**Building January's Rainbow**  
Jutta Kapfhammer  
*Managing Editor's notes*
- 149**  
**CoCo Consultations**  
Marty Goodman  
*Just what the doctor ordered*
- 152**  
**Doctor ASCII**  
Richard Esposito  
*The question fixer*

 The cassette tape/disk symbols beside features and columns indicate that the program listings with those articles are on this month's RAINBOW ON TAPE and RAINBOW ON DISK. Those with only the disk symbol are not available on RAINBOW ON TAPE. For details, check the RAINBOW ON TAPE and RAINBOW ON DISK ad on Page 94.

## Rainbowtech

- 180**  
**Barden's Buffer**   
William Barden, Jr.  
*Delving into the CoCo disk*
- 160**  
**KISSable OS-9**   
Dale L. Puckett  
*Back at the drawing board*
- 176**  
**OS-9 Programming**   
Peter Dibble  
*Screen dumping revisited*

- 54**  
**Education Notes**  
Steve Blyn  
*The first of a two-part series on estimating expenses*
- 12**  
**PRINT#-2,**  
Lawrence C. Falk  
*Editor's notes*
- 144**  
**Turn of the Screw**  
Tony DiStefano  
*Beginners — add an LED to your controller*
- 90**  
**Wishing Well**   
Fred Scerbo  
*Recognizing sentence fragments*

## Product Reviews

- Artificial Learning File/High Altitude Software** \_\_\_\_\_ **130**
- Auto Dim/Lucas Industries** \_\_\_\_\_ **139**
- CoCo 3 Turbo RAM/Performance Peripherals** \_\_\_\_\_ **130**
- Financial Time Conversions/Prometheus Software** \_\_\_\_\_ **136**
- Iron Cross/Computerware** \_\_\_\_\_ **131**
- Mickey's Space Adventure/Sierra On-Line** \_\_\_\_\_ **135**
- RAMDisk/Spectrum** \_\_\_\_\_ **138**
- Wizard's Den/Tom Mix Software** \_\_\_\_\_ **129**
- Zone Runner/Tandy Corporation** \_\_\_\_\_ **131**

THE RAINBOW is published every month of the year by FALSOFT, Inc., The Falsoft Building, 9509 U.S. Highway 42, P.O. Box 385, Prospect, KY 40059, phone (502) 228-4492. THE RAINBOW, RAINBOWfest and THE RAINBOW and RAINBOWfest logotypes are registered ® trademarks of FALSOFT, Inc. • Second class postage paid Prospect, KY and additional offices. USPS N. 705-050 (ISSN No. 0746-4797). POSTMASTER: Send address changes to THE RAINBOW, P.O. Box 385, Prospect, KY 40059. Forwarding Postage Guaranteed. Authorized as second class postage paid from Hamilton, Ontario by Canada Post, Ottawa, Ontario, Canada. • Entire contents copyright © by FALSOFT, Inc., 1987. THE RAINBOW is intended for the private use and pleasure of its subscribers and purchasers and reproduction by any means is prohibited. Use of information herein is for the single end use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an "as is" basis, without warranty of any kind whatsoever. • Tandy, Color BASIC, Extended Color BASIC and Program Pak are registered ® trademarks of the Tandy Corp. • Subscriptions to THE RAINBOW are \$31 per year in the United States, Canadian rates are U.S. \$38. Surface mail to other countries is U.S. \$68, air mail U.S. \$103. All subscriptions begin with next available issue. • Limited back issues are available. Please see notice for issues that are in print and their costs. Payment accepted by VISA, MasterCard, American Express, cash, check or money order in U.S. currency only. Full refund after mailing of one issue. A refund of 10/12ths the subscription amount after two issues are mailed. No refund after mailing of three or more magazines.

## Departments

- Advertisers Index** \_\_\_\_\_ **192**
- Back Issue Information** \_\_\_\_\_ **187**
- CoCo Gallery** \_\_\_\_\_ **18**
- Corrections** \_\_\_\_\_ **138**
- Letters to Rainbow** \_\_\_\_\_ **6**
- Maxwell Mouse** \_\_\_\_\_ **41**
- One-Liner Contest Information** \_\_\_\_\_ **173**
- Racksellers** \_\_\_\_\_ **190**
- Rainbow Info** \_\_\_\_\_ **10**
- Received & Certified** \_\_\_\_\_ **140**
- Scoreboard Pointers** \_\_\_\_\_ **48**
- Submitting Material to Rainbow** \_\_\_\_\_ **172**
- Subscription Info** \_\_\_\_\_ **16**

## The Rainbow

**Editor and Publisher**  
Lawrence C. Falk

**Managing Editor** Jutta Kapfhammer  
**Associate Editor** Jody Gilbert  
**Reviews Editor** Judi Hutchinson  
**Submissions Editor** Angela Kapfhammer  
**Copy Editor** Lauren Willoughby  
**Technical Editor** Cray Augsburg  
**Technical Assistants** Ed Eilers, Joe Pierce  
**Editorial Assistants** Sue H. Evans, Wendy Falk, Monica Wheat  
**Contributing Editors**  
William Barden, Jr.,  
Steve Blyn, Tony DiStefano,  
Richard Esposito,  
Martin Goodman, M.D.,  
Joseph Kolar, Dale Puckett,  
Fred Scerbo, Richard White  
**Art Director** Heidi Maxedon  
**Designers** Robert Hatfield, Jr., Rita Lawrence, Denise Webb  
**Typesetter** Jody Doyle

## Falsoft, Inc.

**President** Lawrence C. Falk  
**General Manager** Patricia H. Hirsch  
**Asst. General Mgr. for Finance**  
Donna Shuck  
**Admin. Asst. to the Publisher**  
Sarah Levin  
**Executive Editor** James E. Reed  
**Editorial Coordinator** Jutta Kapfhammer  
**Senior Editor** T. Kevin Nickols  
**Production Coordinator**  
Cynthia L. Jones  
**Chief Bookkeeper** Diane Moore  
**Dealer Accounts** Judy Quashnock  
**Asst. General Manager For Administration**  
Bonnie Frowenfeld  
**Director of Fulfillment** Sandy Apple  
**Word Processor Manager**  
Patricia Eaton  
**Customer Service Representative**  
Beverly Beardon  
**Development Coordinator** Ira Barsky  
**Chief of Printing Services** Melba Smith  
**Director of Production** Jim Cleveland  
**Dispatch** Sharon Smith  
**Asst. Dispatch** Tony Olive  
**Business Assistant** Laurie Falk  
**Advertising Coordinator** Doris Taylor  
**Advertising Representative**  
Belinda Kirby  
**Advertising Representative**  
Kim Vincent  
**Advertising Assistant** Debbie Baxter  
(502) 228-4492

For RAINBOW Advertising and Marketing Office Information, see Page 192

Cover illustration copyright © 1987 by Fred Crawford

## Hop on the OS-9 Bandwagon

Editor:

Recently I note a great deal of "OS-9 hostility" in the letters to the editor. While I am by no means an "OS-9 fanatic," I believe that some input is needed from a cooler head.

I have had OS-9 for three years, the first of which was largely spent in "playing around" with the system when I had no other pressing projects pending on my CoCo. Admittedly, for one who cut his teeth on the BASIC in ROM of the CoCo, OS-9 presented obstacles to easy understanding. What was it for, anyway? But even in the early stages it was clear that there was an abundance of power in the system. Certainly, the original Radio Shack documentation was somewhat cryptic, but THE RAINBOW came to the rescue with *The Complete Rainbow Guide to OS-9*. Try running `dsave` as shown in the *Guide* if you want a demonstration of system power! Just watching one demonstration of `dsave` will convince the skeptic of the possibilities of this operating system.

Most of the problems I read about in the letters to the editor involve the inability to understand that every time a new OS-9 disk is inserted in the drive, you *must* do a `chd /d0` and `chx /do/CMDS`. Is it really too much to expect users to read the manual? No, you can't just sit down with OS-9 and start to "hack." This leads to the statement of Gordley's first law of learning: "The greater the power of the system, the more imperative it is to do some homework."

Facts are facts, and the fact is that Radio Shack is marketing only software written for OS-9. Do you want to customize your system? Have several favorite games/utilities on one disk? Port programs to and from Level I and Level II (i.e., use programs written for the CoCo 3 on the 3)? Then you'd better get on the OS-9 bandwagon, stop complaining and read the manual — including typing in and running examples until you understand that OS-9 is a "manager" of computer power and an incredibly versatile one.

No, OS-9 is not easy. Few things worthwhile are. But it is a system that makes this dirt-cheap computer stand up and dance. Radio Shack got a lot of bad press early on when it released the Model I without software support, etc., but the Color Computer has outlived the I, III, and IV, largely because Radio Shack has devoted a huge amount of development to make this little computer constantly competitive. OS-9 is one facet of this development. Which would you rather do, scrap your system every couple of years or learn new and more powerful operating systems to stay current with the possibilities of more expensive systems?

Sure, PC Compatibles are the wave of "now," not to mention the future, but we

now have in the CoCo 3 all the memory and other capabilities of PC clones — how long will it take for someone (probably not Radio Shack, since they have their own line of PC clones) to produce a board or program to make this "little" computer clone-like? Probably not too long as micro-history goes, and you can bet that because of the Shack's commitment to it, it will probably use OS-9 in some fashion.

Yes, the CoCo in its original configuration was incredibly simple, and many learned BASIC with the CoCo's great manuals. And as the CoCo continues to evolve, the same possibilities exist. But serious computer users who remain doggedly faithful to the CoCo are going to have to do some learning. It just isn't realistic to expect this product, which has outlasted all its comparably priced competition, to grind along in a 1970s mode.

Radio Shack has given us a great learning opportunity — don't pass it up.

Richard D. Gordley  
Castleton, IL

*Those of you who are experiencing problems with OS-9 should refer to Cray Augsburg's, "OS-9 — Catch the Wave," Page 166 and Nancy Ewart's "Stalking the Fire-Breathing Dragon," Page 156 for some additional direction in your efforts.*

*If you have read the manual and feel that you do, indeed, understand OS-9, but are still experiencing problems, the following letter may be of some assistance.*

## CoCo Gremlins

Editor:

For the last 18 months I have been plagued by gremlins in my CoCo 2 system. The first glitches were caused by inadequate house wiring and the fact that we live in the country on a ranch. So I moved — twice — until I got rid of that problem. My PIA chips went out — one at a time, and I got those replaced.

Then I started in with OS-9. I got some of the weirdest errors that didn't make any sense. I could get a directory, but the system crashed every time I tried to initialize a disk. I got directories from my OS-9 disks, but got "pathname not found," even when I typed everything in correctly, and "no permission" no matter what I tried to do!

I took the computer to Radio Shack (1½-hour drive away) to the "local" repair center four times, but they didn't have any drives of their own to check *that* part of the computer. I sent my drives back to True Data, where they were cleaned and aligned, and HDS replaced my controller. Everyone said the problem was with a part of the system that wasn't theirs (a problem when

your whole system doesn't all come from the same place). No one could find anything wrong, but it still didn't work when it was reassembled.

I called BBSs all over the West, and wrote to several "experts." The experts didn't reply, and the people on the boards insisted I just *didn't understand* OS-9. Finally, I located the Sacramento CoCo Club, and made the three-hour drive down to see them. I took my whole system to their experts. In three hours, at a cost of \$7 plus gas, they had the problem repaired, and I now have a computer that behaves itself. I also now belong to a CoCo Club at long last, even one three hours away, and the next time I go to a meeting there are interested people from Redding willing to go with me.

The cause of all the problems was *not* my lack of knowledge concerning OS-9, but the edge connectors on my drive cable. One pin out of 34 on the connector for Drive 0 was not operating at all. My poor CoCo was trying to operate with an incomplete set of data coming in!

Is there a lesson in all of this? Probably, but I'm not sure exactly what it is. I do know that the Sacramento CoCo Club was the only group able to figure out what was happening!

Vicki Daubner  
Redding, CA

## Hooked on the CoCo


Editor:

When my older brother passed away two years ago, he left me his CoCo. There were no peripherals. I thought, "Right! Me with a computer! I'll play with it a while *maybe* and then sell it. I'm almost 50 and can see no use for it in my life." Hah! Boy, did I get hooked! I'm now lucky enough to have purchased a CoCo 3, DMP-105 printer, two FD 501 disk drives, Multi-Pak interface and *much* software (a lot of which I bought at Radio Shack tent sales).

The December 1985 issue of RAINBOW was the first that I bought. That issue gave me the self-confidence to try to learn the CoCo and continue with it. You *all* have helped me through "pangs" of learning typing again, BASIC programming, using OS-9, getting an interest in assembly language and BASIC09. Right now I have OS-9 Level I with Version II upgrade. This past week Radio Shack had another tent sale and I came home with \$626 worth of stuff for only \$36. Can you believe that? Some things I picked up were BASIC09, Deluxe RS-232 interface and a 300 baud modem (minus a power supply). So, as soon as I get a power supply transformer, I'll be in touch with RAINBOW and other CoCoists on Delphi and BBSs for the *first* time. I can hardly wait.

This is the first time I've written to a

**RUNS ON  
COCO 2 & 3**



# **AUTOTERM** TURNS YOUR COLOR COMPUTER INTO THE **WORLD'S SMARTEST TERMINAL!**



YOU'LL ALSO USE AUTOTERM FOR SIMPLE  
WORD PROCESSING & RECORD KEEPING

## **EXTRA FEATURES ON COCO 3 DISK**

80 char. screen, 2400 baud thru serial port,  
95,000 to 475,000 character buffer.

### **EASY COMMUNICATION**

Full prompting and error checking. Step-by-step manual has examples. Scroll text backward and forward. No split words on screen or printout. Save, load, delete files while on line. Print, save all or any part of text. 300 or 1200 baud. All 128 ASCII characters. Works with D.C. Hayes or any modem. Screen widths of 32, 40, 42, 51, 64.

**DISK VERSION SUPPORTS RS232 PAK, XMODEM and SPLIT SCREEN FOR PACKET RADIO.**

Please hire the mentally retarded. They are sincere, hard working and appreciative. Thanks!

*Phyllis.*

### **WORD PROCESSING**

Editing is super simple with the cursor. Find strings instantly too! Insert printer control codes. Specify page size and margins. Switch quickly between word processing and intelligent terminal action. Create text, correct your typing errors; then connect to the other computer, upload your text or files, download information, file it, and sign-off; then edit the receive data, print it in an attractive format, and/or save it on file. Compatible with TELEWRITER.

**CASSETTE \$29.95**

**DISKETTE \$39.95**

Add \$3 shipping and handling  
MC/VISA/C.O.D.

### **TOTAL AUTOMATION**

Advanced system of keystroke macros lets you automate any activity, such as dial via modem, sign-on, interact, sign-off, print, save. Perform entire session. Act as message taker. At start-up, disk version can automatically set parameters, dial, sign-on, interact, read/write disk, sign-off, etc. Timed execution lets AUTOTERM work while you sleep or play. No other computer can match your COCO's intelligence as a terminal.

**PXE Computing**

11 Vicksburg Lane  
Richardson, Texas 75080  
**214/699-7273**

magazine, but it doesn't feel strange, because I believe I'm writing to friends. I couldn't be at this point in my computing life without all of you. Thanks for everything!

*Evelyn C. "Chris" Gallagher  
Chino, CA*

### **HINTS & TIPS**

*Editor:*

I recall a previous issue of THE RAINBOW advising a reader that he would be unable to print in bold type using *Scripts* and a DMP-105 printer. However, with the following revisions, this is possible. First, back up *Scripts* on tape. Then insert the following command at the beginning of the program:

`PRINT#-2,CHR$(27);CHR$(31)`

The result is an inexpensive word processing system with a higher quality printout. I hope this information will be as useful to other readers as it has been to me. I use my CoCo for college reports, letters, and even to print copies of my resume.

*Joe Jarvis  
Peoria, IL*

### **How Do You Spell Relief?**

*Editor:*

What does a keyboard extender cable have to do with a bad back?

Due to chronic back pain, I consulted an orthopedist (MD-type). After X-rays, poking, etc., he concluded that my back problems were posture related. He spoke of a

significant rise in back problems since the advent of the personal computer. He said that sitting hunched over a keyboard was like carrying a 200-pound backpack.

Well, the handy-dandy keyboard extender cable sold by Spectrum and designed and built by our own Marty Goodman, sure makes sitting back in a comfortable (and healthy) position easy. Just as welcome is freedom at last from having that "klunky" Multi-Pak sticking out the right side of the keyboard. I housed my keyboard in an empty CoCo 3 case, purchased through Tandy National Parts for \$10. Marty's cable is well-designed and rugged. The connectors are the tricky part, but he's done a great job there. I'll be glad to answer any questions anyone has about my experience with this device.

*Richard H. Phillips  
91 Kingsgate  
Snyder, NY 14226*

*Those of you who spend long hours  
at the keyboard should look for Dr.  
Larry Preble's article in next month's  
issue which will discuss various other  
ways to prevent back and neck pain.*

### **INFO PLEASE**

*Editor:*

I would like to write a program to enable the CoCo to play the card game cribbage. Although I can program, I am not a good card player, so I am having difficulty de-

vising effective strategies for discarding cards to the crib and for deciding what card to play. If there are any cribbage experts out there in CoColand, will you please write to me so we can discuss strategies that could be used in a computer program? Of course, whoever provides me with the strategy I adopt will receive a free copy of the cribbage program and equal credit for the program.

*Bruce Arsenault  
R.R. 1 Cleveland  
Nova Scotia  
Canada B0E 1J0*

### **Internally Speaking**

*Editor:*

I have a 64K ECB CoCo 2. I am using a monitor without audio. How can I hook up an internal speaker inside the CoCo?

*Sean Stephenson  
11744 Pinecone Circle  
Grass Valley, CA 94545*

### **Can CoCo Count the Miles?**

*Editor:*

I am a runner and would like to know if anyone in the CoCo Community could lead me to a program to log date, distance and time, and ideally calculate time per mile.

*Danny Mote  
P.O. Box 2782  
Demorest, GA 30535*

## A Fast CGP-115 Dump

Editor:

Can anyone help me? I need a machine language screen dump program for the CGP-115. With my present BASIC program, I do not think I will live long enough to print out some of the wonderful programs that appear in THE RAINBOW.

Frederick Lunn  
RR 1, 102 Claremont Cr.  
Orillia, Ontario  
Canada L3V 6H1

## PEN PALS

● I have a CoCo 2 and 3, Multi-Pak, two Speech/Sound Paks (would like to buy stereo pak), DMP-106 printer, DCM-3 modem, two double-sided drives and enjoy computing very much — write and see!

George Locker  
Rt. 9 Box 329  
Benton, KY 42025

● I have a CoCo 2, a CoCo 3 (512K), two disk drives, a printer, a Smartmodem, a Multi-Pak and a deluxe RS-232. I would like to correspond with other CoCo owners around the world who are interested in OS-9 Level II, machine language and communications. I also operate a BBS on my CoCo 3, online from 8 p.m. to 6 a.m., 300/1200 baud. Call 474-22-0229.

Roberto Berg  
Rua Aquidaban, 700  
Caixa Postal 578  
CEP 89.200  
Joinville — SC — Brazil

● I am 9 years old and would like to have a few pen pals in the Pennsylvania area. I have a CoCo 2, CCR-81 recorder, DMP-105 printer and a Tandy 2000 computer. I will accept all letters sent to me.

Ed Schenck  
600A Creamery Road  
Nazareth, PA 18064

● I am 14 years old and looking for a pen pal somewhere in the Louisiana area. I have a CoCo 2 upgraded to 64K, FD 500 disk drive, and a DMP-105 dot-matrix printer.

Chris Bastow  
503 Oak Ridge Dr.  
Leesville, LA 71446

● I am 16 years old and an avid CoCo user. I have a 64K ECB CoCo 2, gray drive, modem and cassette. I also love hardware hacking. Any letters I receive will get a reply.

Jamin Taube  
Rd. 2 14 Fredonia Road  
Newton, NJ 07860

● I have a CoCo 2 and 3 with three disk drives, a Multi-Pak, Ears, Supervoice, an Avatex 2400 modem and a DMP-130. I'm 34 years old and looking for a pen pal. I will answer all letters.

Ronald M. Koskovich  
Greenville Lot 60  
Jackson, WI 53037

● I am interested in having a computer pen pal, especially female. I just got a CoCo 2, disk drive, and a few games a couple of months ago. I'm 14 and in the process of making a video game.

Mike Reyno  
Rt. 7 Box 422B  
Tucson, AZ 85747

● I have a CoCo 2 and 3 with FD 501 disk drive, CCR-82 recorder, and a Star NX-10 printer. I am 15 years old and would like to hear from other people around my age. I'm interested in OS-9.

Derrick Holmquist  
5842 N. Long Lake  
Traverse City, MI 49684

● I would like to get to know some nice people who want to be my pen pals. I have a 64K CoCo 2 with tape system. I am 15 years old.

Mohamed Hamid  
36, Marwa Street  
Dokki — Cairo  
Egypt

● Our whole family is interested in having pen pals. We are: Patricia, age 40; Christine, 14; Stacey, 16; Jennifer, 12; and Charles, 11. So we welcome pen pals of any age.

Patricia Bastian  
1205 Manor Drive  
Victoria, TX 77901

● I am a collector of public domain CoCo 2 and 3 pictures and would like to hear from those who have good pictures they would like to share. I am particularly interested in CoCo 3 pictures.

Chris Steeves  
P.O. Box Petitcodiac  
New Brunswick E0A 2H0  
Canada

● I am 15 years old, and my system consists of a CoCo 2 with 64K ECB, cassette recorder, Orchestra 80, Speech/Sound Pak, EDTASM+ and a modem. I would like to correspond with intelligent people around my age or any age who would like to swap thoughts and ideas. My main interests are science fiction, Adventures and music. Please write me. I'm a friendly person living in a small town where there's no one I can talk to about the CoCo. I'll do my best to answer every letter.

Joey Vaughan  
Rt. 2 Box 130  
Bronson, TX 75930

● I am 13 years old and looking for pen pals in the South Jersey and Philadelphia areas. I have a CoCo 2, disk drive and a DMP-130 printer.

Andrew Cooper  
311 Fern Drive  
Atco, NJ 08004

● I am 16 years old and looking for pen pals anywhere in the world. I have a CoCo 2, a cassette recorder and disk drive. Anyone wanting a pen pal, please write to me.

Carl Lindberg  
1 West St.  
Pawling, NY 12564

## BULLETIN BOARD SYSTEMS

● Come take a flight on the Balloon Port BBS, 24 hours, seven days a week, 300 and 1200 baud. Please use 8/N/1. The system runs on six disk drives and a CoCo 2, has a great online game section, forums, and CoCo downloads! Online since January, 1987. Call 717-273-8444. SysOp: Balloon Meister. Co-SysOp: Chip Hirsh.

Rick V. Elyar  
1829 Ashton Drive  
Lebanon, PA 17042

● The Top Gun BBS in Baton Rouge, Louisiana, is online 24 hours, seven days a week, 300/1200/2400 baud. We feature online games and over 20 message boards, and pride ourselves in being the only 2400 CoBBS BBS in the world (that we know of). Call 504-774-8262. SysOp: Stinger.

Justin Young  
3527 Hickorywood Ave.  
Baton Rouge, LA 70807

● There is a new BBS online in Virginia, accepting 300 or 1200 baud, 7 or 8 bits. It is run on a Wang system and has 20 Mb of software for the CoCo. 24 hours, seven days a week. Call 703-483-3037.

Ricky Sutphin  
Rt. 1 Box 020  
Henry, VA 24102

● There is a new BBS here in Salt Lake Valley, the West Valley CoCoshop. It's run on Richard Duncan's CoBBS Version 1.2 modified. Online 24 hours, 300 baud. We have online games, Xmodem, ASCII downloads and a public message base. Call 801-250-1941.

Dennis R. Gray  
3643 S. 6885 W.  
West Valley City, UT 84120

● There is a new bulletin board in St. Petersburg, Florida, the Stylus BBS. There are a number of special sections, including three online trivia games, classified ads, music news, concert information, reviews of Box Office & VCR movies, albums, restaurants, etc., as well as an extensive public domain library. Online 24 hours, seven days a week. Call 813-823-1490.

Tim Jay  
141 22nd Ave. N.  
St. Petersburg, FL 33704

THE RAINBOW welcomes letters to the editor. Mail should be addressed to: Letters to Rainbow, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. Letters should include the writer's full name and address. Letters may be edited for purposes of clarity or to conserve space.

Letters to the editor may also be sent to us through our Delphi CoCo SIG. From the CoCo SIG> prompt, type RAI to take you into the Rainbow Magazine Services area of the SIG. At the RAINBOW> prompt, type LET to reach the LETTERS> prompt and then select Letters for Publication. Be sure to include your complete name and address.

**The Best  
Has Arrived**

# Word Power 3

**(The Ultimate Word Processor for the CoCo 3)**

**Are** you still using your CoCo2 word processor on the CoCo 3 with slipshod patchwork? You don't have to any more. With Word Power3, Microcom answers the challenge of word processors for the CoCo3. It bridges the gap between "what is" and "what should be" in word-processors. **No other word processor offers such a wide array of features that are so easy to learn and use.** Check out the impressive features:

## **DISPLAY**

The 80-column display with true lowercase lets you view the full width of a standard page. **All the prompts are displayed in plain English in neat colored windows.** The current column number, line number, page number and the percentage of memory remaining is displayed on the screen at all times. The program even displays the bottom margin perforation so you know where one page ends and the other begins. You can also change the foreground/background color of the screen to suit your needs!

## **AVAILABLE MEMORY**

Unlike most other word processors, Word Power3 gives you 80K of memory with a 128K CoCo 3 and more than 460K with a 512K CoCo 3 to store text.

## **TYPING/EDITING**

Word Power 3 has one of the most powerful and user-friendly full-screen editors with wordwrap. All you do is type; Word Power 3 takes care of the text arrangement. It even has a built-in **Auto-Save** feature which saves the current text to disk at regular intervals; so you know that your latest version is saved on disk. Here are some of the editing features of Word Power 3:

Auto-repeat; Key-Click; Cursor up, down, left, right, beginning of line, end of line, next word, previous word, top of text, end of text; page forward, backward; 4-way scrolling; block copy, move, delete;

global search and replace (with wild-card search); line positioning (left, right or center); insert/overstrike modes; delete to beginning/end of line, next/previous word; and tabs. You can also embed printer codes in text to take advantage of underlining, sub/superscript and other printer functions. Define left, right, top and bottom margins, and page length.

## **MAIL MERGE**

Ever try mailing out the same letter to 500 different persons? Could be quite a chore. Not with the Mail Merge feature of Word Power 3. Using this feature, you can type a letter, follow it through with a list of addresses and have Word Power 3 print out personalized letters. It's that easy!

## **LOADING/SAVING FILES TO DISK**

Word Power 3 creates ASCII format files which are compatible with almost all terminal, spell-checking, and other word-processing programs. It allows you to load, save and kill files and also to create and edit Basic, Pascal, C and Assembly files. Supports double-sided drives and various drive step rates.

## **PRINTING**

Word Power 3 drives almost any printer (DMP series, EPSON, GEMINI, OKIDATA, etc.). Allows print options such as different baud rates, line spacing, page pause, partial print, multi-line headers/footers, page numbers, page number placement, and right justification. You can also change the values for these print options within the text by using embedded printer option codes.

## **INSTRUCTION MANUAL**

Word Power 3 comes with a well-written and easy-to-comprehend instruction manual that makes writing with Word Power 3 a breeze.

Word Power 3 comes on disk for only **\$69.95.**



**MICROCOM SOFTWARE**

P.O. Box 214

Fairport, N.Y. 14450

Phone (716) 223-1477

**Call Toll Free (For Orders) 1-800-654-5244** 9 AM - 9 PM EST 7 days a week  
Except NY. **Order Status**, Information, Technical Information, NY Orders call **1-716-223-1477**

All orders shipped by UPS 2nd Day Air at no extra charge. Last minute shoppers can benefit.  
VISA, MC, AMEX, Check, MO. Please add \$3.00 S&H (USA & Canada), other countries \$5.00 S&H.  
NYS residents please add sales tax.

**Computerized processing & tracking of orders. Immediate shipment.**



# RAINBOW

# Info

## How To Read Rainbow

Please note that all the BASIC program listings in THE RAINBOW are formatted for a 32-character screen — so they show up just as they do on your CoCo screen. One easy way to check on the accuracy of your typing is to compare what character "goes under" what. If the characters match — and your line endings come out the same — you have a pretty good way of knowing that your typing is accurate.

We also have "key boxes" to show you the minimum system a program needs. But, do read the text before you start typing.

Finally, the little disk and/or cassette symbols on the table of contents and at the beginning of articles indicate that the program is available through our RAINBOW ON DISK or RAINBOW ON TAPE service. An order form for these services is on the insert card bound in the magazine.


## What's A CoCo?

CoCo is an affectionate name that was first given to the Tandy Color Computer by its many fans, users and owners.

However, when we use the term CoCo, we refer to both the Tandy Color Computer and the TDP System-100 Computer. (While many TDP-100s are still in service, the TDP Electronics division of Tandy no longer markets the CoCo look-alike.) It is easier than using both of the "given" names throughout THE RAINBOW.

In most cases, when a specific computer is mentioned, the application is for that specific computer. However, since the TDP System-100 and Tandy Color are, for all purposes, the same computer in a different case, these terms are almost always interchangeable.

## Rainbow Check Plus



The small box accompanying a program listing in THE RAINBOW is a "check sum" system, which is designed to help you type in programs accurately.

Rainbow Check PLUS counts the number and values of characters you type in. You can then compare the number you get to those printed in THE RAINBOW. On longer programs, some benchmark lines are given. When you reach the end of one of those lines with your typing, simply check to see if the numbers match.

To use Rainbow Check PLUS, type in the program and save it for later use, then type in the command RUN and press ENTER. Once the program has run, type NEW

and press ENTER to remove it from the area where the program you're typing in will go.

Now, while keying in a listing from THE RAINBOW, whenever you press the down arrow key, your CoCo gives the check sum based on the length and content of the program in memory. This is to check against the numbers printed in THE RAINBOW. If your number is different, check the listing carefully to be sure you typed in the correct BASIC program code. For more details on this helpful utility, refer to H. Allen Curtis' article on Page 21 of the February 1984 RAINBOW.

Since Rainbow Check PLUS counts spaces and punctuation, be sure to type in the listing exactly the way it's given in the magazine.

```
10 CLS:X=256*PEEK(35)+178
20 CLEAR 25,X-1
30 X=256*PEEK(35)+178
40 FOR Z=X TO X+77
50 READ Y:W=W+Y:PRINT Z,Y;W
60 POKE Z,Y:NEXT
70 IF W=7985 THEN 80 ELSE PRINT
  "DATA ERROR":STOP
80 EXEC X:END
90 DATA 182, 1, 106, 167, 140, 60, 134
100 DATA 126, 183, 1, 106, 190, 1, 107
110 DATA 175, 140, 50, 48, 140, 4, 191
120 DATA 1, 107, 57, 129, 10, 38, 38
130 DATA 52, 22, 79, 158, 25, 230, 129
140 DATA 39, 12, 171, 128, 171, 128
150 DATA 230, 132, 38, 250, 48, 1, 32
160 DATA 240, 183, 2, 222, 48, 140, 14
170 DATA 159, 166, 166, 132, 28, 254
180 DATA 189, 173, 198, 53, 22, 126, 0
190 DATA 0, 135, 255, 134, 40, 55
200 DATA 51, 52, 41, 0
```

## OS-9 and RAINBOW ON DISK

The OS-9 side of RAINBOW ON DISK contains two directories: CMDS and SOURCE. It also contains a file, read.me.first, which explains the division of the two directories. The CMDS directory contains executable programs and the SOURCE directory contains the ASCII source code for these programs. BASIC09 programs will only be offered in source form so they will only be found in the SOURCE directory.

OS-9 is a very powerful operating system. Because of this, it is not easy to learn at first. However, while we can give specific instructions for using the OS-9 programs, you will find that the OS-9 programs will be of little use unless you are familiar with the operating system. For this reason, if you haven't "learned" OS-9 or are not comfortable with it, we suggest you read *The Complete Rainbow Guide to OS-9* by Dale Puckett and Peter Dibble.

The following is not intended as a course in OS-9. It merely states how to get the OS-9 programs from RAINBOW ON DISK to your OS-9 system disk. Use the procedures appropriate for your system. Before doing so, however, boot the OS-9 operating system according to the documentation from Radio Shack.

- 1) Type `load dir list copy` and press ENTER.
- 2) If you have only one disk drive, remove the OS-9 system disk from Drive 0 and replace it with the OS-9 side of RAINBOW ON DISK. Then type `chd/d0` and press ENTER. If you have two disk drives, leave the system master in Drive 0 and put the RAINBOW ON DISK in Drive 1. Then type `chd/d1` and press ENTER.
- 3) List the `read.me.first` file to the screen by typing `list read.me.first` and pressing ENTER.
- 4) Entering `dir` will give you a directory of the OS-9 side of RAINBOW ON DISK. To see what programs are in the CMDS directory, enter `dir cmds`. Follow a similar method to see what source files are in the SOURCE directory.
- 5) When you find a program you want to use, copy it to the CMDS directory on your system disk with one of the following commands:

One-drive system: `copy /d0/cmds/ filename /d0/cmds/ filename -s`

The system will prompt you to alternately place the source disk (RAINBOW ON DISK) or the destination disk (system disk) in Drive 0.

Two-drive system: `copy /d1/cmds/ filename /d0/cmds/ filename`

Once you have copied the program, you execute it from your system master by placing that disk in Drive 0 and entering the name of the file.

## The Rainbow Seal



The Rainbow Certification Seal is our way of helping you, the consumer. The purpose of the Seal is to certify to you that any product that carries the Seal has actually been seen by us, that it does, indeed, exist and that we have a sample copy here at THE RAINBOW.

Manufacturers of products — hardware, software and firmware — are encouraged by us to submit their products to THE RAINBOW for certification. We ascertain that their products are, in actuality, what they purport to be and, upon such determination, award a Seal.

The Seal, however, is not a "guarantee of satisfaction." The certification process is different from the review process. You are encouraged to read our reviews to determine whether the product is right for your needs.

There is absolutely no relationship between advertising in THE RAINBOW and the certification process. Certification is open and available to any product pertaining to CoCo. A Seal will be awarded to any commercial product, regardless of whether the firm advertises or not.

We will appreciate knowing of instances of violation of Seal use.

BOOKS & GRAPHICS

# 500 POKES, PEEKs, 'N EXECs FOR THE TRS-80 COCO



NEVER BEFORE has this information of vital significance to a programmer been so readily available to everyone. This book will help you 'GET UNDERNEATH THE COVER' of the Color Computer and develop your own HI-QUALITY Basic and ML programs. SO WHY WAIT?? This 80-page book includes POKES, PEEKs and EXECs to:

- ★ Autostart your basic programs
  - ★ Disable Color Basic/ECB/Disk Basic commands like LIST, LLIST, POKE, EXEC, CSAVE(M), DEL, EDIT, TRON, TROFF, PCLEAR, DLOAD, RENUM, PRINT USING, DIR, KILL, SAVE, LOAD, MERGE, RENAME, DSKINI, BACKUP, DSKI\$, and DSKO\$.
  - ★ Disable BREAK KEY, CLEAR KEY and RESET BUTTON.
  - ★ Generate a Repeat-key.
  - ★ Transfer ROMPAKS to tape (For 64K only).
  - ★ Speed Up your programs.
  - ★ Reset, MOTOR ON/OFF from keyboard.
  - ★ Recover Basic programs lost by NEW.
  - ★ Set 23 different GRAPHIC/SEMIGRAPHIC modes
  - ★ Merge two Basic programs.
  - ★ AND MUCH MUCH MORE!!!
- COMMANDS COMPATIBLE WITH 16K/32K/64K/COLOR BASIC/ECB/DISK BASIC SYSTEMS and CoCo 1, 2, & 3.

ONLY \$16.95

## SUPPLEMENT to 500 POKES, PEEKs 'N EXECs

ONLY \$9.95

200 additional Pokes, PEEKs 'n Execs to give you MORE PROGRAMMING POWER. Includes commands for:

- Rompak Transfer to disk
- PAINT with 65000 styles
- Use of 40 track single/double sided drives with variable step-rates
- High-Speed Cassette Operation
- Telewriter 64<sup>®</sup>, Edtasm+<sup>®</sup> and CoCo Max<sup>®</sup> Enhancements
- Graphics Dump (for DMP printers) & Text Screen Dump
- AND MUCH MUCH MORE!
- 500 POKES, PEEKs 'N EXECs is a prerequisite


## NEW! 300 POKES PEEKs 'N EXECs FOR THE COCO III

Get more POWER for your CoCo III. Includes commands for:

- 40/80 Column Screen Text Dump
- Save Text/Graphics Screens to Disk
- Command/Function Disables
- Enhancements for CoCo 3 Basic
- 128K/512K Ram Test Program
- HPRINT Character Modifier
- AND MANY MORE COMMANDS



ONLY \$19.95



**UNRAVELLED SERIES:** These books provide a complete annotated listing of the BASIC/ECB and DISK ROMs.

EXTENDED COLOR BASIC UNRAVELLED: \$39.95

DISK BASIC UNRAVELLED: \$19.95

BOTH UNRAVELLED BOOKS: \$49.95

SUPER ECB (CoCo3) UNRAVELLED: \$24.95

ALL 3 UNRAVELLED BOOKS: \$59.95

COCO 3 SERVICE MANUAL: \$39.95

COCO 2 SERVICE MANUAL: \$29.95

INSIDE OS9 LEVEL II: \$39.95

RAINBOW GUIDE TO OS9 LEVEL II ON COCO 3: \$19.95

RAINBOW GUIDE TO OS9 II DISK: \$19.95

INSIDE OS9 LEVEL II DISK: \$20.00

COCO 3 SECRETS REVEALED: \$19.95

ASSEMBLY LANGUAGE PROGRAMMING\*: \$18.00

ADDENDUM FOR COCO 3: \$12.00

UTILITY ROUTINES VOL 1 BOOK: \$19.95



**MICROCOM SOFTWARE**  
P.O. Box 214  
Fairport, N.Y. 14450  
Phone (716) 223-1477

VISA, MC, AMEX, Check, MO. Please add \$3.00 S&H (USA & Canada), other countries \$5.00 S&H. NYS residents please add sales tax. Computerized processing & tracking of orders. Immediate shipment. Dealer inquiries invited.

## COCO GRAPHICS DESIGNER

Greeting Cards  
Signs  
Banners

The CoCo Graphics Designer allows you to create beautifully designed Greeting Cards, Signs and Banners for holidays, birthdays, parties, anniversaries and other occasions. Comes with a library of pre-drawn pictures. Also includes utilities which allow you to create your own character sets, borders and graphic pictures. Requires a TRS-80 COLOR COMPUTER I, II OR III OR TDP-100 with a MINIMUM OF 32K, ONE DISK DRIVE and a PRINTER compatible with DISK BASIC 1.0/1.1, ADOS 1.0/1.1 AND JDOS.

Supports the following printers: DMP 100/105/110/130/430, CGP 220, EPSON RX/FX, GEMINI 10X, SG-10, NX-10 & OKIDATA

DISK ONLY \$29.95

PICTURE DISK #1: 100 more pictures for CGD: \$14.95

FONT DISK #1: 10 extra fonts! \$19.95

COLORED PAPER PACKS \$24.95

## COCO MAX III

It's finally here! CoCo Max for the CoCo III. Includes all the features of the acclaimed CoCo Max II and more: CoCo III hi-res screen, display of 64 colors at a time, 50% larger editing window, special effects with animation and much much more! Comes with special hi-res interface, conversion utilities and a comprehensive manual. Disk only \$79.95 Min Req: 128K CoCo III with a disk drive.

## COCO MAX II

Disk \$77.95; Tape \$67.95

### MAX PATCH

An excellent software patch to run COCO MAX II on COCO III. Req. RS Hires Joystick Interface. No chip replacements or soldering. Disk only \$24.95  
BOTH MAX PATCH & HI-RES INTERFACE: \$34.95

## COLOR MAX III DELUXE

This is the sequel to the popular Color Max III. Additional features include multiple screen editing, animation, etc. Includes printer drivers for EPSON, GEMINI, DMP & CGP-220 printers. Disk only \$69.95. Minimum Requirements: 512K CoCo 3, RS Hi-Res Joystick Interface and Tandy Disk Controller.



All orders \$50 & above shipped by 2nd day Air UPS with no extra charge. Last minute shoppers can benefit.

Call Toll Free (For Orders) 1-800-654-5244 9 AM-9 PM EST 7 days a week

Except NY. Order Status, Information, Technical Information, NY Orders call 1-716-223-1477





## Keeping in Touch

I had a wonderful time last weekend. At the invitation of the Cincinnati TRS-80 Users Group, I attended their monthly meeting and spoke about two subjects very close to my heart — the Color Computer and computers in general.

It was a real fun day. First of all, the weather was delightful, so I was able to fly myself to the meeting. That meant I was able to condense a one and one-half hour trip into about 45 minutes — including the time Air Traffic Control sent me scurrying around the sky to avoid the “big boys.”

Dick White and Don Dollberg met me, and Dick even found the right airport this time. The last time I went to Cincinnati to talk (Larry Preble flew me that time), Dick ended up at the wrong airport and had to drive across town to get me.

I was whisked from Blue Ash airport to the meeting site, spent about an hour talking and another answering questions, and then went out with a whole bunch of the UG members for pizza. Don and Dick drove me back to the airport, I started up the plane and was home in another 45 minutes!

I like Users Group meetings. For one thing, it is always a good opportunity to bounce ideas off the heads of a wide variety of people. And, you get an instant response, as well. Here are some of the questions I was asked:

- *Are the major software companies writing programs for the CoCo, or was that “just some enthusiasm” in one of your columns?*

Well, of course, it was enthusiasm, but it is true, too. Most of these programs are being written for Tandy, but they are being done all the same. Just look at the titles that are available — plus, of course, all the non-Tandy third-party software.

- *How long will the Color Computer last?*

Maybe forever. I know a few things — although not always as much as people always seem to infer — and it is pretty plain that the CoCo is very much alive and kicking. Look at this magazine, for instance. How many Apple magazines, how many Atari magazines, how many Amiga magazines do you see that have run right around 200 pages in the past year? People are not only *buying* Color Computers, they are *using* them every day. Lots of people.

- *Just how good is the CoCo, really?*

As long as you don't want to do monster spreadsheets, humongous databases (for instance, we don't do our subscriptions on it), write a novel or things of that sort, the Color Computer is probably the only computer you will ever need. And,

## COCO 3 UTILITIES GALORE

(All utilities support 40/80 columns for CoCo 3)  
(CoCo 2 versions are available for most utilities)



### SUPER TAPE/DISK TRANSFER



• Disk-to-Disk Copy (1-3 passes) • Tape-to-Disk Copy • Tape-to-Disk Automatic Relocate • Disk-to-Tape Copy • Tape-to-Tape Copy  
Copies Basic/ML programs and DATA files. CoCo 1, 2 & 3. 32K Disk System (Disk to Disk Copy requires 64K). Disk Only \$24.95

### OS9 LEVEL II RAMDISK

Lightning Fast Ramdisk with Auto Formatting. A must for any OS9 Level II User. Req. 512K \$29.95. (Only \$14.95 with the purchase of 512K Upgrade & Ramdisk!!).

### HI-RES JOYSTICK SOFTWARE

Wish you could use the hi-res joystick interface from Basic? You can now. This program will let you access 640 x 640 pixels from your joystick for extra precision. CoCo 3 Disk \$14.95

### COCO NEWSROOM

Now available for the CoCo III! You can design your own newspaper with Banner Headlines/6 articles using sophisticated Graphics, Fonts and Fill Patterns. Comes with 22 fonts & 50 pictures! Over 140K of code. Disk only \$49.95

### MAILLIST PRO

The ultimate mailing list program. Allows you to add, edit, view, delete, change, sort (by zipcode or name) and print labels. Its indispensable! Disk Only \$19.95 (CoCo 2 version included)

### DISK LABEL MAKER

Allows you to design professional disk labels! Allows elongated, normal and condensed format for text, double-strike, border creation and multiple-label printing. Its a MUST for any user with a disk drive. Disk Only \$19.95. Supports DMP 105/110/120/130/430, GEMINI, STAR, EPSON and compatibles. (CoCo 2 version included)

### COMPUTERIZED CHECKBOOK

Why bother with balancing your checkbook? Let the CoCo do it for you! Allows you to add, view, search, edit, change, delete and printout (in a table or individual entry format) checkbook entries. Updates balance after each entry. Allows files for checking, saving and other accounts. Disk Only \$19.95 (CoCo 2 version included)

### BOWLING SCORE KEEPER

An excellent utility to keep track of your bowling scores. Allows you to save scores under individuals or teams. You can edit, change, delete and compare scores. A must for anyone who wants to keep track of his or her bowling performance. Disk \$19.95 (CoCo 2 version included).

### VCR TAPE ORGANIZER

Organize your videocassettes with this program! Allows you to index cassettes by title, rating, type, play time and comments. Also allows you to sort titles alphabetically and view/print selected tapes. If you own a VCR, this program is a must. Disk Only \$19.95 (CoCo 2 version included).

### ASTRO FORTUNE TELLER

Receive answers to 30 pre-defined questions on love, success, marriage, etc. This program is over 150K long and yet will run on a 32K-512K systems due to modular approach. Disk Only \$24.95 (CoCo 2 version included)

### ADOS3

Advanced Disk Operating System for CoCo 3. \$34.95 ADOS: \$27.95

### COCO UTIL II

(Latest Version): Transfer CoCo Disk files to IBM compatible computer. Transfer MS-DOS files to CoCo. \$39.95

### SPIT 'N IMAGE

Makes a BACKUP of ANY disk \$32.95

### RGB PATCH

Displays most games in color on RGB monitors. For CoCo 3 Disk \$24.95



**MICROCOM SOFTWARE**  
P.O. Box 214  
Fairport, N.Y. 14450  
Phone (716) 223-1477

All orders \$50 & above shipped by UPS 2nd Day Air at no extra charge. Last minute shippers can benefit VISA, MC, AMEX, Check, MO. Please add \$3.00 S&H (USA & Canada), other countries \$5.00 S&H. NYS residents please add sales tax. Computerized processing & tracking of orders. Immediate shipment. Dealer inquiries invited.

MasterCard



## ALL SOFTWARE COMPATIBLE WITH COCO 1, 2 & 3 WORD PROCESSORS

TeleWriter-64: Best Word Processor For CoCo 1, 2 & 3. (Cas) \$47.95 (Disk) \$57.95  
TW-80: 80 Column Display & more features for TW-64. CoCo 3 Disk \$39.95  
TELEFORM: Mail Merge & Form Letters for TW-64. \$19.95

## DATABASE

Pro Color File \*Enhanced\* 2.0: Multi-feature Database. \$59.95

## COMMUNICATIONS

Autoterm: Superb Terminal Program. Works with any modem! (Cas) \$29.95 (Disk) \$39.95  
Wiz: For OS9 II. 300-19200 baud rate, windows! Req 512K & RS232 Pak \$79.95

## ASSEMBLERS/COMPILERS

EDT/ASM 640: Best Disk Based Editor-Assembler for CoCo. \$59.95 (Specify CoCo 1, 2 or 3)  
THE SOURCE: Best Disassembler for CoCo. \$34.95 (Specify CoCo 1, 2 or 3)  
CBASIC: Most powerful Basic Program Compiler. \$149.95 (Specify CoCo 1, 2 or 3)

## GAMES

(DISK ONLY)

IRON FOREST: \$28.95

LIGHT PHASER W/INTERFACE: \$34.95

MISSION! RUSH 'N ASSAULT: \$28.95

GRANDPRIX CHALLENGE: \$28.95

GANTELET II: \$28.95

GANTELET: \$28.95

MISSION F-16 ASSAULT: \$28.95

MARBLE MAZE: \$28.95

PAPER ROUTE: \$28.95

KNOCK OUT: \$28.95

KARATE: \$28.95

WRESTLE MANIAC: \$28.95

BOUNCING BOULDERS: \$28.95

THE GATES OF DELIRIUM: \$28.95

CALADURIAL FLAME OF LIGHT: \$28.95

LANSFORD MANSION: \$28.95

P-51 MUSTANG SIMULATION: \$34.95

WORLDS OF FLIGHT: \$34.95

PYRAMIX: Cubix® for CoCo 3: \$24.95

VEGAS SLOTS (CoCo III Only): \$34.95

FLIGHT 16: \$34.95



**Call Toll Free (For Orders) 1-800-654-5244** 9 AM - 9 PM EST 7 days a week

Except NY. Order Status, Information, Technical Information, NY Orders call 1-716-223-1477

when you see *Multi-View*, you'll even be able to stick up your nose at the Mac's user interface.

• *Is Tandy really committed to the Color Computer?*

Yes sir, yes sir, three bags full. The reason is simple: The CoCo is profitable for Tandy. Remember, it is a big corporation, and big companies sometimes find it difficult to "express their appreciation" to a customer. I think Tandy does one heck of a job, though. For instance, they gave away 6,000 power controllers at RAINBOWfest in Princeton this year. "It was," an official told me, "one way we could say 'thanks'." Don't be surprised if something else comes down at the Chicago show.

• *How does Tandy support stack up?*

I know of no other computer manufacturing company that has the network of free support Tandy does. Of course, they drop the ball on occasion. But at least there is a commitment to have a ball to drop. You have more avenues of free support from Tandy than from any other computer company in the world. And the same goes for their service. Ever try to get an Atari computer fixed? Forget about locally — anywhere. At least in your lifetime.

• *Given all the OS-9 systems Micro-ware has sold to us via Tandy, why don't they show us some support by at least doing some 'image' advertising in THE RAINBOW?*

I dunno. (I love questions like this.)

**"You have more avenues of free support from Tandy than from any other computer company in the world."**

• *Are we ever going to see program listings disappear from the magazine? I heard you were going to just print the instructions and let us buy the disks or tapes if we wanted the programs.*

No way. There will always be programs listed in THE RAINBOW.

• *What is your favorite program?*

Telewriter. Not only is it a well-done

program, but it opened a whole, vast new dimension in software with its high resolution screen for text. Hundreds of programmers use it now, but Howard Cohen was the first. Telewriter contributed as much to the success of the Color Computer as anything else.

• *How is Delphi doing?*

Very well, thanks. The CoCo SIG is the most-used area of Delphi, with the other major SIG we offer, PC/MS-DOS, pretty much the second. In fact, except for the original invitation (which was delivered in person), all the arrangements for my coming to this meeting were handled through Delphi Mail.

That's about it, except for some other questions I want to discuss at length later. Thanks, CINTUG, for having me, and thanks, CINTUG members, for listening to me.

And thanks to all of you, RAINBOW readers and members of the CoCo Community, for being with us last year. I look forward to being with you through this new year. To you and yours, a Happy and Healthy 1988!

— Lonnie Falk

#### Two-Liner Contest Winner . . .

Here's one for those of you who just like to clown around. If you are running it on a CoCo 3, you might want to enter PALETTE RGB first.

##### The listing:

```
1 PMODE 3,1:PCLS:SCREEN1,0:M=90:
K=160:L=185:CIRCLE(K,M),60,0,1.5
:CIRCLE(135,80),20,0,1.5:CIRCLE(
L,80),20,0,1.5:CIRCLE(K,110),20:
PAINT(K,110),0,0:CIRCLE(135,M),7
:CIRCLE(L,M),7:PAINT(135,M),3,0:
PAINT(L,M),3,0:CIRCLE(K,150),30,
.5:PAINT(K,160),3,0
2 CIRCLE(98,M),15,0,1.5,.2,.8:CI
RCLE(222,M),15,0,1.5,.7,.3:PAINT
(99,M),2,0:PAINT(222,M),2,0:PAI
NT(K,40),2,0:CIRCLE(118,30),15,.2
,.4,.9:PAINT(110,30),0,0:CIRCLE(
200,30),15,.2,.6,.1:PAINT(209,30
),0,0:PAINT(135,M),RND(3),0:PAI
NT(L,M),RND(3),0:GOTO2
```

Rick Cooper  
Liberty, KY

(For this winning two-liner contest entry, the author has been sent copies of both *The Third Rainbow Book of Adventures* and its companion *The Third Rainbow Adventures Tape*.)

#### Two-Liner Contest Winner . . .

We often see frost on our windows, but what about on our monitors? This one is for your CoCo 3. If using an RGB monitor, enter PALETTE RGB before running.

##### The listing:

```
1 N=90:DIMX(99),Y(99):HCOLOR8,2:
HSCREEN4:FORZ=0TOSTEP0:FORL=1TO
N:X=X(L):Y=Y(L):A=X:B=Y:IFX=0AND
Y=0THENX(L)=RND(638):Y(L)=RND(19
0):NEXTL,Z ELSER=RND(4):IFR=1AND
X>1THENX=X-1ELSEIFR=2ANDX<638THE
NX=X+1ELSEIFR=3ANDY>1THENY=Y-1E
LSEIFY=4ANDY<190THENY=Y+1
2 POKE65497,0:IFHPOINT(X+1,Y)=10
RHPOINT(X+1,Y+1)=1ORHPOINT(X,Y+1
)=1ORHPOINT(X-1,Y)=1ORHPOINT(X-1
,Y-1)=1ORHPOINT(X,Y-1)=1ORHPOINT
(X+1,Y-1)=1ORHPOINT(X-1,Y-1)=1TH
ENX(L)=X:Y(L)=Y:HSET(A,B,1):NEXT
L,Z ELSEHRESET(A,B):HSET(X,Y,1):
NEXTL,Z
```


B.J. Bryson  
Manahawkin, NJ

(For this winning two-liner contest entry, the author has been sent copies of both *The Third Rainbow Book of Adventures* and its companion *The Third Rainbow Adventures Tape*.)

## ALL HARDWARE COMPATIBLE WITH COCO 1, 2 & 3

### DISK DRIVES

Double Sided, Double Density 360K 40 track disk drives for the Color Computer 1, 2 and 3. Buy from someone else and all you get is a disk drive. Buy from us and not only do you get a quality disk drive, you also get \$60 worth of disk utility software (Super Tape/Disk Transfer and Disk Tutorial) and our DISKMAX utility which allows you to use BOTH sides of our disk drives. It's like buying TWO disk drives for the price of ONE!!



**DRIVE 1** (Completely Assembled) **\$149.95**  
**DRIVE 0** (With J&M Controller & Cable) **\$229.95**  
 (90 day warranty on all drives)

**J&M CONTROLLER** (With RSDOS) **\$79.95**

**DISTO SUPER CONTROLLER:** **\$99.95**

**DRIVE CABLES:** 1 DRIVE CABLE: **\$19.95** 2 DRIVE CABLE: **\$24.95** 4 DRIVE CABLE: **\$39.95**


(For Drives, add \$7.00 S&H in USA/CANADA)

### COMMUNICATIONS EXTRAVAGANZA

- 1) **AVATEX 1200 MODEM:** Hayes compatible 300/1200 Baud, Auto-Dial/Answer/Redial (Reg. \$129.95)
- 2) **MODEM CABLE** (Reg. \$19.95)
- 3) **AUTOTERM TERMINAL SOFTWARE**
- 4) **FREE COMPUERVE OFFER and ACCESS TIME**
- 5) **UPS 2nd DAY AIR Shipping.**

**ONLY \$149.95**

(With AVATEX 1200hc instead of AVATEX 1200: \$174.95)  
 AVATEX 2400: Call



The Avatex 1200

### UPGRADES

#### 512K UPGRADE FOR COCO III

Fast 120ns chips. Fully tested. Easy installation. No soldering. Comes with complete documentation and RAM test program on disk.



**ONLY \$79.95**



(With purchase of our 512K RAMDISK program below)

**512K Upgrade without chips \$44.95**

#### 512K RAMDISK

Have 2 superfast RAMDISKS & a print spooler.

**\$24.95**

**64K Upgrade for 26-3134 A/B CoCo II:**  
**\$39.95**

**64K Upgrade for CoCo I's, CoCo II's with Cat #26-3026/7, 26-3134 & 26-3136: \$29.95**

### CABLES/SWITCHERS/ ADAPTERS

**RS232 Y CABLE:** Hook 2 devices to the serial port. **ONLY \$18.95**

**Y CABLE:** Use your Disk System with CoCo Max, DS69, etc. **ONLY \$24.95**

**15' PRINTER/MODEM EXTENDER CABLE:**  
**ONLY \$16.95**

**MODEM CABLE:** 4 pin to DB 25: **\$19.95**

**15" MULTIPAK/ROMPAK EXTENDER CABLE:** **\$29.95**

**3-POSITION SWITCHER:** Select any one of three RS232 devices (printers/modems) from the serial port. **\$37.95**

**WICO TRACK BALL:** **\$29.95**

**WICO ADAPTER:** Use Atari type Joysticks with your CoCo: **\$29.95**

**RS HI-RES JOYSTICK INTERFACE:** **\$11.99**

**MAGNAVOX 8505/8515/8CM643 Analog**

**RGB Cable:** **\$24.95**

**CM-8 RGB Analog Ext. Cable:** **\$19.95**

**SONY Monitor Cable:** **\$39.95**

### VIDEO

**UNIVERSAL VIDEO DRIVER:** For monochrome or color monitor. **\$29.95**

**VIDEO CLEAR:** Reduce TV interference. **\$19.95**

### PRINTER INTERFACES

**SERIAL TO PARALLEL INTERFACE:** With 6 switch selectable baud rates (300-9600) Comes with all cables. **\$44.95**

### EPROM

**INTRONICS EPROM PROGRAMMER:** Best EPROM Programmer for the CoCo. Lowest Price Anywhere. **\$137.95**

**EPROM ERASER (Datarase):** Fast erase of 24/28 pin EPROMs. **\$49.95**

**EPROMS:** 2764 - **\$8.00**, 27128 - **\$9.00**  
 Call for other EPROMs.

**BOTH EPROM PROGRAMMER and ERASER:**  
**\$179.95**

**ROMPAK w/ Blank PC Board 27xx Series:**  
**\$12.95**

### KEYBOARDS/ACCESSORIES

**KEYBOARD EXTENSION CABLE:** Why break your back when typing on the CoCo? Our keyboard extender cable allows you to move your keyboard away from the computer and type with ease. You can use your existing keyboard with this cable or leave your present keyboard intact and use a second keyboard. A MUST for all CoCo Users. Only **\$39.95**. Cable with CoCo II keyboard: **\$49.95**

**COCO 3 KEYBOARD** (includes FREE FUNCTION KEYS software value \$19.95): **\$39.95**

### CHIPS, ETC.

**Disk Basic Rom 1.1** (Needed for CoCo III): **\$14.95**

**Multi-Pak PAL Chip** for CoCo 3 (Specify Multipak Cat #): **\$19.95**

**PAL Switcher:** Now you can switch between the CoCo II and CoCo III modes when using the Multi-Pak. You need the OLDER and NEW PAL chip for the 26-3024 Multipak. Only **\$29.95**/With NEW PAL Chip **\$39.95**



**MICROCOM SOFTWARE**

P.O. Box 214  
 Fairport, N.Y. 14450  
 Phone (716) 223-1477

All orders \$50 and above (except Disk Drives) shipped by UPS 2nd Day Air at no EXTRA charge. We accept VISA/MC/AMEX, Check or MO. Please add \$3.00 S&H (USA/CANADA; other countries \$5.00), except where otherwise mentioned. NYS Residents please add sales tax. Prices are subject to change. All products are covered by manufacturer's warranty.



**Call Toll Free (For Orders) 1-800-654-5244** 9 AM - 9 PM EST 7 days a week

Except NY. Order Status, Information, Technical Information, NY Orders call 1-716-223-1477

## About Your Subscription

Your copy of THE RAINBOW is sent second class mail. You must notify us of a new address when you move. Notification should reach us no later than the 15th of the month prior to the month in which you change your address. Sorry, we cannot be responsible for sending another copy when you fail to notify us.

Your mailing label also shows an account number and the subscription expiration date. Please indicate this account number when renewing or corresponding with us. It will help us help you better and faster.

For Canadian and other non-U.S. subscribers, there may be a mailing address shown that is different from our editorial office address. Do not send any correspondence to that mailing address. Send it to our editorial offices at Falsoft, Inc., The Falsoft Building, P.O. Box 385, Prospect, KY 40059. This applies to everyone *except* those whose subscriptions are through our distributor in Australia.

## Building January's Rainbow

# Our Beginners "Boot"

**H**ere it is, January, the beginning of a new year and a year of new beginnings. It's a time when many of us resolve to terminate bad habits and promise ourselves to achieve personal goals. And, just as personal objectives and challenges are established to enhance the year's opportunities, here at THE RAINBOW, we are in the same frame of mind. I'm certain that this, our Beginners issue, can help launch what promises to be a successful year for you, us and the entire CoCo Community.

If you're new to computing, we welcome you to the CoCo (that's our nickname for the Color Computer) Community and THE RAINBOW, where an incredibly diverse group of Color Computer users — all with varying interests and levels of knowledge in computing — share ideas and experiences and learn from each other.

This month, for the many new CoCo users, our Copy Editor, Lauren Willoughby, shares her first experiences as a CoCo beginner and hopes to make yours more enjoyable by showing you the ins and outs of computing in "Starting from Scratch." This special feature includes a staff collaboration of hints and tips, covers the basics of typing, loading and saving programs, and describes the general format of reading the magazine.

To help you understand what you are reading, Lee Veal demystifies some of the jargon associated with computing in "A Glossary of Computer Terms." The coverage is broad and the definitions do not go into any great depth, but the information provided should boost your confidence and help you get a good start in the CoCo world.

Of course, getting started on the right foot is just as important to the advanced users breaking ground in new levels of computing.

If you're interested in learning to program, David Ostler covers some of the most used commands in "BASIC for Beginners"; regular columnist, Joseph Kolar, tutors beginners in "BASIC Training"; and OS-9 guru, Dale Puckett, is back at the OS-9 drawing board with the *KISSDraw* project.

For those who need a better understanding of using the OS-9 operating system, RAINBOW Technical Editor, Cray Augsburg, offers his advice in "OS-9 — Catch the Wave" and Nancy Ewart gives her assistance in "Stalking the Fire-Breathing Dragon."

For the hardware buffs, Contributing Editor, Bill Barden, discusses disk basics — operation, tracks and sectors, file management, directories, etc. — in "Delving Into the CoCo Disk." Hardware specialist, Tony DiStefano, shows you how to add an LED (Light Emitting Diode) to the disk controller, and Ray Onley helps make the CoCo child-proof with a simple-to-build keyboard-locking device.

The emphasis on new beginnings continues throughout this month's programs. To start an organized year, Robert Schlottmann's *Tax Info* helps CoCoists keep tax records in order, Bill Holdorf's *Appointment Calendar* tracks and prints out monthly schedules, and management consultant, Larry Paroubek assists you in "Finding the Right Person for the Job" with a program that creates detailed job descriptions.

But beginning a new year cannot be all work and no play. Some of the fun includes *Usetown Annex*, a Simulation by Paul French that casts the player as a big-time land developer who must build a town from scratch while staying within a budget of \$14 million; *Clowns*, by Bill Bernico and George Aftamonow, which allows you to mix and match facial features to create over 100 different clown faces; and *Urchin*, by Eric Tilenius, a short, fun game with an extremely bizarre scenario — giant sea urchins attacking helpless blackboard letters.

And, wrapping it all up is another splendid illustration by our cover artist Fred Crawford, who has been doing RAINBOW's wrapping for five years now! Fred's first cover was that great attacking dragon on our January 1983 issue.


If you're an artist yourself, get ready for our CoCo Gallery competition for the Chicago RAINBOWfest, where the winning entries will be hung in a special exhibition for all RAINBOWfest attendees to view. Details will be announced in next month's issue, but basically, we'll be wanting framed printouts or screen photographs that are ready for display at the 'fest.

So, a month for beginners and the CoCo enters its ninth calendar year, with the best yet to come.

— Jutta Kapfhammer

# GREAT COCO III STUFF

## SUPER MAX III INTERFACE




**\$39.95**

Switch between  
Color Max III  
and ???

Use EXISTING  
SOFTWARE\*  
or write your  
own! Includes  
(\$24.95)  
HI-RES  
JOYSTICK  
utility software  
BONANZA for FREE!

\*Compatible with POPULAR CoCo III  
graphics software programs that use  
HARDWARE JOYSTICK interfaces! Bring  
your CoCo III to the MAX!

## 512K COCO III



**\$249.95\***

\*Includes CoCoIII Software Bonanza  
package - a \$150 plus value !!!

Offer expires 1/20/88

**THE ULTIMATE  
HOLIDAY GIFT!**

## COLORMAX DELUXE - BETTER THAN COCO MAX III!

It's here! The CoCoIII BREAKTHROUGH PRODUCT everyone was waiting for! 320x200 graphics, pull down menus, icons the choice of any 16 colors from the CoCo III's 64 color palette plus RGB support! Eleven (11) fonts are included for hundreds of lettering styles and painting is a breeze with 16 colors and 32 editable patterns!!! Color Max Deluxe requires a 512K CoCo III and Hi-Res Joystick interface. (Specify printer!) \$69.95. Color Max Deluxe Font Editor - create and modify fonts for use with Color Max Deluxe \$29.95.

FONT DISK #1  
\$19.95

→ SPECIAL BONUS - BUY ABOVE 4 for only \$99.95 !!! (SAVE \$35) ←

HI-RES Interface  
\$14.95

## TW-80 - 80 COLUMNS FOR TW-64 ON COCO III

See pg.138 10/87  
Rainbow review

It's finally here! An 80 column version of Telewriter-64 for the CoCo III with TELEPATCH features plus much, much more! Includes PRINT SPOOLER & (2) ultra-fast RAM DISKS for 512K users, plus changeable CHARACTER FONTS & a setup CONFIG pgm. Req. TW-64 DISK & 128K CoCo III \$39.95 / SPECIAL BONUS COMBO - TW-64 & TW-80 \$99.95

## SUPER TALK 512 - DIGITAL VOICE FOR COCO III

Turn your 512K CoCoIII into a Digital Voice Recorder! Not synthesized speech, but 100% reproduction of your own voice! Create BIG MESSAGES, up to 32 blocks of 16K each. Req. 512K CoCoIII DISK. From Dr.Preble \$39.95

## 512K UPGRADE (\$49.95\*) LOWEST PRICES

OS9 Lev.II Ramdisk  
Driver \$29.95

Easy installation with a superior design for a reliable upgrade. (\*\$49.95 when purchased with our 512K RSDOS RAMDISK for \$24.95 and our OS9 Lev.II RAMDISK for \$29.95). Or \$79.95 with either RAMDISK program! Plus, FREE 512K RAM sticker with purchase! 512K upgrade without RAM chips \$29.95. Cheapest prices in Rainbow, period !!!

## HI-RES JOYSTICK UTILITY SOFTWARE BONANZA!

New useful programs for the Tandy Hi-Res Joystick Interface! Get FULL 640X640 mouse & joystick resolution from BASIC or run CoCoMaxII on the CoCoIII w/o the CoCoMax cartridge \$24.95 w/Hi-Res Interface \$34.95

## RGB PATCH - NO MORE BLACK & WHITE DOTS ...

Did you buy an expensive RGB monitor (CM-8) just so that you could see your Hi-Res artifacting CoCo 2 games in BLACK & WHITE ??? RGB PATCH converts most games to display in COLOR on an RGB monitor. 128K DISK \$29.95

## COCO NEWSROOM - 22 FONTS & 50 PICTURES!

Compose your own "CoCo NEWSPAPER" w/BANNER HEADLINES & 6 ARTICLES using a SOPHISTICATED graphics editor with importing of PICTURES, FONTS & FILL PATTERNS from disk. Over 140K of code & WYSIWYG! CoCoIII DISK \$49.95

## MAGNAVOX 8515 (\$299.95\*) LOWEST PRICES

Sharper & Brighter  
than Tandy CM-8!

Do NOT be FOOLED! The CM-8 has a dot-pitch of .52mm & will not work with any other computer or VCR! The '8515' has a SHARP .42mm dot-pitch, will work with IBM PCs/Tandy 1000 and its COLOR COMPOSITE input displays PMODE4 artifact colors unlike the CM-8! \*\$299.95 when purchased with a \$24.95 CoCoIII cable - Add \$14 shipping.

CoCo III 512K RAM sticker \$4.99  
Level II Quick Ref Guide \$4.99  
Level II Basic09 binder ..\$9.95

300 CoCoIII POKES .....\$19.95  
CoCoIII MultiPak PAL chip ..\$19.95  
Guide to CoCoIII Graphics ..\$21.95

Better CoCoIII Graphics \$24.95  
CoCo III Unraveled .....\$29.95  
CoCo III Service Manual \$39.95

FASTDUPE 512 Format & Backup up to 4 single- /double-sided, 35/40 trk disks in 1 PASS! Even OS9 Lev.II! \$19.95  
BIG BUFFER - 437,888 byte spooler for a 512K CoCoIII! Print up to 200 text pages while using your CoCo! \$19.95

OS-9 Level II Font Editor \$29.95

PYRAMIX - Lowest price! \$18.95

All orders plus \$3 S/H (Foreign add \$5) - NYS Residents add Sales Tax

## SPECTRUM PROJECTS

PO BOX 264 HOWARD BEACH NY 11414

See our other ads on pages 25 & 27

512K  
Soft-  
ware


Both  
for  
\$29.95

# The CoCo Gallery

1<sup>st</sup>  
COCO 3

**Circus**  
James A. Upperman


James, an architect in Amlin, Ohio, devised this entertaining exhibition of a spectacular circus show in BASIC.



2<sup>nd</sup>

**Ninja**  
Jeffery Chubey and Ted Hildebrandt

Jeff and Ted live in Roseau River, Manitoba, and used a program Jeff wrote to design this graphic of a ninja warrior. Both Jeff and Ted are self-taught programmers.




**SHOWCASE YOUR BEST!** You are invited to nominate original work for inclusion in upcoming showings of "CoCo Gallery." Share your creations with the CoCo Community! Be sure to send a cover letter with your name, address and phone number, detailing how you created your picture (what programs you used, etc.) and how to display it. Also, please include a few facts about yourself.

Don't send us anything owned by someone else; this means no game screens, digitized images from TV programs or material that's already been submitted elsewhere. A digitized copy of a picture that appears in a book or magazine is *not* an original work.

We will award two first prizes of \$25, one for the CoCo 3 and one for the CoCo 1 and 2; one second prize of \$15 and one third prize of \$10. Honorable Mentions may also be given.

Please send your entry on either tape or disk to the CoCo Gallery, THE RAINBOW, P.O. Box 385, Prospect, KY 40059. Remember, this is a contest and your entry will not be returned.

— Angela Kapfhammer, Curator



3<sup>rd</sup>

**Unearthly Visitor**  
Brad Bansner

Color Max 3 was used so everyone could encounter this extraterrestrial. Brad, of Wyomissing, Pennsylvania, enjoys long-distance road racing and CoCoing.




**Baby New Year** Logan Ward  
Logan, of Memphis, Tennessee, used Color Max 3 to deliver this jovial message to the CoCo Community.

1<sup>st</sup>  
COCO 1 & 2

**Space**  
Chris Kawchuk

The CoCo 1 and BASIC were used to create this perspective of a man in outer space. Chris lives in Mississauga, Ontario, and enjoys baseball, music, and programming in assembly and drawing in BASIC.



*Tips to get the new user up and running*

# Starting From Scratch

By Lauren Willoughby

Since this is RAINBOW's Beginners issue, we thought we would give CoCo newcomers a few handy pointers on dealing with their new Color Computers. I'm a beginner, too, new to THE RAINBOW and the CoCo.

"Wait a minute!" you're saying. "If you're a beginner, what can you teach me?" Good question. True, I am an utter novice, and I make stupid mistakes. I know what it is to be frustrated by the I/O Error, the OM Error, and all those other unspeakable nasties.

But this is not exactly a case of the blind leading the blind — I have a distinct advantage. CoCo wizard Cray Augsburg and the rest of the RAINBOW editorial staff are just a wail away. They have become used to my howls of frustration and patiently point out my mistakes.

In fact, my CoCo blunders are what inspired this article, I think. We're not sure exactly how it got started, but several editorial staff members had a hand in writing it. So, actually, I feel a little guilty having my name up there.

This article is intended especially for those who are brand new to computing, covering the basics of formatting, saving, loading, etc., by taking the new user through the steps of typing in a RAINBOW program. But reading this is no substitute for studying your manual!

### It's Set Up — Now What?

After you have taken your Color Computer, monitor, cassette recorder and/or disk drive from their packages and set them up, you are probably anxious to start "computing." But what is involved in "computing"? What exactly can your CoCo do?

There is a world of programs out there that do amazing things. Your

CoCo possesses fantastic capabilities — with software it can help you: organize your life (see *Calendar*, Page 100, *Tax Info*, Page 112, and *Job Description*, Page 106); perform fancy business calculations (see *Payments*, Page 82, and *CoCo Saver*, Page 84); write, by acting as a word processor; draw respectable pictures, even if there's not an artistic bone in your body (see "CoCo Gallery," Page 18, and *Clown Faces*, Page 44); write and play music (check out *MUS1* and *MUS2*, Page 72); learn and teach — as an educational tool, the CoCo is peerless (see *Typer*, Page 82, *Sentence Fragments*, Page 90, and *Fastfood*, Page 54); use programs called utilities to help the computer in its own operation (see *Smoothy*, Page 78, and *Color Tester*, Page 80); plug into an international network (with a telephone, modem and membership in a BBS or online database (see *Delphi Ad*, Page 122, and the BBS listings, Page 8); and, of course, play games (see *Urchin*, Page 31, and *Usetown Annex*, Page 58)!

## CoCo History

There are three versions of the Color Computer, or CoCo: CoCo 1, CoCo 2 and CoCo 3. The newer the model, the more power and capabilities it has available. The CoCo 3 is the most powerful and versatile, with 128K (128 kilobytes of memory, but expandable to 512K) and the option of using OS-9 Level II. (OS-9 is a sophisticated and powerful computer operating system).

The first CoCo, which we now refer to as the CoCo 1, started with 4K RAM (Random Access Memory). It wasn't long before ways were found for these machines to access 64K, with 32K available to the user for BASIC programs. All CoCos contain ROM in addition to RAM. The ROM (Read-Only Memory) contains the BASIC language you can use for writing your programs. ROM interprets these programs by explaining to the computer what the program wants to do.

The more recent CoCo 2 offers few capabilities over its older brother. The

But CoCo can do lots more. To get an idea of the possibilities, thumb through this issue and examine both our published programs and the many others available from our advertisers.

The printed programs are for your personal use, just for buying THE RAINBOW. But, first, you will have to decide whether to type them in or rely on our tape and disk services.

Typing in programs has several advantages, improved keyboarding skills and familiarity with BASIC among them. But if the idea of typing in program listings does not appeal to you, a solution would be to purchase RAINBOW ON TAPE or RAINBOW ON DISK, which include all of the programs RAINBOW publishes each month, ready to load and run on your computer (see Page 94 for more details). The typing time you save can be spent using your computer for things you enjoy.

### Preparation

Before you begin typing in programs, there are a few things you'll need to know. If you own a CoCo 3, you will probably be able to run every program RAINBOW publishes. CoCo 1 and 2 owners, however, won't be able to use the programs written specifically for the CoCo 3 on their machines. And some CoCo 2 programs won't run properly on the CoCo 1.

most notable differences include a smaller, sleeker case design and a completely revamped circuit board layout. A major difference is the lack of a 12-volt supply inside the machine.


The CoCo 1 and 2 are able to use two different BASIC interpreters: Color BASIC and Extended Color BASIC. Extended Color BASIC offers several powerful features not included in the plain vanilla Color BASIC. These added features include math functions and, perhaps more important to many users, high resolution and graphics capabilities.

The CoCo 3 uses only one ROM chip. This chip contains "patched" versions of Color BASIC and Extended Color BASIC, in addition to new programming for the many enhancements in the machine. This added programming for colors, graphics, etc., is often referred to as "Super" Extended Color BASIC. It is because of these additions that most CoCo 3 programs won't operate on a CoCo 1 or 2.

*A recent graduate of Eastern Kentucky University, Lauren Willoughby works as RAINBOW's copy editor. Even though she owns a Commodore, the rest of the staff manages to be nice to her.*

# The Amazing A-BUS

**NEW**



An A-BUS system with two Motherboards  
A-BUS adapter in foreground

The A-BUS system works with the original CoCo,  
the CoCo 2 and the CoCo 3.

## About the A-BUS system:

- All the A-BUS cards are very easy to use with any language that can read or write to a Port or Memory. In BASIC, use INP and OUT (or PEEK and POKE with Apples and Tandy Color Computers)
- They are all compatible with each other. You can mix and match up to 25 cards to fit your application. Card addresses are easily set with jumpers.
- A-BUS cards are shipped with power supplies (except PD-123) and detailed manuals (including schematics and programming examples).

### Relay Card

RE-140: \$129

Includes eight industrial relays. (3 amp contacts. SPST) individually controlled and latched. 8 LED's show status. Easy to use (OUT or POKE in BASIC). Card address is jumper selectable.

### Reed Relay Card

RE-156: \$99

Same features as above, but uses 8 Reed Relays to switch low level signals (20mA max). Use as a channel selector, solid state relay driver, etc.

### Analog Input Card

AD-142: \$129

Eight analog inputs. 0 to +5V range can be expanded to 100V by adding a resistor. 8 bit resolution (20mV). Conversion time 120us. Perfect to measure voltage, temperature, light levels, pressure, etc. Very easy to use.

### 12 Bit A/D Converter

AN-146: \$139

This analog to digital converter is accurate to .025%. Input range is -4V to +4V. Resolution: 1 millivolt. The on board amplifier boosts signals up to 50 times to read microvolts. Conversion time is 130ms. Ideal for thermocouple, strain gauge, etc. 1 channel. (Expand to 8 channels using the RE-156 card).

### Digital Input Card

IN-141: \$59

The eight inputs are optically isolated, so it's safe and easy to connect any "on/off" devices, such as switches, thermostats, alarm loops, etc. to your computer. To read the eight inputs, simply use BASIC INP (or PEEK).

### 24 Line TTL I/O

DG-148: \$65

Connect 24 input or output signals (switches or any TTL device) to your computer. The card can be set for: input, latched output, strobed output, strobed input, and/or bidirectional strobed I/O. Uses the 8255A chip.

### Clock with Alarm

CL-144: \$89

Powerful clock/calendar with: battery backup for Time, Date and Alarm setting (time and date); built in alarm relay, led and buzzer; timing to 1/100 second. Easy to use decimal format. Lithium battery included.

### Touch Tone® Decoder

PH-145: \$79

Each tone is converted into a number which is stored on the board. Simply read the number with INP or POKE. Use for remote control projects, etc.

### A-BUS Prototyping Card

PR-152: \$15

3 1/2 by 4 1/2 in. with power and ground bus. Fits up to 10 I.C.s




ST-143



CL-144



RE-140



IN-141



AD-142

## Smart Stepper Controller SC-149: \$299

World's finest stepper controller. On board microprocessor controls 4 motors simultaneously. Incredibly, it accepts plain English commands like "Move arm 10.2 inches left". Many complex sequences can be defined as "macros" and stored in the on board memory. For each axis, you can control: coordinate (relative or absolute), ramping, speed, step type (half, full, wave), scale factor, units, holding power, etc. Many inputs: 8 limit & "wait until" switches, panic button, etc. On the fly reporting of position, speed, etc. On board drivers (350mA) for small steppers (MO-103). Send for SC-149 flyer.

## Remote Control Keypad Option RC-121: \$49

To control the 4 motors directly, and "teach" sequences of motions.

## Power Driver Board Option PD-123: \$89

Boost controller drive to 5 amps per phase. For two motors (eight drivers).

## Breakout Board Option BB-122: \$19

For easy connection of 2 motors. 3 ft. cable ends with screw terminal board.

## Stepper Motor Driver ST-143: \$79

Stepper motors are the ultimate in motion control. The special package (below) includes everything you need to get familiar with them. Each card drives two stepper motors (12V, bidirectional, 4 phase, 350mA per phase).

**Special Package:** 2 motors (MO-103) + ST-143: **PA-181: \$99**

## Stepper Motors MO-103: \$15 or 4 for \$39

Pancake type, 2 1/4" dia, 1/4" shaft, 7.5"/step, 4 phase bidirectional, 300 step/sec, 12V, 36 ohm, bipolar, 5 oz-in torque. same as Airpax K82701-P2.

## Current Developments

Intelligent Voice Synthesizer, 14 Bit Analog to Digital converter, 4 Channel Digital to Analog converter, Counter Timer, Voice Recognition.

## A-BUS Adapters for:

IBM PC, XT, AT and compatibles. Uses one short slot.	AR-133. \$69
Tandy 1000, 1000 EX & SX, 1200, 3000. Uses one short slot.	AR-133. \$69
Apple II, II+, IIe. Uses any slot.	AR-134. \$49
TRS-80 Model 102, 200. Plugs into 40 pin "system bus"	AR-136. \$69
Model 100. Uses 40 pin socket (Socket is duplicated on adapter).	AR-135. \$69
TRS-80 Mod 3.4, 4 D. Fits 50 pin bus. (With hard disk, use Y-cable)	AR-132. \$49
TRS-80 Model 4P. Includes extra cable. (50 pin bus is recessed)	AR-137. \$62
TRS-80 Model I. Plugs into 40 pin I/O bus on KB or E/L	AR-131. \$39
Color Computers (Tandy). Fits ROM slot. Multipak, or Y-cable	AR-138. \$49

## A-BUS Cable (3 ft, 50 cond.)

CA-163: \$24

Connects the A-BUS adapter to one A-BUS card or to first Motherboard.

**Special cable for two A-BUS cards:** CA-162: \$34

## A-BUS Motherboard

MB-120: \$99

Each Motherboard holds five A-BUS cards. A sixth connector allows a second Motherboard to be added to the first (with connecting cable CA-161: \$12). Up to five Motherboards can be joined this way to a single A-BUS adapter. Sturdy aluminum frame and card guides included.

- The A-BUS is not a replacement for the Multi-pak


Add \$3.00 per order for shipping.  
Visa, MC, checks, M.O. welcome.  
CT & NY residents add sales tax.  
C.O.D. add \$3.00 extra.  
Canada: shipping is \$5  
Overseas add 10%



**ALPHA Products**

242-W West Avenue, Darien, CT 06820

Technical info: (203) 656-1806  
Orders only 800 221-0916  
Except in CT  
Connecticut orders: (203) 348-9436  
All lines open weekdays 9 to 5 Eastern time



# CHRISTMAS SPECIAL

Good through  
January 31, 1987

FREE DEMO DISK  
AND COCOSHOW  
PROGRAM



Your  
choice of:

- 1) Free Font Disk a \$24.95 value
- 2) Free CGP-220 Color Driver  
the world's best: 125 colors a \$19.95 value
- 3) The complete Font library  
(4 disks) for only \$29.95 (a \$99 value)

When you order CoCo Max III. Only \$79.95 including the deluxe hi-res interface.



## CoCo Max™ III



must be the most enjoyable, useful,  
and awesome program you've ever  
seen or your money back.

Instantly,  
no questions asked.

CALL NOW TOLL FREE 1-800 221 Mon-Fri  
9 to 5 EST AND LET THE FUN BEGIN

### A FEW QUOTES :

An outstanding program that almost turns your CoCo into a replica of the Macintosh. Terrific hi-res color, very easy to learn and use.  
- *Family Computing*

There is absolutely nothing else on the Color Computer that is comparable to CoCo Max's power and ease of use. The most enjoyable time with a computer I ever had.  
- *Computerware Review*

In Everyone's book, CoCo Max is rated again and again as the most incredible product ever marketed for the CoCo.  
- *CoCo America Club*

I never expected to see anything like it on my CoCo screen. There isn't a single command to remember. Even a person who has no drawing ability like myself can create a presentable picture. I've spent hours just doodling enjoying all the things from silly to the serious. Fascinating experience. Buy it, you won't be sorry.  
- *6809 Express*

Note: There is only one CoCo Max III. Do not confuse **COLORWARE**'s CoCo Max with similar sounding imitations.

# INTRODUCING THE NEXT GENERATION:

# CoCo Max™ III\*

More Resolution

More Power

More Color

Built-in Animation

More Speed

More Type Styles

More Tools

Amazing Color Sequencing

**"The best program ever written for the Color Computer"**

That's how thousands of enthusiastic users rated the **CoCo Max II** drawing program. With **CoCo Max III** we are ready to amaze them again. Instead of "patching" CoCo Max II, we rewrote it from scratch to take advantage of the CoCo Max III hardware. The results will knock your socks off! Below is a brief list of some of the *new* features, but some, such as **animation**, **color sequencing**, or the **slide show**, have to be seen. Send for the Demo Disk, and see for yourself.

#### Everybody's favorite drawing package features:

- A 50% larger editing window. - Zoom area 400% larger. - New drawing tools: **rays**, **3D cubes**, **arcs**,...
- New editing tools: shadow, text size,...
- Rotate by 1.5° steps
- Select any 16 of the 64 possible colors (all 64 colors displayed at once!)
- Powerful **color mix**: additive, subtractive, overlay,...
- Full **color editing** of patterns and color changing patterns. - Incredible **special effects** with **color cycling** up to 8 colors with variable speed. - **Animation** adds the dimension of motion to your image. (Must be seen.)
- Sophisticated data compression saves up to 70% of disk space when saving pictures.

In addition, there are dozens of enhancements to the multitude of features that made CoCo Max II a best seller.

#### More about CoCo Max III


- CoCo Max III is not an upgrade of CoCo Max II. It is entirely rewritten to take advantage of the new CoCo 3 hardware (More memory, resolution, colors, speed,...)
- The new CoCo Max III **Hi-Res Interface** and the CoCo Max II **Hi-Res Pack** are *not* interchangeable.
- The new interface plugs into the joystick connector.
- The CoCo Max III disk is not copy protected.
- CoCo Max III only works with the CoCo 3.
- A Y-Cable or Multi-pak is not necessary.
- Colors are printed in five shades of gray.
- CoCo Max III can read CoCo Max II pictures.

Note: CoCo Max II (for the CoCo 2) is still available on disk (\$79.95). CoCo Max I is still available on tape (\$69.95). For details, refer to our double page ad in any *Rainbow* from January '86 to July '87

Toll Free operators are for orders only. If you need precise answers, call the **tech line**. (Detailed CoCo Max specs are included with the Demo Disk.)

Add \$3.00 per order for shipping.  
Visa, MC, checks, M.O. welcome.  
CT residents add sales tax.  
C.O.D. add \$3.00 extra.  
Canada: shipping is \$5  
Overseas add 10%

Technical info: (203) 656-1806  
Orders only  
Except in CT 800 221-0916  
Connecticut orders: (203) 348-9436  
All lines open weekdays 9 to 5 Eastern time



Imagine this picture in sixteen colors!

**Guaranteed Satisfaction**  
Use CoCo Max for a full month.  
If you are not delighted with it,  
we will refund every penny.

#### System Requirements:

Any CoCo 3 disk system with a Joystick or a Mouse.

We apologize to tape users, CoCo Max III needs the flexibility of a disk.

The **CoCo Max III** system includes: • The special Hi-Res interface (for your mouse or joystick) • The CoCo Max III disk • Many utilities: (To convert Max II pictures, Max colors, etc.) • A detailed User's Manual. Complete system; nothing else to buy. **CoCo Max III: \$79.95\***

## FREE DEMO DISK

Name \_\_\_\_\_

Street \_\_\_\_\_

City \_\_\_\_\_

State Zip \_\_\_\_\_

Printer used: \_\_\_\_\_

Please include \$2 to help defray Processing and Shipping costs. (Check, Money Order, etc. Sorry, no COD or Credit Cards). Coupon (or copy) must be mailed to:

**COLORWARE**

**COLORWARE**  
242-W West Avenue  
Darien, CT 06820

A division of Sigma Industries, Inc.

\* Beware of inferior imitations that **DO NOT** include a Hi-Res Interface or charge extra for each utility.

Minimum system requirements are clearly marked at the top of the first page of each program's article, next to the tape/disk symbols. Before you begin typing in a program, be sure to check and see if the program will work on your computer system and how much memory the program requires. Make sure your machine has *at least* this much memory. Other things to verify are whether or not the program requires Extended Color BASIC (ECB) or Disk.

Finally, before typing anything in, read the article that accompanies the program. Make sure you understand what the program does and that you won't be required to do anything beyond your present capabilities to make the program work. For example, many programs offer printer output as a feature. Some *require* a specific printer. These requirements, along with possible changes for other printers, will appear only in the given article. By first reading the article, you can save yourself the frustration of spending a lot of time keying in a program only to find out it will not run on your system.

Typing in RAINBOW's programs is very simple. What you'll be typing in is called the program listing. To see an example, turn to Page 32 for the listing of the program *Urchin*. Next to "The listing" the word URCHIN appears in a strange type style. We call this type style "digital," and use it to indicate computer commands throughout the magazine. In this case, we use the digital font to denote a filename, the name the computer uses to refer to the program.

Programs are stored on disk or cassette as "files," and each file has a filename. Filenames are limited to eight characters. Often a program's name is longer than eight characters, like *Usetown Annex*, for example. The program's name contains 13 characters (the space counts, too), which is five too many. The problem is solved by shortening the filename to USETOWN.

If you are using a cassette-based system and have a blank computer tape for your cassette recorder, you are ready to begin typing in your program. But if you are using a disk-based system and plan to save your program to disk, you will first need to format one. Formatting, or initializing, as it's also called, prepares a blank disk to accept data from the computer system. (See William Barden's article, "Delving into the CoCo Disk," Page 180, which explains why formatting is necessary.)

## Formatting Your Disk

Before formatting a disk, however, make certain the disk you plan to use is blank, unless you want to delete or kill the programs stored on it — the formatting process erases everything on a disk. You can turn a "used" disk into a "new" blank disk by reformatting it, but remember, the formatting process "erases" the disk, and the programs on it will be lost. Also, don't attempt to format a disk with write-protect notches that have been taped over — it won't work; you'll get a WP Error. Such a disk is called a "write-protected" disk, and the notches are taped to prevent accidental erasure. A final word of caution is necessary here. The process of formatting a disk will *erase all contents from the computer's memory!* Don't type in a program and then format a disk for saving it. Always make sure you have a formatted disk with plenty of space *before* you start typing.

Formatting a disk is simple. All you have to do is put the disk in the drive, label-side up, close the drive gate, and type this command: `DSKINI0`. Press the ENTER key. What the command means is that the disk in Drive 0 (the only drive, if you have only one) is being initialized, or formatted, for your computer system. Don't worry if you hear strange whirs and clicks coming from your drive — it's normal.

If you have a double, or dual, disk drive, you can format a disk in either drive. As you formatted the disk in Drive 0 with the BASIC `DSKINI0` command, you can format a disk in Drive 1 (the second drive) with the `DSKINI1` command. Don't be confused by the second drive being called Drive 1; just

remember that the first drive is always Drive 0. In a horizontal drive, Drive 0 is on the bottom and Drive 1 is on the top. Insert your disk with the label facing up. In a vertical drive, the disk slots run up and down; Drive 0 is the one on the left, and Drive 1 is the one on the right. Insert your disk with the label facing to the right.


You need format a disk only once, and then you can store as many programs on it as it will hold. After you have formatted a disk, you are ready to begin typing in a program.

## Typing In Programs

You can use the following instructions for typing in URCHIN or any other program listing in THE RAINBOW. Perhaps you should start with one of the program listings in "Novices Niche" (beginning on Page 72) for your first project, as they can be entered in a matter of minutes. But for examples we'll use *Urchin*, because it's a feature program.

We realize the listings may look a little intimidating, especially to beginners, but we've made keying them in as easy as possible. One of the things we've done is print the listings on the page exactly as they should appear on the screen, in 32 columns. (If you've noticed, your screen is 32 columns wide, which means it can hold only 32 letters, numbers or spaces on one line.) Also, to help you in debugging your typing errors, we have a program that checks your typing for accuracy — the *Rainbow Check PLUS* program, but we'll get to that later.

Looking at the listing URCHIN, for example, you'll notice that each line



# THE SHOPPING LIST!

## COCO CABLES AND ...

Tandy Hi-Res Joystick Interface .....\$14.95  
 Printer/Modem 10' Extender Cable .....\$14.95  
 TANDY CM-8 RGB Analog 6'Video Ext Cable ....\$19.95  
 Disk Drive Cable (34pin - 34pin) .....\$19.95  
 Modem Cable - 6ft (4pin-DB25) .....\$19.95  
 Modem Cable - 6ft (DB25-DB25) .....\$19.95  
 Joystick/Mouse 10' Ext Cable .....\$19.95  
 No more Deluxe RS-232 paks left to hook up ptr & modem? Buy our RS-232 "Y" Cable (4 pin) ....\$24.95  
 Dual Disk Drive Cable (3-34pin) .....\$24.95  
 MAGNAVOX 8505/8515/8CM643 Analog RGB cable . \$24.95  
 Other Analog RGB monitor cable (Specify!) ..\$39.95  
 15"Multi-Pak/Disk Pak Extender - Move your Multi-Disk Paks further away ~~\$44.95~~ Closeout .... \$29.95  
 40 Pin Dual "Y" Cable - Hook up a Disk with a Voice Pak, Word Pak, CoCo Max, etc. ....\$29.95  
 CoCo RS232 Switcher - Now easily switch between a printer & modem at the flick of a switch! ..\$29.95

## OTHER GOOD STUFF ...

5 1/4" Diskettes in any quantity .....49 cents  
 C-10 tapes - Minimum quantity (20 pcs) ...69 cents  
 Rompak w/Blank PC Board 27xx series .....\$9.95  
 "D" Rev motherboard w/o socketed chips ....\$16.95  
 CC-THERM - Measure inside and outside temperatures with CoCo! Fahrenheit & Centigrade! .....\$19.95  
 Warp Fighter 3-D - A CoCo III Space Fighter game with "3-D GLASSES"! By Steve Bjork! .....\$39.95  
 CoCo III keyboard - upgrade your CoCo II keyboard! "Package" deal w/FKEYS III(\$24.95) software \$39.95  
 HDS Controller w/1.1 ROM (SAVE\$20) .....\$79.95  
 MAGNAVOX TV tuner - Now you can watch TV with your Magnavox 8505/8515 RGB Analog monitor! .....\$99.95  
 Super Controller - Up to 4 DOSs by a POKE ..\$99.95  
 Super Controller II - DMA "No Halt" disk controller. No type-ahead OS-9 problems! .....\$129.95  
 PBH-64 - A combo Parallel Printer interface & 64K Print Buffer! COMPUTE while you PRINT! ....\$149.95  
 SONY KV-1311CR - (CHEAPEST PRICE IN THE RAINBOW)!! \$439.95 - Add \$40.00 for cable (+ \$20.00 shipping)  
 Tandy LP-1000 Laser Printer (SAVE \$200) - \$1995.00

Breaking your back  
 typing on your  
 CoCo???



Sit back and relax with  
 a Spectrum keyboard  
 extender cable. \$39.95  
 See 11/87 Rainbow review  
 page 137



Now you can extend your present keyboard away from your CoCoII/CoCoIII! Easier typing & requires no soldering! You also have the option to leave your present keyboard intact & hook up a second keybd for remote operation! Spectrum Keyboard extender cable w/EXTERNAL CoCoII keyboard .....\$49.95  
 Extender cable w/EXTERNAL CoCoIII keybd ....\$69.95

## SUPER CHIP -SALE- ...

2764 EPROM .....\$4.95 27128 EPROM .....\$6.95  
 6821 Standard PIA ~~\$9.95~~ Closeout price! .....\$6.95  
 68764 EPROM ~~\$29.95~~ Closeout price! .....\$12.95  
 6847 VDG Chip ~~\$19.95~~ Closeout price! .....\$12.95  
 6809E CPU Chip ~~\$19.95~~ Closeout price! .....\$12.95  
 CoCo III Multipak - "NEW" PAL chip (For Gray and White 26-3024 models ONLY) .....\$19.95  
 Basic ROM 1.3 (Newest version) .....\$19.95  
 Disk ROM 1.1 - (Needed for CoCoIII) .....\$29.95  
 Original SAM Chip (6883) .....\$29.95  
 Ext Basic 1.1 ROM - Closeout price! .....\$29.95  
 CoCo First Aid Kit - includes two PIA's, 6809E CPU and SAM Chips (BE PREPARED) Closeout price! \$49.95  
 NEW! 'Upgraded' CoCoIII "GIME" chip .....\$79.95  
 EPROM Programmer - uses 2716s up to 27512s! Super fast programming! - See April '86 review . \$149.95

## COCO LIBRARY ...

A History of the CoCo / 1980-1986 .....\$6.95  
 CoCo Memory Map Reg. ~~\$16.95~~ Now only .....\$9.95  
 New! 200 MORE Pokes,Peeks 'N Execs .....\$9.95  
 Basic Programming Tricks Revealed ~~\$14.95~~ .....\$9.95  
 500 Pokes, Peeks 'N Execs .....\$16.95  
 300 CoCoIII POKES - #1 CoCoIII bestseller! . \$19.95  
 Complete Rainbow Guide to OS9 Level II .....\$19.95  
 A Guide to CoCo III GRAPHICS (7/87 review) . \$21.95  
 Better Graphics on CoCo3 (8/87 review pg143) \$24.95  
 CoCo II Service Manual (Specify Cat.#) .....\$29.95  
 CoCo III Unraveled - A best seller!!! .....\$29.95  
 Inside OS-9 Level II (from Frank Hogg!) ....\$39.95  
 CoCo III Service Manual - Current version! . \$39.95  
 Color/Extended/Disk Basic Unraveled .....\$49.95

## MORE GOOD STUFF ...

WICO Adapter- Hookup 2 Atari type joysticks. \$19.95  
 CoCo Keybd - Low profile, fits all CoCo IIs & "F"s WAS \$39.95 - NOW \$19.95. D/E CoCo I adapter \$12.95  
 Universal Video Drvr- All monitors & CoCos . \$29.95  
 (2) Chip 64K Upgrade - 26-3134 A/B CoCo II . \$29.95  
 28 pin Ext Basic - 26-3134 A/B CoCo II .....\$34.95  
 PAL SWITCHER - Req.26-3024 MPI. Switch from CoCoII to CoCoIII mode \$39.95 w/NEW PAL .....\$49.95  
 Real Time Clock - Compatible w/OS-9 or RSDOS, easy internal mounting, CoCoII/III compatible! ..\$59.95

## 1200 BAUD MODEM\* - \$99.95

\* -- with purchase of Rickeyterm (\$39.95) software  
 Top FD-502 Drive 1 (#26-3133) - SAVE \$60 ..\$139.95  
 2400 Baud Modem -(Great for Delphi) ~~\$249.95~~ \$229.95  
 CoCo III DISK DRIVE 0 - (Includes CoCoIII Software Bonanza Package - a \$150 plus value!!!) ...\$239.95  
 512K COLOR COMPUTER III (Includes CoCoIII Software Bonanza Package - a \$150+ value!) ~~\$299.95~~ . \$249.95

**SPECTRUM PROJECTS**  
**PO BOX 264**  
**HOWARD BEACH NY 11414**

All orders plus \$3.00 S/H (Foreign \$5.00)  
 NYS Residents add Sales Tax  
 See our other 2 ads on pages 17 & 27!!!

64K RAM CHIPS \$199.95 \$129.95

begins with a number. The first line reads: 10 GOTO 460. This is Line 10: The number on the left is the line number. A line number can be used only once — there can be only one Line 10. The next line is Line 20, then 30 and 40, etc. Line numbers don't have to follow each other in multiples of 10 (that decision is made by the programmer), but they do have to follow in numerical order (i.e., Line 40 always comes before 50).

Notice that lines 10 and 20 are very short, taking up less than one row of space, while Line 90 takes up nearly five rows of space. The length of lines can vary from less than one row of screen space (up to 32 characters) to almost eight rows (248 characters). No more than 248 characters can be *directly* typed into one line.

It's helpful to be able to determine the line numbers when typing in the listing, but sometimes it is difficult to distinguish them from other numbers inside the line, especially when lines take up more than one row of screen space. If you're like me, you probably thought, at first glance, that the line number following Line 410 was Line 66. But Line 66 does not exist in this program; the 66 is part of Line 410. As a guide, remember that line numbers follow each other numerically and that there is usually some sort of pattern or order in the way program lines are numbered, such as a progression of lines by 10.

OK! Now it's almost time to get your fingers wet! But before you begin, you first must get rid of whatever is currently in the computer's memory in order to make room for the program you are about to type in.

*Note: If you are using a disk system and have a disk in the drive, be sure to take it out of the drive before turning the drive or the computer off or on, as program data can be zapped from the disk. Also — and this is very important — never plug in or remove a program pack or disk controller while the computer is on, as it could damage the computer.*

If you have just turned on your computer, there is nothing in memory to get rid of, and you are ready to begin. However, if you have been noodling around, reset the computer by turning it off, waiting 15 seconds, and then turning it on again. This is called a cold start. Type NEW for good measure (this tells CoCo you are starting something new).

### Getting Your Fingers Wet

Now type the first line of the program, making sure you type in each

character and space exactly as it appears on the page. If you make a mistake, you can correct it by backing up using the left arrow key or simply retyping the line again. If you are keying in URCHIN, type 10 GOTO 460. When you reach the end of the line, press the ENTER key. You must always press ENTER for the computer to take any notice of your efforts when typing in a line. Whenever you are told to "enter" a command, type it and press the ENTER key.

Notice that your listing flows from one row to the next without your having to press ENTER. Even though a line may be eight rows long, press ENTER *only* at the very end.

Continue entering lines exactly as they appear, pressing ENTER after each, until you reach the end of the program or until you get tired of typing, whichever comes first. You don't have to type in an entire program in one sitting — you can save what you have done and resume entering later.

### Saving Your Program

When you have finished typing the entire listing or have reached a stopping place in the middle, you are ready to save the program. Even if you have typed in only the first few lines of a program listing, it is important to save it. If you were to turn off the computer without doing so, you'd have to enter it all again! And that, my fellow novice, is a bummer. I know. Also, don't be tempted to run your program before saving it to tape or disk — the computer could lock up and you would have to start over.

To save a program on cassette, first set the recorder's volume level to 3 (the most commonly used setting for saving and loading) and make sure the tape is blank — you don't want to save over a program you intend to keep. Then rewind the tape, reset the counter number on the cassette recorder and remove the cassette with the side you're about to save your program on facing up. Advance the tape by putting your finger in the right hub and turning it counterclockwise until the beginning of the brown part of the tape goes slightly past the pressure pad (see Figure 1).

Put the tape back in the recorder. Now you are ready to save your program. Type `CSAVE "filename"` (simply enclose in quotes the name of the file you are saving), press ENTER, and then press the Play and Record buttons on the cassette recorder. Sticking with our earlier example, we would enter `CSAVE "URCHIN"`. The C in the com-

mand stands for "cassette." When CoCo has finished the saving process, it will print "OK" on the screen, and the tape will stop winding. Turn off the cassette recorder (press the Stop button) to prevent the tape from stretching.

To save your program to disk, type `SAVE "filename"` and press ENTER. Your drive will whir as the file is being saved. When CoCo has finished saving the file, the message "OK" will be displayed. If you are conscientious and would like to verify the save, type DIR and press ENTER. DIR is the command for the disk directory, which should by now have popped up on the screen. If the file you just saved is the first thing you saved to the disk, its filename will be the only one you see (along with some other information). However, if formatting and saving are old hat to you, and you have previously stored other programs on the disk, you will see a whole list of filenames.

### Backing Up Your Program

Diamonds are forever, but disks aren't, and tapes are even more short-lived. Sooner or later, your precious data will be zapped, or entropy will take over. To prevent catastrophes, make several copies of your program and periodically back them up. A simple way to do this is to save the program one more time, particularly on a different tape or disk.

To make a backup of a program on the same cassette or to save another program immediately following the first program on a cassette, press the Record and Play buttons, then type `MOTORON`, wait approximately five seconds and press any key followed by ENTER (to stop the `MOTORON` command). This is done to put blank space between two programs on a cassette, and to avoid getting I/O Errors when loading. This process of separating programs must be repeated between every cassette save. To save your program to another cassette, simply prepare it for saving (by advancing the transparent leader of the tape past the pressure pad), type `CSAVE "filename"`, and press ENTER and the Record and Play buttons again, just as you did before.

If you try to save a file to disk with the exact same filename you used before, you will save over the first copy. To make backup copies of a program on the same disk, save the file under a different filename. For example, you might call a backup of the URCHIN listing `URCHIN1`. Remember not to let your filenames exceed eight characters!

It is possible to save a file using the

## Software Bonanza Pak

A SPECTACULAR SOFTWARE BONANZA with the following 12 programs: Coco Checker, Multi-Pak Crak, Coco Screen Dump, Disk Utility 2.1, Spectrum Font Generator, Tape/Disk Utility, FastType II, 64K Disk Utility, Spectrum DOS, Basic+, Coco Calendar & OS9-Solution (a \$300 plus value) for only \$99.95

## Coco III Software Library

Create an instant library of Spectrum Projects TOP COCOIII software! Get FONT BONANZA, FONT DISK #1, FKEYS III, C III GRAPHICS, COCOIII UTILITIES and FASTDUPE II (a \$150 plus value) for only \$49.95

## Coco III Utilities

Terrific utility programs for the Color Computer III! Includes a COCOIII to COCOIII Converter, 32K Hi-Res screen saver, 40/80 Column Word Processor, RAM tester, DEMO BAIL generator, SMOOTH Scrolling demos. 128K DISK \$24.95 (see 8/87 Rainbow review)

## Coco III Secrets Revealed

An introduction to the Color Computer III that compares the differences between the COCO/II and the NEW COCOIII. Includes: GME chip specs, COCOIII to COCOIII converter and a 128/512K RAM test. "Offers some very good information to programmers." - Rainbow review 2/87 \$19.95

## Coco III Screen Dump

This is the program for HARDCOPY GRAPHICS for Radio Shack bit-image, dot-matrix printers (Star 105, DMP-130, etc.) and Epson compatibles (Dart Microdots, Panasonic, etc.). Will print HSCGEN 1-4 and PMODE 0-4, 16 patterns can be CUSTOMIZED for any color on the screen! 128K COCOIII DISK \$24.95

## Fkeys III

A productivity enhancement that gives you the capability to add twenty (20) predefined functions to the COCOIII by using the CTRL, F1 and F2 keys!! \$24.95 Get more from your keyboard with FKEYS III! - Rainbow review 4/87

## C III Graphics

A drawing program for the COCOIII using the new ENHANCED graphic features: 320x192 graphics, 16 of any 64 colors, plus the ability to SAVE and LOAD 32K screens. "Paint pretty pictures on the COCO3." - Rainbow review 12/86 \$19.95

## OS-9 Solution

NOW, a program that creates a "USER FRIENDLY" environment within OS-9. The OS-9 SOLUTION replaces 20 of the old "USER HOSTILE" commands with single key/stroke, menu driven commands. No more typing in complex long pathnames or remembering complicated syntaxes! \$29.95

## Telepatch III

ALL THE FEATURES OF TELEPATCH plus the classically proportioned characters of the WIZARD with TRUE lowercase! Now COCOIII compatible! (Upgrade \$15 w/proof of purchase) \$29.95

## Tape/Disk Utility

A powerful package that transfers tape to disk and disk to tape automatically. Does an automatic copy of an entire disk of programs to tape. Ideal for Rainbow On Tape to disk. Also copies tape to tape & prints tape & disk directories. TAPE/DISK \$24.95

## Multi-Pak Crak

Save ROMPAKS on your 64K Disk System using the RS Multi-Pak Interface. Eliminate constant plugging in of ROMPAKS by keeping all PAK software on disk. Includes FOKERS for "PROBLEM" ROMPAKS & the NEW 16K PAKS (Demon Attack, Dragons Lair..). \$29.95 NOW COCO3 compatible! Upgrade \$15 w/proof of purchase

## Disk Utility 2.1A

A multi-featured tool for USER FRIENDLY disk handling. Utilize a directory window to selectively sort, move, rename & kill file entries. Lightning fast disk I/O for format, copy & backup. Single execution of both Basic & ML programs. 64K DISK \$29.95. NOW also COCOIII compatible! Upgrade only \$15 w/proof of purchase

## Spectrum DOS

Add 24 NEW Disk commands with 2 Hi-Res screens! Supports 40 track & Double-sided drives, 6ms stepping, auto disk search, error trapping and "PERFORMABLE". 64K DISK \$29.95 New LOW price! \$29.95

## Coco III Font Bonanza

Replace the "PLAIN" COCOIII text characters from a menu of INCREDIBLE fonts or use the hi-res editor to modify or create your own 11 128K DISK \$29.95. NEW! FONT DISK #1 with over 25 more FONTS! \$19.95. Buy them BOTH for only \$39.95 - Gets a \*\*\* Rating - Rainbow review 4/87

## Spectrum Font Generator

Write files using any COCO Word Processor (TW-64, EliteWord, etc.) and convert them to highly detailed character sets! Some of the character sets supported are Italics, Old English, Futuristic & Block! Character set editor included & supports most dot-matrix printers! \$29.95

## Schematic Drafting Processor

Save time and design pro looking diagrams using a 480x340 pixel worksheet w/10 viewing windows. Over 30 electronic symbols w/10 definable symbols. (Even logic gates & Multipin chips!) Print hard copy & save to disk. 64K DISK \$29.95

## Coco Checker

Something possibly wrong with your COCO? COCO Checker is the answer! Will test your ROMs, RAMs, Disk Drives & Controller, Printer, Keyboard, Cassette, Joysticks, Sound, Pins, VDO, Internal Clock Speed, Multi-Pak Interface and more! \$24.95

## Rickterm 2.0

Supports 40/80 column mode, ASCII or XMODEM uploads & downloads, Deluxe RS232 PAK or Serial BIRANGER port, 300/1200 Baud Plus "STRINGS" (predefined sequences of text) can be read into the BUFFER from disk & transmitted by NAME! Type ahead & auto-repeat are also supported. 128K COCOIII DISK \$39.95 (see 9/87 Rainbow review)

## 64K Disk Utility Package

Take advantage of an expanded 64K machine. Make an additional 8K of RAM available by relocating the Ext Basic ROM from \$8000 to \$9800. COPY ROMPAKS to disk (even "protected" PAKs) and create a 32K SPOOL buffer for printing. \$24.95

## EZ Base

A truly friendly data base program at an affordable price! Keep inventories, hobby collections, recipes, card lists and much more! Hi-Res screen, up to 500 records with 15 fields, record or field search & a MAILING LABELS option. 32K DISK \$29.95

## Blackjack Royale

A Hi-Res graphics casino blackjack simulation and card counting tutor. Fully realistic play includes: double down, splits, surrender, insurance, 1-8 decks, burnt cards, shuffle frequency and more! "This fine program is a must for the COCO Blackjack player." - Rainbow review \$24.95

## Spectrum Adventure Generator

The Spectrum Adventure Generator creates adventure games that are 100% ML & very fast! Up to 95 rooms, 255 objects, 70 command words & 255 conditional flags can be used. 64K DISK \$29.95

## Coco Calendar

Get organized for 365 days today with the COCO Calendar! Designed for recording the entire year's occasions and daily appointments so you can plan ahead. You can store HUNDREDS of entries and our GRAPHIC calendar will show all MEMOS! \$19.95

## THE KITCHEN SINK ...

Everything but the KITCHEN SINK!! Receive all twenty-three (23) Colorful Utilities from top to bottom, the Software Bonanza Pak to COCO Calendar (a \$500 plus value) for a SPECIAL price \$149.95!!!



- Turn sideways for more Colorful Utilities!

CoCo Util II - \$39.95

Spit'N'Image - \$34.95

ADOS-3 - \$34.95

Word Power III \$69.95

**SPECTRUM PROJECTS**  
**PO BOX 264**  
**HOWARD BEACH NY 11414**

All orders plus \$3.00 shipping/handling  
(Foreign orders please add \$5.00)  
NYS Residents add sales tax.

same filename by changing the extension, which is the invisible part of a filename used when loading or saving a file. If you have a disk system, call up the directory using the command DIR. If you have saved URCHIN, here is what you will see:

```
URCHIN BAS 0 B 1
```

The filename in the first column is followed by .BAS, which denotes a BASIC file, and is the extension you saved URCHIN under, by default. When you don't give a BASIC file an extension, CoCo assigns one for you — .BAS. But an extension can be any combination of three other characters, or just one or two characters.

To save URCHIN again under the same name, but using a different extension, type SAVE"URCHIN.ABC". We have changed the extension from the default, .BAS, to .ABC. Now you have two copies of URCHIN. You can make several more backups, if you wish. Many CoCoists use the extension .BKU, to indicate that the program is a backup.

Also, it is a good idea to make several saves of a program while you are working on it. If a huge power surge or a brownout comes along, you will lose all your work since the last save. In writing this article, I lost half an hour's work in my word processing file because of a one-second power surge. Retyping something you thought you had nailed down is not fun. So, please, please, make frequent saves! Cray Augsburg says he saves his programs to disk after every 10 lines.

After you have saved your program to disk, remove the disk from the drive and reset the computer by turning it off, waiting 15 seconds and then turning it on again. Enter LIST to call up URCHIN's listing. Uh oh, nothing happens! URCHIN's file has disappeared from memory. Don't panic; we can call it back. Aren't you glad you saved your program?

### Loading Your Program

From disk, the procedure you will use when loading any BASIC program saved with the default extension .BAS is to type LOAD"filename" or LOAD"filename.BAS" and press ENTER. It is not necessary to type the extension, although .BAS will be accepted. If a program is saved with a different extension, however, the extension *must* be included within the command. For example, if the filename is URCHIN and the extension is .BKU, you must type LOAD"URCHIN.BKU" to load the file from disk. If you were to simply type

LOAD"URCHIN", the computer would search for the extension .BAS.

From cassette, the procedure to use when loading a BASIC program is to first rewind the tape to find the counter number you noted earlier (which marks the beginning of the program on tape), and then type CLOAD"filename" and press ENTER and the Play button on the recorder. As the computer *searches* for the given filename on the tape, you will notice the letter S appears in the upper-left corner of the screen. When the computer *finds* the file in question, the S will change to an F. The F will alternate between normal and inverse video as the specified file is loaded.

After you have loaded a file and the computer responds with the "OK" prompt, you are ready to list or run the program. Enter LIST. Ta da! URCHIN is back. The LIST command scrolls through the listing until it reaches the last line. If you need to resume keying in the listing, this is where you pick up.

### Debugging Your Program

When typing in an entire listing, it is most likely that you will make several mistakes. The most direct method of finding out if your program is correct is by giving it the "Run" test: Type RUN and press ENTER. If the program runs flawlessly, crown yourself the universe's supreme typist. But, if you're like me, your program will probably start fabulously — only to stop with an error message.

What you have to do is go back and match each line of the listing on the page against each line you see on the screen. To do so, type LIST followed by the first line number you want to check. For example, type LIST10 to check URCHIN's first line. Just one colon, comma or period out of place is enough to make the program crash.

How do you fix your mistakes once you find them? The Extended BASIC EDIT command invokes a line editor for making changes to your programs. To use it, type EDIT:xxx, where xxx is the line number of the line you want to edit. Now, after pressing ENTER, you will see a copy of the complete line printed on the screen just as you typed it. Just below that, you will find the cursor flashing after the specified line number. You are now in the Edit mode. You can advance through the existing line by pressing the space bar, or backspace with the left arrow key (your character will be erased from the screen, but not from memory).

You can delete characters using the D key. Simply advance your cursor, using

the space bar, so that the last character you want to keep is just to the left of the cursor. Pressing the D key now will delete the next "invisible" character. Press D for as many subsequent characters as you want to delete. For example, if you want to delete the word PRINT because you unintentionally typed it twice, simply press the D key five times. However, if you want to erase everything from the cursor to the end of the line, press H, which stands for "hack." If you want to enter more characters at this point, just start typing. Using the hack command automatically puts you into the "insert" mode.

To enter the insert mode otherwise, position your cursor again by using the space bar. When ready, press I. You can now enter any additional characters you might want. *Caution: The left arrow key does erase when in the insert mode.* To leave the insert mode, just hold the SHIFT key down and press the up arrow key one time. Press ENTER. The edited lines will now replace the original in the CoCo's memory. When you've finished debugging, be sure to save the corrected program to tape or disk. For more detailed information about the EDIT command, consult the manual that accompanied your CoCo.

RAINBOW has another method of helping you debug your typing — the *Rainbow Check PLUS* program. See "Rainbow Info" on Page 10 for more explicit directions, but, in a nutshell, here is how the *Rainbow Check* program works: It calculates a "checksum" value based on the characters that appear in a given segment of the program, and it shows this number to you. You can then compare the number with the one we calculated and printed in the *Rainbow Check PLUS* box that appears at the beginning of program listings. This is a big help, because it allows you to debug your program in sections. The only drawback is that you get only one chance to debug using *Rainbow Check PLUS* while typing a program in. Once you have gone past one of the checksum line numbers, you cannot go back and use the *Check PLUS* program to compute a checksum for that line number.

We call the *Rainbow Check PLUS* chart a Checksum. Here is what URCHIN's looks like:

✓	130	.....	110
	275	.....	47
	410	.....	201
	END	.....	18

The numbers on the left are actual

line numbers within the program; the numbers on the right are the results of calculations the *Rainbow Check* program performs.

To use the *Rainbow Check PLUS* program, key in and save its listing from "Rainbow Info" on Page 10. Type RUN and press ENTER. Then enter the command NEW, and you are ready to start typing in a program. Start typing! When you have finished typing the listing through the entire line indicated by the first line number in the chart (Line 130, in the case of URCHIN), press ENTER, as you would normally, then press the down arrow key. CoCo then gives you the checksum value. This figure should match the one given in the chart, 110. If it doesn't, you need to go back and debug the program from its beginning to Line 130.

The next line number on the chart is 275. When you have typed in URCHIN up to the end of that line, stop and repeat the process. If your result doesn't equal 47, then, again, you made a mistake. Fortunately, you don't have to go back to the beginning of the program to find your error, only back to the line following your last Rainbow Check, Line 140.

Now that you know the basics of

operating your CoCo on a day-to-day basis (formatting, saving, loading,

listing, debugging and running), it's time for the fun stuff!

## HINTS, TIPS, PEEKS & POKES

### Cassette Input/Output

If you suspect the file you are looking for is somewhere in the middle of a tape, and you don't want to wait as CoCo passes over all the programs from the beginning of the tape to where your program starts, you can use the command AUDI00N:MOTORON to help you get there faster. Enter the command, and when CoCo says "OK," fast-forward or rewind your tape to the approximate location of the file. Do not type CLOAD, just press the Play button.

Surprised? Where a program is recorded on tape, you hear a high-pitched whine. A place of silence indicates where the tape is blank, between programs. When you have found a few seconds of silence, quickly stop the tape (by pressing any key and ENTER), enter CLOAD, and press Play. CoCo will load the next program it comes to.


However, if you try to do a CLOAD in the middle of a program (where there is

noise), the computer will stop with an I/O Error. Make sure you start the loading process where the tape is silent. (See last month's "Novices Niche" for Bohdan Hrycaj's *Call*, a cassette utility that eliminates the need for using AUDI00N:MOTORON.) For fun, sometime, use AUDI00N:MOTORON with one of your music tapes to see what the music sounds like coming through your computer's speaker.

### Magnetic Mayhem

Disks and cassettes are delicate creatures; their innards are laced with magnetic patterns, so don't let them near a magnet! Also, keep cassettes, disks, cassette recorders and disk drives away from the left side of the TV, or at least a half a foot away, because the flyback transformer is located there: It puts out a lot of interference and can make your computing life a sea of I/O Errors.

#### Model 101 Interface \$39.95



- Serial to parallel interface
- Works with any COCO
- Compatible with "Centronics" parallel input printers
- 6 switch selectable baud rates 300-600-1200-2400-4800-9600
- Small size 4.5" x 2.5" x 1.25"
- Comes complete with cables to connect to your computer and printer

#### Model 104 Deluxe Interface \$51.95



- Same features as 101 plus
- Built in serial port for your modem or other serial device
  - Switch between parallel output and serial output
  - Size is 4.5" x 2.5" x 1.25"
  - Comes complete with cables to connect to your computer and printer

#### Model 102 Switcher \$35.95



- Connect to your COCO serial port and have 3 switch selectable serial ports
- Color coded indicator lights show switch position
- Lights also serve as a power on indicator for your COCO
- Heavy gauge blue anodized aluminum cabinet with non-slip rubber feet

#### Model 105 Switcher \$14.95



- Connects to your COCO to give you 2 switch selectable serial ports
- 3 foot cable to connect to your COCO's serial port
- The perfect item to use to connect a printer and a modem to your COCO
- Small in size, only 4.5 x 2.5 x 1.25

#### Cassette Label Program \$6.95

- New Version - tape transferable to disk - save and load labels from tape to disk
- Prints 5 lines of information on pin-feed cassette labels
- Menu driven, easy to use
- Standard, expanded and condensed characters
- Each line of text automatically centered.
- Label display on CRT, enabling editing before printing
- Program comes on tape and is supplied with 24 labels to get you started
- 16K ECB required

#### Other Quality Items

High quality 5 screw shell C-10 cassette tapes. \$7.50/dozen

Hard plastic storage boxes for cassette tapes. \$2.50/dozen

Pin-Feed Cassette Labels  
White \$3.00/100  
Colors \$3.60/100 (specify red, blue, yellow, tan)

#### NEW! Cables for your COCO

- U.L. listed foil-shielded cable
- 2 Types: male/female extension cables (used between a serial device and existing cable) male/male cables (used between two serial devices such as a modem and one of our switchers).
- 3 ft./\$3.95, 6 ft./\$4.49, 10 ft./\$5.59 Specify M/M or M/F and length.

The 101 and 104 require power to operate. Most printers can supply power to your interface. (Star, Radio Shack and Okidata are just a few that do - Epson and Seikosha do not). The interfaces can also be powered by an AC adaptor; Radio Shack model 273-1431 plugs into all models. If you require a power supply, add a "P" to the model number and add \$5.00 to the price. (Model 101P \$44.95, Model 104P \$56.95).

The Model 101, 102, 104 and 105 work with any COCO, any level basic and any memory size. These products are covered by a 1 year warranty.

The Model 101 and 104 work with any standard parallel input printer including Gemini, Epson, Radio Shack, Okidata, C. Itoh, Seikosha, Panasonic and many others. They support BASIC print commands, word processors and graphic commands.

We manufacture these products - dealer inquiries are invited.

#### Ordering Information

Free shipping in the United States (except Alaska and Hawaii) on all orders over \$50.00. Please add \$2.50 for shipping and handling on orders under \$50.00. Ohio residents add 6% sales tax.

Call (513) 677-0796 and use your VISA or MASTERCARD or request C.O.D. (Please add \$2.00 for C.O.D. orders). If you prefer, send check or money order; payable in U.S. Funds to:

**Metric Industries**  
P.O. Box 42396  
Cincinnati, Ohio  
45242

## Resetting the computer

When you have finished with one program and want to load another, you can press the BREAK key or the reset button and the computer allows you to load another program into memory and run it. However, the program you were working with previously is still wandering around in memory. If you load a lot of programs this way, strange things can occur because of the "remnants" of the previous programs. To be safe, you need to turn your computer off for 15 seconds and then on again to completely clear the memory (remember the cold start?).

But frequently turning off and on your computer is not good for it. A solution is to enter POKE113,0 and press the reset button. This accomplishes a cold start, as if we had turned the computer off and on.

For those of us who would rather wiggle our fingers than exert ourselves to reach around the machine for the reset button, simply type and enter POKE113,0:EXEC40999. This poke gets a lot of use here at THE RAINBOW.

## PCLEAR1 Bug On CoCo 1

Whenever CoCo 1 encounters a PCLEAR1 statement, a bug in its system prevents the program from running. When you try to run, you get an SN Error referencing the line containing the statement. The solution is simple — just type RUN again and press ENTER, or delete the PCLEAR1 statement.

## Directory Printouts

Entering POKE111,254:DIR will print out your disk directory if a printer is hooked up.

The CoCo printer port defaults to a rate of 600 baud. If your printer uses a different baud rate, you can change the CoCo's baud rate with a simple poke. To change the baud rate to 1200, enter POKE150,41. Many Radio Shack printers are capable of running at 1200 baud. Some can even handle 2400 baud. To change CoCo for this value, enter POKE150,18. If you own a serial to parallel converter for your CoCo and printer, it probably works at 9600 baud. Just use POKE150,1. To change the CoCo back to 600 baud, use POKE150,87.

## Automatic Lowercase

When your computer is in the command mode (when not under the direction of a program), you can toggle back and forth between uppercase and lowercase by pressing SHIFT-0. Or you can enter POKE 282,0 to move into lowercase and POKE 282,1 to return to

uppercase. You can use these pokes directly, or within a program. Remember, though, that CoCo 1 and some CoCo 2s do not have true lowercase capability in the 32-column mode. What you see on the screen will be an inverse copy of the appropriate uppercase character. However, the machine will recognize the character's true lowercase value internally.

## Accidentally Pressing BREAK

If you accidentally press the BREAK key, all is not lost. Enter CONT and you will be returned to where you left off.

## The Speed-Up Poke

Entering POKE 65495,0 allows you to double the computing speed of the newer CoCo 1s and 2s. You can use the poke as a direct command or in a program. Older CoCos cannot handle it, however; so, if a program locks up or freezes on you, look for occurrences of this poke and delete them from the program listings. To slow down the speed-up poke, enter POKE 65494,0. The CoCo 3 speed-up poke is POKE 65497,0. The "slow-down" counterpart is POKE 65496,0. Also, don't try to save or load programs from tape or disk while in the high-speed mode! Always slow the system down before performing any tape or disk operations.

## Saving in ASCII

ASCII is sort of the universal standard for the computing world. You can save your files in a format that other computers, like the Tandy PC and IBM Compatibles, can read. You can read word processing files from other word processors and from other computers if the saves are done in ASCII.

Use the format SAVE "filename",A or CSAVE "filename",A to save your files in ASCII.

## Editing in ASCII

Wouldn't it be great to be able to edit your programs as you edit documents with a word processor? Well, you can! But first you have to save a copy of your program in ASCII format (see above). Merely load the program as you would any other document into your word processor, and you are ready to race all over the screen with your cursor, inserting and deleting at will.

## Disk Backups

It is a good idea to back up, or make copies of, your programs. The BACKUP command copies the whole side of a disk to another formatted disk, and COPY copies just one file. To use BACKUP

with a single-drive system, enter BACKUP0 and follow the prompts in switching your source and destination disks. For a dual-drive system, type BACKUP0T01 or BACKUP1T00; the first number is the drive number of the drive holding your source or master disk. The second number is that of the drive holding the formatted destination disk, the one that will become your backup. (The commands are essentially the same, but BACKUP1T00 is a little safer, because it places the destination disk in the default drive. If your master is in Drive 1, it shouldn't be written to by mistake.)

## Verifying Cassette Saves

Cassette saves are not as reliable as disk saves — ordinary cassettes are often used instead of special computer ones, and the tape is prone to wear, tear and stretching. It is best to make multiple saves of your program and then verify that they have been saved correctly. To verify tape saves, rewind the tape to the beginning and enter SKIPF "x", where x is the last filename saved on the cassette, then press the Play button. If the saves are OK, your tape will wind uneventfully to the end. The SKIPF command will stop with an I/O Error if there were any recording errors.

## Verifying Disk Saves

To make sure that what is written to a disk matches exactly what is in CoCo's memory, use the command VERIFYON. Merely type and enter the command before you attempt a save. Saving will take longer this way, but the extra time spent is worth the comfort of knowing that your save has been checked for accuracy.

## Don'ts and Don'ts

Finally, to reiterate something you already know, never plug in or remove a pack from your computer when it is turned on, as you will damage the computer. And never turn your computer off or on when there is a disk in the drive, as you stand to lose your data. If you do either, you're asking for a zap.

Welcome to the world of CoCoing! I hope this material has been helpful and will get you started on the right foot. Check out Lee Veal's dictionary of computer terms on Page 85 for additional assistance. Finally and foremost, read and reread the manual supplied with your Color Computer, and keep following THE RAINBOW!



*A fast, fun game with a really bizarre scenario*

# The Urchins from the Black Lagoon

By Eric W. Tilenius

**T**o tell you the truth, I'm rather embarrassed by this game. No, not because *Urchin* is a bad game, or because it's slow, or any other reason like that. In fact, it's a great little game, and even the slowest of typists should be able to get it keyed in and running within half an hour. You won't spend hours and hours typing it in, and it has speed, adjustable skill levels, color, machine language screen scroll, and lots more!

## What's So Embarrassing?

Well, I usually pride myself on my imaginative story lines. This being the case, I just couldn't write another "aliens are invading Earth" story for this game. So I tried to think of a scenario that hadn't been used before.

That's when I came up with this embarrassing scenario, which (I think) has never been used before (and hopefully will never be used again!). Ready for it? Well, here goes. . . .

*Eric Tilenius is a Huntington Station, New York resident, whose parents and girlfriend think he spends entirely too much time with his CoCo. However, Eric claims this is a ridiculous and biased account. Incidentally, he has never personally been attacked by a sea urchin.*

Once upon a time, there were 26 letters of the alphabet that lived in a little red schoolhouse. Every day the teacher would put these letters on a polka-dotted blackboard so that all the students could gape and goggle at them. As far as the letters were concerned, that was all very well and good. But at night, it was a different story! Every night, when the teacher left the building, giant sea urchins would break in through the window and pounce on the unsuspecting letters.

That was not good at all. Just imagine, there they were — "Mr. A" (or "Mr. B" or "Mr. T") — sitting quietly on their blackboard when *whoosh! smash!* they're squashed by a gigantic urchin. How undignified! To save themselves from this humiliation, the letters issued an interplanetary distress call. Guess who comes to their aid? Why, you, of course. (The worst is still to come).

You are an extraterrestrial blackboard eraser, and it is your job to erase the blackboard. Unfortunately, you haven't been cleaned in months, so when you move, a trail of yellow chalk is left behind. Your mission is to erase all the letters before the urchins get them. Of course, you have the standard problem of any extraterrestrial blackboard-letter-eraser: You can't run into your chalk trail. In addition, you can't run into an urchin, as they love to

squash erasers, as well as letters.

Now do you see why *Urchin* is so embarrassing? Blackboard erasers, sea urchins, alphabet letters — what a cast! Nonetheless, it's a neat little game. One of the best features is the way the whole screen scrolls as you move. I would like to thank T&D Subscription Software for these routines.

## Game Play

To play *Urchin*, you need 16K Extended Color BASIC. The game works on either disk or cassette systems, and requires no special loading instructions.

Before typing in *Urchin*, turn your computer off, wait a few seconds, then turn it on again. Next, type in the program listing and save it to disk or cassette by typing `SAVE "URCHIN"` or `CSAVE "URCHIN"`, respectively. Then run the program. If you mistype any of the DATA statements, the computer will display an error, so be very careful when typing these in.

When you run the program, you are asked for a skill level from 1 to 9. Skill Level 1 is very slow and easy, while Level 9 is fast and extremely hard. I'd suggest starting with Level 4.

When you select a skill level, the screen clears and the blackboard appears, followed by the 26 letters of the alphabet. After a one-second pause, the computer beeps. You will then see a

# T & D SUBSCRIPTION SOFTWARE CONTINUES ITS

## ISSUE #1, JULY 1982

COVER 1  
RACETRACK  
HANGMAN  
MUSIC ALBUM  
LIFE EXPECTANCY  
WORD TESTS  
KILLER MANSION  
BARTENDER  
CALENDAR  
ROBOT WAR

## ISSUE #2, AUGUST 1982

UFO COVER PT. 1  
BIORHYTHM  
BOMBARDMENT  
BLACK JACK  
COST OF LIVING  
FRENZY  
BUSINESS LETTER  
QUICK THINK  
QUEST INSTRUCTIONS  
QUEST FOR LENORE

## ISSUE #3, SEPTEMBER 1982

UFO COVER PT. 2  
BASKETBALL  
CHUCKLUCK  
SLOT MACHINE  
ALPHABETIZER  
NFL PREDICTIONS  
FLAG CAPTURE  
ROBOT BOMBER

## ISSUE #4, OCTOBER 1982

UFO RESCUE  
TANK BATTLE  
DRIVEWAY  
SOUNDS  
BALLOON DROP  
MIND BOGGLE  
COCO-TERRESTRIAL ADV.  
CALORIE COUNTER  
JACK-O-LANTERN

## ISSUE #5, NOVEMBER 1982

CATALOG COVER  
BOWLING  
PROGRAM INVENTORY  
PROMISSORY LOANS  
CHECKBOOK BALANCER  
TRIGONOMETRY TUTOR  
CONVOY  
BAG-IT  
SPECTRA SOUND  
CONVEYOR BELT

## ISSUE #6, DECEMBER 1982

CHRISTMAS COVER  
RAINDROPS  
STOCK MARKET  
ADVANCED PONG  
DESTROY  
SOUND ANALYZER  
CREATIVITY TEST  
VOICE DATA  
ML TUTORIAL PT. 1  
LOONY LANDER

## ISSUE #7, JANUARY 1983

NEW YEARS COVER  
LIST ENHANCER  
SUPER PRECISION DIV.  
BOMB DIFFUSE  
SPACE STATION  
ML TUTORIAL PT. 2  
SHOOT OUT  
FIND UTILITY  
CYBORG INS.  
CYBORG FACES

## ISSUE #8, FEBRUARY 1983

COVER 8  
DEFEND  
3 DIMENSIONAL MAZE  
COCO CONCENTRATION  
AUTO LINE NUMBERING  
ML TUTORIAL PT. 3A  
ML TUTORIAL PT. 3B  
NUCLEAR POWER PLANT  
DUAL BARRIER  
BRICKS

## ISSUE #9, MARCH 1983

TIME MACHINE COVER  
TRIG DEMO  
PYRAMID OF CHEOPS  
PROGRAM PACKER  
BUDGET  
ELECTRONIC DATEBOOK  
ML TUTORIAL PT. 4  
TAPE DIRECTORY  
BLOCK-STIR  
COCO ADDING MACHINE

## ISSUE #10, APRIL 1983

TENTH COVER  
PYRAMID OF DANGER  
TYPING TUTOR  
ML TUTORIAL PT. 5  
TINYCALC  
STOCK MARKET COMP  
YAH-HOO  
MISSILE ATTACK  
SCREEN PRINT  
BRIK PONG

## ISSUE #11, MAY 1983

ELEVENTH COVER  
ARCHERY  
FROG JUMP  
ML TUTORIAL PT. 6  
MLT DICTIONARY  
BASIC SPEED UP TOT.  
METRIC CONVERTOR  
GRAPHIC QUAD ANTENNA  
GRAPHICS PROGRAM  
CATERPILLAR CAVE

## ISSUE #12, JUNE 1983

TWELFTH COVER  
SHOOTING GALLERY  
BOMB STOPPER  
VALLEY BOMBER  
STARFIGHTER  
WHEEL OF FORTUNE  
ML TUTORIAL PT. 7  
MERGE UTILITY  
RAM TEST  
LANDER

## ISSUE #13, JULY 1983

THIRTEENTH COVER  
FLASH CARD  
ICE BLOCK  
COSMIC FORTRESS  
MAIL LIST  
DOLLARS & CENTS  
ML TUTORIAL PT. 8  
SDSK COPY  
MUSIC SYNTHESIZER  
CRAWLER

## ISSUE #14, AUGUST 1983

MYSTERY COVER  
ROW BOAT  
COMPUTER TUTL PT. 1  
INDEX DATABASE  
DISK ZAPPER  
COCO-MONITOR  
COCO-ARTIST  
ROBOT COMMAND  
TEST SCREEN PRINT  
HIGH RESOLUTION TEXT

## ISSUE #15, SEPTEMBER 1983

MYSTERY COVER PT. 2  
GOLD VALUES  
TREK INSTRUCTIONS  
TREK  
HIGH TEXT MODIFICATION  
ASTRO DODGE  
DR. COCO  
PEG JUMP  
MORSE CODE  
PURGE UTILITY

## ISSUE #16, OCTOBER 1983

MYSTERY COVER  
BOPOTRON  
DIRECTORY RECALL  
VECTOR GRAPHICS INST.  
VECTOR GRAPHICS  
SKYDIVER  
SWERVE AND DODGE  
NIMBO BATTLE  
TAPE ANALYSIS UTILITY  
LIFE GENERATIONS

## ISSUE #17, NOVEMBER 1983

THANKSGIVING COVER  
3-D TIC-TAC-TOE  
INDY 500  
COLLEGE ADVENTURE  
MEMORY GAME  
DUNGEON MASTER  
WEATHER FORECASTER  
GRID FACTOR INST.  
GRID FACTOR  
DRAW

## ISSUE #18, DECEMBER 1983

CHRISTMAS COVER  
CLIMBER  
GALACTIC CONQUEST  
WARLORDS  
STATES REVIEW  
MATH TUTOR  
MACHINE LANGUAGE DATA  
PRINTER UTILITY INST.  
PRINTER UTILITY  
MUTANT WAFFLES

## ISSUE #19, JANUARY 1984

BANNER  
PROBE  
DISK DIRECTORY PROTECTOR  
OPTICAL CONFUSION  
WORD PROCESSOR  
WORD SEARCH  
ASTRONAUT RESCUE  
STAR TRAP  
PIE CHART  
FORCE FIELD

## ISSUE #20, FEBRUARY 1984

INTRODUCTION:  
HINTS FOR YOUR COCO  
ESCAPE ADVENTURE  
SEEKERS  
MASTER BRAIN  
LIST CONTROLLER  
DISKETTE CERTIFIER  
ROM COPY  
BASIC RAM  
SNAFUS

## ISSUE #21, MARCH 1984

BASIC CONVERSIONS  
FINANCIAL ADVISE  
CASTLE STORM  
DOS HEAD CLEANER  
COCO TERMINAL  
SNAKE CRAWLER  
WAR CASTLE  
SKY FIRE  
EASY BASIC  
DOTS 3-D

## ISSUE #22, APRIL 1984

HEALTH HINTS  
GLIBLIPS  
CLOTHES SLITHER  
BIBLE 1 & 2  
BIBLE 3 & 4  
CATCH ALL  
INVADER  
ALIEN RAID  
MOON ROVER  
IO ERROR IGNORER

## ISSUE #23, MAY 1984

MONEY SAVERS 1 & 2  
STOCKS OR BOMBS  
WALL AROUND  
COCO TECHNICAL LOOK PT. 1  
NUCLEAR WAR INST.  
THERMONUCLEAR WAR  
CIRCUIT DRAWER  
MOUSE RACES  
SUPER-SQUEEZE  
DATA FALL

## ISSUE #24, JUNE 1984

DIR PACK & SORT  
BRICK OUT  
COCO TECHNICAL LOOK PT. 2  
USA SLIDE PUZZLE  
51 '24 SCREEN EDITOR  
51 '24 SCREEN  
CITY INVADERS  
PRINTER SPOOLER  
STEPS  
SNAKE

## ISSUE #25, JULY 1984

CLOCK  
COCO TECHNICAL LOOK PT. 3  
SKID ROW ADVENTURE  
MONEY MAKER  
PIN-HEAD CLEANING  
LINE EDITOR INST.  
LINE EDITOR  
BOOMERANG  
BUBBLE BUSTER  
RECOCHET

## ISSUE #26, AUGUST 1984

PEEK, POLE & EXECUTE  
SAUCER RESCUE  
YOUNG TYPER TUTOR  
O-TEL-O  
OLYMPIC EVENTS  
DOUBLE DICE  
COCO DATABASE  
BATTLE STAR  
COCO-PIN BALL  
MONTEZUMAS DUNGEONS

## ISSUE #27, SEPTEMBER 1984

COCO TO COM 64  
GALACTIC SMUGGLER  
INDY RACE  
ACCOUNT MANAGER  
CASSETTE MERGE UTILITY  
STRING PACKING TUTORIAL  
SPACE DUEL  
BUGS  
TRAP-BALL  
BALLOON FIRE

## ISSUE #28, OCTOBER 1984

HANGING TREE  
CHECKERS  
FOOTBALL +  
MORE PEEKS, POKES  
SPELLING CHECKER  
SOUND DEVELOPMENT  
WORD GAME  
SCREEN REVERSE  
AUTO COPY  
RAT ATTACK

## ISSUE #29, NOVEMBER 1984

DISK ROLL OUT  
ROBOT ON  
MULTIPONG  
ADVENTURE GENERATOR  
QUEST ADVENTURE  
QUARTER BOUNCE  
DUAL OUTPUT  
KEY REPEAT  
FULL EDITOR  
METEOR

## ISSUE #30, DECEMBER 1984

MATH HELP  
ZECTOR ADVENTURE  
WORLD CONQUEST  
DRAG RACE  
MINE FIELD  
T-NOTES TUTORIAL  
T & D PROGRAM INDEXER  
SYSTEM STATUS  
ERROR TRAP  
DROLL ATTACK



### SUPER SAVINGS

Single Issue ..... \$8.00  
2-5 Issues ..... \$6.00 ea.  
6-10 Issues ..... \$5.00 ea.  
11 or more Issues . \$4.50 ea.  
All 64 Issues ..... \$175.00

- Every Issue Contains 10 or More Programs
- Many Machine Language Programs
- Available for COCO I, II and III
- All Programs Include Documentation

- We send 1st Class No Charge
- Personal Checks Welcome!



# BACK ISSUE SALE OF OVER 640 PROGRAMS

## ISSUE #31, JANUARY 1985

TREASURES OF BARSOOM  
BATTLE GROUND  
STRUCTURED COMPILED LANGUAGE  
LIBRARY MODULE  
MINIATURE GOLF  
STAR DUEL  
ARITHMETIC FOOTBALL  
GRID RUN  
SPIRAL ATTACK  
FAST SORT  
MUNCHMAN

## ISSUE #32, FEBRUARY 1985

DR. SIGMUND  
ICE WORLD ADVENTURE  
LOTTERY ANALYST  
BASIC COMPILER  
MUSIC CREATOR  
MEANIE PATROL  
TRI-COLOR CARDS  
SHAPE RECOGNITION  
DISK BACKUP  
SPACE PROTECTOR

## ISSUE #33, MARCH 1985

LIGHT CYCLE  
PAINT  
SKEET SHOOTING  
GUITAR NOTES  
ML DISK ANALYZER  
PERSONAL DIRECTORY  
NAUGHA ADVENTURE  
EGGS GAME  
DISK DIRECTORY PRINT  
SPEED KEY

## ISSUE #34, APRIL 1985

HOVER TANK  
POWER SWORD  
TERMITE INVASION  
SPELLING CHECKER  
DOS BOSS  
NINE CARD CHOICE  
MUSIC GENERATOR  
FYR-DRACA  
DRIVE TEST  
GRAPHIC TOUR

## ISSUE #35, MAY 1985

SELECT A GAME 1  
TAPE PROBLEMS  
STROLL TRIVIA  
SOFTBALL MANAGER  
FONTS DEMO  
CLOWN DUNK MATH  
ALPHA MISSION  
DOS ENHANCER  
HAUNTED HOUSE

## ISSUE #36, JUNE 1985

SELECT A GAME 2  
VIDEO COMPUTERIZER  
SPEECH SYNTHESIS  
SPEECH RECOGNITION  
SPACE LAB  
AUTO COMMAND  
COMPUTER MATCHMAKER  
KNIGHT AND THE LABYRINTH  
STAR SIEGE  
TALKING SPELLING QUIZ

## ISSUE #37, JULY 1985

CHESS MASTER  
BIBLE 5-7  
SHIP WREK ADVENTURE  
FILE TRANSFER  
FOUR IN A ROW  
MARSHY  
TAPE CONTROLLER  
CATACOMB  
AUTO TALK  
SGR8PAK

## ISSUE #38, AUGUST 1985

GOLF PAR 3  
WIZARD ADVENTURE  
KITE DESIGN  
ROBOTS  
GOMOKU  
AMULET OF POWER  
LINE COPY UTILITY  
DISK PLUMBER  
SUPER RAM CHECKER  
GRAPHIC HORSE RACE

## ISSUE #39, SEPTEMBER 1985

DRUNK DRIVING  
CAR MANAGER  
SQUEEZE PLAY  
SUPER BACKUP  
RECIPE MACHINE  
ANTI-AIRCRAFT  
UNREASON ADVENTURE  
TALKING ALPHABET  
SUPER VADERS  
AUTOMATIC EDITOR

## ISSUE #40, OCTOBER 1985

STAR TREK  
HAM RADIO LOG  
COCO-WAR  
DISK LABELER  
SHIP WAR  
ELECTRIC COST  
MULTIKEY BUFFER  
NUKE AVENGER  
CURSOR KING  
SAND ROVER

## ISSUE #41, NOVEMBER 1985

GRUMPS  
DISK DRIVE SPEED TEST  
SOLAR CONQUEST  
GAS COST  
RIME WORLD MISSION  
WUMPUS  
CHARACTER EDITOR  
GRAPHIC TEST  
GRAPHIC LOOPY  
BOLD PRINT

## ISSUE #42, DECEMBER 1985

HOME PRODUCT EVALUATION  
YAHTZEE  
DISK UTILITY  
MACH II  
ELECTRONIC BILLBOARD  
CAR CHASE  
SUPER MANSION ADVENTURE  
SLOT MACHINE GIVE AWAY  
TEXT BUFFER  
TUNNEL RUN

## ISSUE #43, JANUARY 1986

DUELING CANNONS  
WATER COST  
ZIGMA EXPERIMENT  
MUSICAL CHORDS  
SAFE PASSAGE  
PASSWORD SCRAMBLER  
GUNFIGHT  
KEYPAD ENTRY  
STYX GAME  
PRINTER DIVERT

## ISSUE #44, FEBRUARY 1986

HOME INVENTORY  
NINE BALL  
PRINTER REVIEW  
EXPLORER ADVENTURE  
SPANISH LESSONS  
CROSS FIRE  
RAM SAVER  
GRAY LADY  
JOYSTICK INPUT  
COSMIC SWEEPER

## ISSUE #45, MARCH 1986

INCOME PROPERTY MGMT  
ELECTRONIC BILLBOARD 2  
MOUNTAIN BATTLE  
THE FIGHT  
COLO KEENO  
HOCKEY  
LOGICAL PATTERNS  
ON SCALE SCREEN  
LIBERTY SHIP  
SINGLE STEP RUN

## ISSUE #46, APRIL 1986

SPECIAL EVENTS REMINDER  
DISK LOCK  
SMALL BUSINESS MANAGER  
BOMB RUN  
TANKS  
TAR PITS  
BASEBALL  
NUMBER RELATIONSHIPS  
ROULETTE  
GLOBAL EDITOR

## ISSUE #47, MAY 1986

CHRISTMAS LIST  
BLACK HOLE  
PITCHING MANAGER  
SYMBOLIC DIFF.  
BUG SPRAY  
OWARE CAPTURE  
EASY GRAPHICS  
DESERT JOURNEY  
SCREEN CONTROL  
FULL ERROR MESSAGE

## ISSUE #48, JUNE 1986

CHESTER  
TV SCHEDULE  
BASE RACE  
ROMAN NUMERALS  
ASTRO DODGE  
HIRED AND FIRED  
MULTI COPY  
AUTO MATE  
SCROLL PROTECT  
NOISE GENERATOR

## ISSUE #49, JULY 1986

COMPUTER I.O.U.  
DISK DISASSEMBLER  
BAKCHKEK  
PACHINKO  
STOCK CHARTING  
HAUNTED STAIRCASE  
CANYON BOMBERS  
DRAGONS 1 & 2  
GRAPHIC SCROLL ROUTINE  
AUTO BORDER

## ISSUE #50, AUGUST 1986

BUSINESS INVENTORY  
D & D ARENA  
DISK CLERK  
PC SURVEY  
TREASURE HUNT  
SCREEN GENERATOR  
ASTRO SMASH  
NFL SCORES  
BARN STORMING  
SMASH GAME

## ISSUE #51, SEPTEMBER 1986

ASSET MANAGER  
MONEY CHASE  
FISHING CONTEST  
RIP OFF  
HAND OFF  
BUDGET 51  
VAN GAR  
DOS EMULATOR  
MEM DISK  
VARIABLE REFERENCE

## ISSUE #52, OCTOBER 1986

ACCOUNTS RECEIVABLE  
WORKMATE SERIES  
CALENDAR  
INVASION  
THE TRIP ADVENTURE  
FOOT RACE  
FLIPPY THE SEAL  
SCREEN CALCULATOR  
ABLE BUILDERS  
SUPER ERROR 2

## ISSUE #53, NOVEMBER 1986

CORE KILL  
LUCKY MONEY  
COOKIES ADVENTURE  
NICE LIST  
SPANISH QUIZZES  
PAINT EDITOR  
CAVERN CRUISER  
SNAP SHOT  
MEGA RACE  
KICK GUY

## ISSUE #54, DECEMBER 1986

JOB LOG  
PEGS  
DIGITAL SAMPLING  
JUNGLE ADVENTURE  
PAINT COCO 3  
CONVERT 3  
COMPUTER TYPE  
PANZER TANKS  
MRS PAC  
BIG NUM

## ISSUE #55, JANUARY 1987

GRADE BOOK  
MAIL LIST  
DOWN HILL  
FIRE FOX  
JETS CONTROL  
GALLOWES  
DIR MANAGER  
FIRE RUNNER  
GRAPHICS BORDER  
COSMIC RAYS

## ISSUE #56, FEBRUARY 1987

CALENDAR PRINT  
CRUSH  
GALACTA  
OCEAN DIVER  
CLUE SUSPECT  
WORD EDITOR  
ALIEN HUNT  
DEMON'S CASTLE  
PICTURE DRAW  
DIG

## ISSUE #57, MARCH 1987

THE BAKERY  
ENCHANTED VALLEY ADV.  
SAFE KEEPER  
WAR 1  
BOMB DISABLE  
PIANO PLAYER  
SPREAD SHEET  
SLOT MANUEVER  
LIVING MAZE  
GEM SEARCH

## ISSUE #58, APRIL 1987

ACCOUNTS PAYABLE  
PRINTER GRAPHICS  
SIMON  
PANELING HELPER  
MULTI CAKES  
CAR RACE  
ELECTRONICS I  
BATTLE TANK  
DISKETTE VERIFY  
WEIRDO

## ISSUE #59, MAY 1987

GENEOLOGY  
HOME PLANT SELECTION  
CHECK WRITER  
HELIRESCUE  
KABOOM  
NEW PONG  
CROQUET  
FUNCTION KEYS  
ZOOM  
ELECTRONICS 2

## ISSUE #60, JUNE 1987

JOB COSTING  
LABELS  
CATCH A CAKE  
COCO MATCH  
ROBOTS  
STREET RACERS  
BOWLING 3  
ELECTRONICS 3  
GRAFIX  
KRON

## ISSUE #61, JULY 1987

EZ ORDER  
SUBMISSION WRITER  
KEYS ADVENTURE  
WALLPAPER  
CHOPPER COMMAND  
UNDERSTANDING OPPOSITES  
BIT CODE PLOTTING  
ELECTRONICS IV  
KING PEDE  
RAIDER

## ISSUE #62, AUGUST 1987

PENSION MANAGEMENT  
HERB GROWING  
CATALOGER UTILITY  
RAIDERS  
ALPHABETIZING  
W.F.O.  
ELECTRONICS V  
RAMBO ADVENTURE  
BLOCKS  
MULTI SCREEN CAVES

## ISSUE #63, SEPTEMBER 1987

GENEOLOGIST HELPER  
SMART COPY  
MAINTENANCE REPORTING  
COCO 3-COCO 2 HELPER  
DIRECTORY PICTURE  
SUB STACK  
SAVE THE MAIDEN  
CAVIATOR  
ELECTRONICS VI  
MONKEY SHINE

## ISSUE #64, OCTOBER 1987

GARDEN PLANTS  
FORT KNOX  
ELECTRONICS FORMULAS  
SNAKE IN THE GRASS  
CYCLE JUMP  
GEOMETRY TUTOR  
SLOT RACERS  
GAME OF LIFE  
ELECTRONICS VII  
FLIGHT SIMULATOR

MAIL TO:

**T & D Subscription Software**  
2490 Miles Standish Drive  
Holland, Michigan 49424  
(616) 399-9648



Name \_\_\_\_\_  
Address \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_  
Credit Card # \_\_\_\_\_  
Expires \_\_\_\_\_  
TOTAL AMOUNT \$ \_\_\_\_\_


CIRCLE ISSUES DESIRED

1	9	17	25	33	41	49	57
2	10	18	26	34	42	50	58
3	11	19	27	35	43	51	59
4	12	20	28	36	44	52	60
5	13	21	29	37	45	53	61
6	14	22	30	38	46	54	62
7	15	23	31	39	47	55	63
8	16	24	32	40	48	56	64

PLEASE CIRCLE  
TAPE or DISK

# A Great Holiday Gift Idea!

## RAINBOW Binders



### Distinctive, Durable RAINBOW Binders

THE RAINBOW is a vital resource to be referred to again and again. Keep your copies of THE RAINBOW safe in our quality, distinctive binders that provide complete protection.

These **attractive red vinyl binders** showcase your collection and ensure your RAINBOWs are in mint condition for future use. Each binder is **richly embossed with the magazine's name in gold** on the front and spine. They make a handsome addition to any room.

### Put an End to Clutter

Organize your workspace with these tasteful binders. Spend more time with your CoCo and eliminate those frustrating searches for misplaced magazines.

A **set of two binders**, which holds a full 12 issues of THE RAINBOW, is only \$13.50 (plus \$2.50 shipping and handling).

### Special Discounts on Past Issues

To help you complete your collection of THE RAINBOW, we're offering a **special discount on past issues** of the magazine.

When you place an order for six or more back issues of THE RAINBOW at the same time you order binders, you are entitled to \$1 off the regular back issue price. To order, please see the "Back Issue Information" page in this issue.

### Know Where to Look

You may purchase the "Official And Compleat Index To THE RAINBOW" for \$1 when you purchase a set of binders. This comprehensive index of RAINBOW's first three years (July 1981 through July 1984) is usually priced at \$2.50.

For greater convenience, order RAINBOW Binders through the shopping area of the CoCo SIG of Delphi!

\_\_\_\_\_ **YES.** Please send me \_\_\_\_\_ set(s) of RAINBOW binders

**Take advantage of these special offers with your binder purchase:**

\_\_\_\_\_ Save \$1 off the single issue cover price for back issues. Minimum order of 6 magazines. Please enclose a back issue order form from a recent issue indicating magazines wanted.

\_\_\_\_\_ Purchase the "Official and Compleat Index to THE RAINBOW" for \$1. (Regular price \$2.50.)

(These offers good only with the purchase of a RAINBOW binder set)

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

☐ My check in the amount of \_\_\_\_\_ is enclosed. (In order to hold down costs, we do not bill.)

Charge to: ☐ VISA ☐ MasterCard ☐ American Express

Account Number \_\_\_\_\_ Expiration Date \_\_\_\_\_

Signature \_\_\_\_\_

Mail to: **Rainbow Binders, The Falsoft Building, P.O. Box 385, Prospect, KY 40059.**

Binders are \$13.50 per two-binder set plus \$2.50 shipping and handling. If your order is to be sent via U.S. mail to a post office box or foreign country, please add \$2. Kentucky residents add 5% sales tax. U.S. currency only, please. In order to hold down non-editorial costs, we do not bill.

For credit card orders call (800) 847-0309, 8 a.m. to 5 p.m. EST

All other inquiries call (502) 228-4492.

# NOW Your Computer Writes PROGRAMS for YOU with QUIKPRO+II

*In minutes even if you know nothing about programming!  
For COCO, IBM, Tandy, Apple, Commodore, and others.*

OVER  
  
1/2 OFF

To Computer Users.

Now you can tell your computer what you want and your computer can write your programs for you in minutes to your custom design — easily and without requiring any programming background from you...with QUIKPRO+II.

## A Breakthrough In Micro Computer Technology

You know your computer is fantastically fast...once it knows what to do. Programs and software are what makes it happen. Every task your computer performs for you requires some kind of program. Until now, you could only get programs in just one of two ways: buy a canned package that many times doesn't meet your needs or hand over hundreds or thousands of dollars for a custom programming job. Now, you have a better choice...

## Programs Without Programming

Automatic programming is what it's all about. And, with QUIKPRO+II the Automatic Program Writer, your computer can actually write programs for you. You can quickly generate a new individual application program when you want it with QUIKPRO+II. Each program you create is a completely stand alone program that will run in the standard BASIC language you already have on your own computer. QUIKPRO+II creates filing, data retrieval, and report programs. Best of all, **you do not have to become a programmer** to use QUIKPRO+II. The QUIKPRO+II software becomes your personal programmer, waiting to do your work for you any time of the day or night you choose to use it.

QUIKPRO+II comes complete in its own vinyl storage binder, with 80 page manual and disk ready to use.

## Proven and Widely Used

**Businesses, Schools, Hobbyists and Government are among our thousands of users...**

John Hopkins  
U.S. Department of Agriculture  
Proctor & Gamble  
Federal Express  
American Express  
Monsanto  
Ford Motor Company  
Duracell International

NASA  
Westinghouse  
U.S. Navy  
NCR  
DuPont  
RCA  
Exxon  
AT&T  
Texas Tech

General Electric  
Random House

Tandy Corporation  
Satellite Broadcasting



## APPLICATION CHECKLIST

Here are a few of the thousands of possible applications you can do with QUIKPRO+II...And most can be created in a few minutes.

### BUSINESS USES

Customer Filing  
Master Files for General Ledgers  
Accts. Receiv.  
Accts. Payable  
Telephone Logs  
Telephone Lists  
Hotel/Travel Data  
Reservations  
Property Control  
Library Catalogues  
Inventories

### EDUCATIONAL USES

Student Records  
Grade Records  
Teacher Lists  
School Lists  
Program Design  
Course Design

### HOME & HOBBY USES

Personal Records  
Check Lists  
Club Rosters  
Telephone Directories  
Recipe Files

## ORDER NOW - OVER 1/2 OFF

CALL TOLL FREE 24 HOURS

**1-800-872-8787, Operator 630**

(From Georgia Call 1-800-874-5112, Operator 630)

**YES,** send me QUIKPRO+II for \$29.50 plus \$4.50 shipping & handling \$34.00 total.  
**SAVE OVER 1/2 OFF** the reg. \$149 price.

Check your computer type & payment

☐ Color Computer  
2 or 3 with Disk  
☐ TANDY 1000, 1200, 3000  
☐ IBM/Compatible  
☐ Commodore 64  
☐ Apple 2, 2C, 2E  
☐ TRS-80 Mod 3  
☐ TRS-80 Mod 4  
☐ TRS-80 Mod 2

☐ Payment enclosed  
☐ MasterCard ☐ VISA

Card # \_\_\_\_\_  
Expiration Date \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City/State/Zip \_\_\_\_\_

Mail Orders to: ICR FutureSoft, P.O. Box 1446-DD  
Orange Park, FL 32073

flashing square in the center of the screen — that's you. Quickly tap one of the four arrow keys to indicate the direction you would like to go (if you aren't quick, the game will end).

Purple urchins start appearing on the screen. Try to run over all the letters by using the four arrow keys, without doubling back on yourself or hitting an

urchin. When you go over a letter, you will hear a slight beep, which means you just scored another point.

So hop to it! Stop making fun of the scenario and start typing in *Urchin*. You'll love it!

**Warning:** The author advises that the player not eat "Alpha-bits" while playing *Urchin*, as some players have been

known to become confused, ending up erasing their cereal and eating their TV sets. If this happens, unplug the TV immediately.

(Questions may be directed to the author at P.O. Box 1729, Huntington Station, NY 11746. Please enclose an SASE when writing for a reply.) □

✓	130 .....110
	275 .....47
	410 .....201
	END .....18

#### The listing: URCHIN

```

10 GOTO 460
20 CLS:SS=0:EC=175
30 IF CO=128 THEN SC=1 ELSE SC=6
5
40 FOR C=1024 TO 1535:POKE C,CO:
NEXT
50 FOR C=SC TO SC+25
60 PO=RND(512)+1023
70 IF PEEK(PO)=CO THEN POKE PO,C
:NEXT ELSE 60
80 C$=CHR$(10)+CHR$(94)+CHR$(8)+
CHR$(9)
90 FOR I=14000 TO 14151:READD:POKE
EI,D:TM=TM+D:NEXT:IF TM<>16384 T
HEN SOUND 1,10:CLS:PRINT"*DATA E
NTRY ERROR*":PRINT"RECHECK DATA
STATEMENTS.":END
100 DEFUSR0=14000:DEFUSR1=14046
110 DEFUSR2=14092:DEFUSR3=14123
120 SOUND 1,1:K$=INKEY$
130 IF PEEK(1264)=EC THEN 230
140 IF PEEK(1264)=159 AND TURNS>
5 THEN 230
150 IF PEEK(1264)<91 AND PEEK(12
64)>64 THEN SOUND 87,1:SS=SS+1
160 POKE 1264,191
170 FOR C=1 TO P:NEXT
180 POKE 1264,159
190 TURNS=TURNS+1
200 IF RND(11-S)=2 THEN POKE RND
(100)+1024,EC
210 IF SS=26 THEN 290
220 GOTO 330
230 FOR C=0 TO 8
240 POKE 1264,128+16*C-1
250 PLAY"O3L50CDEDC"
260 NEXT:CLS
270 PRINT"OOPS... BAD MOVE!","",
YOU SCORED:";SS:PRINT"ON SKILL L
EVEL:";S:PRINT:PRINT"*TOTAL POI
NTS*":PRINT"";S+SS
275 PRINT:PRINT"MAYBE NEXT TIME
YOU'LL GET THEM ALL... (KEEP TRY
ING!)"

```

```

280 PLAY"O1L2EEDCP1P1":RUN
290 PRINT@295,"YOU GOT THEM ALL!
"
300 FOR C=1 TO 20
310 SOUND C*10+1,2:NEXT
320 CLS:PRINT"CONGRATS!!",,"(NOW
TRY A HIGHER SKILL LEVEL)":PLAY
"CDEDC":RUN
330 K$=INKEY$:IF K$=""GOTO350
340 D=INSTR(C$,K$)
350 ON D GOSUB 370,380,390,400
360 IF D=0 THEN 330 ELSE 130
370 U=USR0(0):RETURN
380 U=USR1(0):RETURN
390 U=USR2(0):RETURN
400 U=USR3(0):RETURN
410 DATA 142,4,0,16,142,58,152,1
66,128,167,160,140,4,32,38,247,1
42,4,0,166,136,32,167,128,140,5,
224,38,246,142,5,224,16,142,58,1
52,166,160,167,128,140,6,0,38,24
7,57
420 DATA 142,5,224,16,142,58,152
,166,128,167,160,140,6,0,38,247,
142,5,224,166,130,167,136,32,140
,3,255,38,246,142,4,0,16,142,58,
152,166,160,167,128,140,4,32,38,
247,57
430 DATA 142,5,255,230,132,16,14
2,0,31,166,130,167,1,166,162,16,
140,0,0,38,244,231,132,230,130,1
40,3,255,38,229,57
440 DATA 142,4,0,230,132,16,142,
0,31,166,1,167,128,166,162,16,14
0,0,0,38,244,231,128,140,6,0,38,
231,57
450 END
460 PCLEAR1
470 CLS
480 PRINT">>URCHIN... A 'NO FRIL
LS' GAME<< BY ERIC W. TILEN
IUS."
490 PRINT:PRINT"*USE THE ARROW K
EYS TO SAVE THE**LETTERS FROM DE
STRUCTION!!!!!!* "
500 INPUT"SKILL LEVEL (1-9)";S
510 IF S<1 OR S>9 THEN 470 ELSE
P=200/S-20
520 CO=180
530 GOTO 20

```



# BASIC for Beginners Lesson II

By David W. Ostler

In a previous article [September 1987, Page 26], I covered variables and some of their uses in programming. This time I will cover more of the most used commands that will help you become good programmers.

Remember the old saying "Practice makes perfect"? It is even more true in programming. If you know about a command and do not practice it, you will probably forget about the command when it's needed most. Therefore, try all of these commands at least 10 times, to entrench them in your mind. Also, remember this series just covers some of the commands found in the Color Computer BASIC language, not the commands pertaining to drawing and graphics generation. Many programmers do not program for graphics, so I concentrated on the commands common to many of the different BASIC languages.

My son is able to translate programs for the Apple and Commodore computers for use in his school work. Many of the commands translate directly, with few exceptions.

## REM (')

The apostrophe (') or REM symbol is the famous remark statement. It notifies the computer that all characters following the symbol are not commands and should be ignored by the computer's command interpreter.

Use REM statements to place remarks within the program body itself to embed programming notes that explain the use or function of particular portions of a program. This helps when trying to debug a program, which is the act of finding the location of a problem (called a bug) that has made itself known by returning a wrong answer or causing the

---

*Dave Ostler is an IC layout designer and the systems manager for a CAD main-frame system. He teaches CAD and electronics at Guilford Technical Community College. Dave is married and has three children, Avis, Chuck and Erik.*

program to crash. It also allows a programmer to know where various parts of the program are stored within the body of the program. This is helpful when you have various loops within a program.

This practice is useful for beginners and for expert programmers who are working with a very intricate program.

Some programmers prefer to use the REM statement instead of the apostrophe symbol. The proper syntax for this command is `10 GOTO 5 'THIS LOOP STARTS THE PROGRAM OVER`. The computer recognizes only the `GOTO 5` command and ignores the rest of the line.

Remember that any character you place in a program will use up memory, whether it's a command or remark and text. So, use remarks only where you need them, but *use* them!

## CLEAR

The CLEAR command notifies the command structure that you want to set up an area of memory reserved for variable storage. It is normally used as `CLEAR xxxx`, where `xxxx` is the amount of memory you want to reserve. Or it can be used as `CLEAR xxxx, yyyy`, where `xxxx` is still the amount of memory you want to reserve, but `yyyy` is an area of memory you desire to protect from overwriting. The `yyyy` area is usually used to protect the BASIC memory area from any variable storage.

The `xxxx` figure is usually obtained by trial and error, until a satisfactory balance between variable storage and program area is reached.

Also, when you clear memory within the body of a program, all variables are cleared out. All numeric variables will now equal zero, and all string variables will have nothing in them after a CLEAR command is issued. Therefore, it is normal practice to issue a CLEAR command early in a program, unless you want to clear out all variables at a certain point in a program.

## PRINT@

The PRINT@ command makes a program appear professional. It orders the computer to print text or graphics characters to the screen at the location desired. For the screen locations that are available, see your manual for the PRINT@ worksheet page.

Proper syntax is `PRINT@ xxx,` where `xxx` is a numerical value between 0 and 511. This numerical value directly relates to the screen location as found in the PRINT@ worksheet. The command is usually used as `10 PRINT@`

`128, "THIS TEXT WILL BE PRINTED"`.

This would have been printed at screen location 128, and the text would have ended at screen location 152. Another enhancement of the PRINT@ command is to use it with the CLS command and to use the semicolon delimiter. Try this line and see what result it has:

```
10 CLS3:PRINT@ 227, "THIS  
TEXT WILL BE PRINTED";
```

The screen would be blue with normal text starting at screen location 227 and ending at screen location 251. The only difference between this line and the other one above is that the screen is blue with the text centered within the blue screen. Notice that blue is showing even after the last character of text is printed. Take out the semicolon and see what effect it has on how the line is printed.

Here are tips that will help you center text on a line:

- 1) Count the number of characters you want printed on the line. (Remember, a line can be no longer than 32 characters.)
- 2) Subtract that number from 32.
- 3) Take the remainder from Step 2 and divide by 2.
- 4) Add the amount obtained in Step 3 to whatever screen location line you want to print that text.

## STRINGS

The STRING\$ command is used to create a 1 to 255 character string made up of the same character. This is useful when trying to create a title page, border, etc., to enhance a program's appearance.

Proper syntax for this command is `STRING$(xx,yy)`, where `xx` is the character desired. This character may be any of the ASCII characters, any of the graphics characters your computer can generate for screen use, or any characters your computer can send to various output devices, such as disk drives, printers, tape drives and modems. The `yy` value is the number of characters that you want to create.

## SOUND

The SOUND command produces a tone from the speaker of the television or monitor. It can be used to notify you when input is needed or an error has been detected or made.

The proper syntax for this command is `SOUND x,y`, where `x` is a number between 1 and 255 and sets the pitch of

the tone. `Y` is a number between 1 and 255 and sets the length of the tone.

## GOSUB

The GOSUB command forces the computer to jump to a defined line, which contains the desired subroutine, within the program. This is an unconditional loop that usually contains conditional loops nested within it; therefore, they are also called nested loops. A GOSUB subroutine must *always* end with the RETURN command. This command will force the computer back to the next command directly following the GOSUB command. The only exception is when the RETURN command is superceded by a GOTO or IF/THEN command.

The proper syntax for this command is `GOSUBxxxx`, where `xxxx` is the line number where the subroutine starts.

This command is useful when using a pause within a program, such as "Press any key to continue." You can place the GOSUB command at the end of the area where you want to pause the program. The program can then go to the subroutine and wait for the key press. After the key is pressed, it will return to the program command immediately after the GOSUB command.

Look at Listing 1 for an example of the GOSUB command.

## CHRS

The CHR\$ command converts a numerical value to a single character string. Use this when you want to send control codes to a software programmable printer or to print graphics characters to the screen or printer.

The proper syntax for this command is `CHR$(xxx)`, where `xxx` is the numerical value that is converted into a single character string.

## PRINTUSING

The PRINTUSING command prints the text following it in the format that was selected. This format is specified by putting characters behind the PRINTUSING command. These characters can be found by looking in your manual under the PRINT command area.

The proper syntax for this command is `PRINTUSING "$###,###,##.##";B`. Assume a value of one million for the integer variable B. This particular format will print the integer variable B in the format of \$1,000,000.00. Or, for a value of 10,000 for B, it will print \$10,000.00. Note that no matter what the value is, it will be printed with two decimal places to the right of the period, and the dollar sign printed 12

spaces to the left. The commas will only be printed when the value is great enough to warrant it.

This command is useful when you want to print a numerical value or character string in a particular fashion. One use for the PRINTUSING command would be in a program that prints values in dollars and cents.

## IF/THEN

The IF/THEN command tests variables to see if various conditions have been met. In standard BASIC the syntax is IF/THEN GOTO. But the Color Computer BASIC can shorten it by leaving off the GOTO command because it is assumed by the command interpreter.

Proper syntax is IF X = Y THEN 1000; when variable x equals the value of variable y, then the program will be forced to jump to Line 1000.

When multiple comparisons are to be made, you can use the ELSE command. The proper syntax for this use is IF X = Y THEN 1000 ELSE 2000 or IF X = Y THEN 1000 ELSE IF Y = Z THEN 5000 ELSE. . . . When x equals the value of y, then force a jump to Line 1000, or else force a jump to Line 2000.

You can see that you can compare

many different variables within a command line and keep memory requirements to a minimum.

## Looking at Listing 1

Line 10 clears the screen, moves the cursor down two lines and prints the text.

Line 15 forces the program to go to the subroutine located at Line 1000.

At Line 1000, the cursor is moved down the screen four more lines, and the text "PRESS ANY KEY TO CONTINUE" is then printed.

At Line 1010, string variable B\$ is set equal to the key pressed. Only in this instance we want a key to be pressed to continue the program, and we don't care which key. If no key is pressed, this line will be repeated by the IF/THEN, ELSE command directly following the INKEY\$ command. (Note that IF/THEN, ELSE is a variation on the IF/THEN command. The ELSE command helps shorten up the command line so that multiple comparisons can be made.

## Looking at Listing 2

Line 0 is a remarked line.

Line 5 clears 1,000 bytes of memory for variable storage, clears the screen

and prints the text at the specified locations.

Line 10 prints text at the location, allows the input of variable A and sounds a tone.

Line 20 prints a string of blanks at the location to clear out the previous text; then it prints new text at the same location, allows the input of variable B and sounds a tone.

Line 30 forces the program to go to the subroutine located at Line 1000.

Lines 100 to 130 all sound a tone, perform mathematical manipulation of variables A, B and C, then force a jump to Line 500.

Line 140 sounds a tone and jumps to Line 700.

Line 200 prints a string of blanks at the location to clear out the previous text, then prints new text at the same location, allows the input of variable B and sounds a tone.

Line 305 forces the program to go to the subroutine located at Line 2000.

Lines 310 to 340 all sound a tone, perform mathematical manipulation of variables A, B and C, then force a jump to Line 500.

Line 350 sounds a tone and forces a jump to Line 700.

# Clearbrook Software Group

(604)853-9118



**Information  
Management  
System**



CSG IMS is THE full featured relational database manager for the Color Computer and OS9. The comprehensive structured application language makes CSG IMS the ideal development tool for sophisticated file-intensive applications.

- Interactive access to databases and quick queries.
- CSG IMS includes a recursive compiled language supporting program modules with full parameter passing.
- User defined screen and report formats.
- Record, index and file size almost unlimited.
- Text, BCD floating point (14 digits), short and long integer and date types.

CSG IMS for CoCo2/3 OS9 L1/2 (single user) \$169.95  
CSG IMS for OS9 L2 or 68000(multi user) \$495.00  
CSG IMS demo with manual \$30

Shipping: N. America - \$5, Overseas - \$10

**Clearbrook Software Group**

P.O. Box 8000-499  
Sumas, WA 98295



OS9 is a trademark of Microware Systems Corp., MSDos is a trademark of Microsoft Corp.

## ERINA - Symbolic User Mode Debugger for OS9

ERINA is a must for all serious assembler and C software developers. It lets you find bugs quickly by displaying the machine state and instructions being executed. You can set address and register break points, dump, search and change memory, assemble and disassemble code and many other things to numerous to mention. This program will pay for itself over and over by the time you save solving your bugs.

Requires 80 column display, OS9 L1/2 \$69.00

## SERINA - System Mode Debugger for OS9 L2

SERINA is a debugger for OS9 system modules (device drivers, file managers, etc.). It allows you to trace execution of any system module, set break points, assemble and disassemble code and examine and change memory. There are special provisions for executing code with critical timing loops and for accessing I/O registers. A must for system programmers.

Requires CoCo3, OS9 L2, \$139.00  
80 col. terminal connected to /T1 or /T2

## MSF - MSDos File Manager for CoCo 3/OS9 Level 2

MSF is a file manager which allows you to use MSDos disks directly under OS9. You don't have to change the format of the data before using it!

Requires CoCo 3, OS9 L2, SDISK3 driver \$45.00

Line 500 clears the screen and prints text at the specified location.

Line 510 sets up a FOR/NEXT command loop and sets a value for Integer B. Note that the loop will count to five before going on to another part of the program.

Lines 520 to 590 first print graphics characters at the locations specified, then set up a timing loop so the graphics character will be displayed for a desired amount of time before the next character. See your manual for the characters that can be printed to the screen.

Line 600 sounds a tone and informs the FOR/NEXT command set up in Line 510 that the next value of B should be counted.

Line 610 clears the screen, sounds a tone and prints text at the location; immediately following the text, the integer variable C is printed out in the format set up by the PRINT USING command.

Line 620 forces the program to jump to Line 300.

Line 700 clears the screen, prints text at the location, allows the input of variable A, sounds a tone and forces a jump to Line 20.

Lines 1000 to 1070 comprise a subroutine that prints text at various locations. They then use the INKEY\$ to determine which key has been pressed and send the program to the appropriate line to perform the proper mathematical manipulation. These lines are 100 to 130.

Lines 2000 to 2070 make up a subroutine that prints text at various locations, then uses the INKEY\$ to determine which key has been pressed and send the program to the appropriate line to perform the proper mathematical ma-

nipulation. These lines are 310 to 340.

(Questions or comments regarding this tutorial may be directed to the author at 901 Ferndale Blvd., High Point, NC 27260. Please enclose an SASE when writing for a reply.) □

### Programming Exercises

Utilizing the methods presented, write a program that allows you to enter your name, street address, city, state and ZIP. This program should also allow you to call a subroutine that prints up a menu that lets you recall each variable entered in turn.

Note: Use the commands found in this series to dress up your program any way you want. Feel free to experiment and have fun trying new things. A good way to learn new methods of programming is to find a program in which you like the way something is done, and examine the program to see how it is put together.

(See Page 174 for a possible solution to this exercise.)

### Hints and Tips

When you program, you will find shortcuts to entering loops and variables. Each character within a program takes up memory in your computer, even the line numbers and spaces in the program. The overhead that the program uses cannot be eliminated. Therefore, you can minimize memory usage

by combining lines. That will result in fewer line numbers and, therefore, a smaller program.

When programming, always number your lines in increments of 10 or 100 so that if you need to edit the program you can do so without changing the program flow drastically. Nothing puts a damper on programming like having to rewrite a program because you numbered the lines 1, 2, 3, 4 and 5 instead of 10, 20, 30, 40 and 50, which would allow plenty of room to make enhancements.

When you want to print one character string or text immediately following another character string or text; you must place a semicolon directly after the string value or text.

This short program will print the text in this manner:

THIS IS 1, 2, 3

```
10 CLS:PRINT"THIS IS 1,";
20 PRINT"2,";
30 PRINT"3."
40 END
```

 □

### Listing 1: GOSUB

```
10 CLS:PRINT:PRINT"THIS IS AN EX
AMPLE OF THE GOSUB COMMAND. PLE
ASE NOTE THAT THIS IS LINE 10."
15 GOSUB1000
20 CLS:PRINT:PRINT"THIS IS THE S
ECOND PART OF THE GOSUB COMMAND
PLEASE NOTE THAT THIS IS NOW L
INE 20."
25 GOSUB1000
30 CLS:PRINT:PRINT"THIS IS THE T
HIRD PART OF THE GOSUB COMMAND
PLEASE NOTE THAT THIS IS NOW L
INE 20. ALSO NOTE THAT THIS IS
THE LAST PART OF THIS DEMO ALS
O YOU MAY DO THIS TYPE OF THING
MANY, MANY TIMES. USING THE SAM
E GOSUB AREA."
35 GOSUB1000
40 CLS:PRINT:PRINT:PRINT:PRINT:P
RINT" THIS DEMO IS ENDED. REBOO
TING TO BASIC AT THIS TIME.
```

```
"
45 FORX=1TO1000STEP1:NEXTX:CLS:E
ND
1000 PRINT:PRINT:PRINT:PRINT" P
RESS ANY KEY TO CONTINUE"
1010 A$=INKEY$:IFA$=""THEN1010EL
SE1020
1020 RETURN
```

### Listing 2: COCOCALC

```
0 'THE COCO CALCULATOR HAS BEEN
WRITTEN TO DEMONSTRATE COMMANDS.
THIS PROGRAM IS TO BE USED WITH
THE BASIC PROGRAMMING COURSE
WRITTEN BY DAVID W. OSTLER, COPY
RIGHT 1987
5 CLEAR1000:CLS:PRINT@32,"WELCOM
E TO THE COCO CALCULATOR":PRINT@
96," PLEASE ENTER AMOUNTS YOU WA
```

```

NT      THE CALCULATOR TO WORK ON
"
10 PRINT@224,"FIRST AMOUNT";:INP
UTA:SOUND200,1
20 PRINT@224,STRING$(20,32):PRIN
T@224,"NEXT AMOUNT";:INPUTB:SOU
ND200,1
30 GOSUB1000
100 SOUND200,2:C=A+B:GOTO500
110 SOUND200,2:C=A-B:GOTO500
120 SOUND200,2:C=A*B:GOTO500
130 SOUND200,2:C=A/B:GOTO500
140 SOUND200,2:GOTO700
300 PRINT@224,STRING$(20,32):PRI
NT@224,"NEXT AMOUNT";:INPUTB:SO
UND200,1
305 GOSUB2000
310 SOUND200,2:C=C+B:GOTO500
320 SOUND200,2:C=C-B:GOTO500
330 SOUND200,2:C=C*B:GOTO500
340 SOUND200,2:C=C/B:GOTO500
350 SOUND200,2:GOTO700
500 CLS:PRINT@141,"WORKING"
510 FORB=1TO5STEP1
520 PRINT@236,CHR$(162);:PRINT@2
43,CHR$(161)
530 FORX=1TO5STEP1:NEXT
540 PRINT@236,CHR$(168);:PRINT@2
43,CHR$(164)
550 FORX=1TO5STEP1:NEXT
560 PRINT@236,CHR$(164);:PRINT@2
43,CHR$(168)
570 FORX=1TO5STEP1:NEXT
580 PRINT@236,CHR$(161);:PRINT@2
43,CHR$(162)
590 FORX=1TO5STEP1:NEXT
600 SOUND199,1:NEXTB
610 CLS:SOUND20,5:PRINT@64,"TOTA
L EQUALS:";:PRINTUSING"$###,###,
###.###";C

```

```

620 GOTO300
700 CLS:PRINT@224,"FIRST AMOUNT"
;:INPUTA:SOUND200,1:GOTO200
1000 PRINT@297,"DO YOU WANT TO"
1010 PRINT@330,"(A) DD"
1020 PRINT@362,"(S) UBTRACT"
1030 PRINT@394,"(M) ULTIPLY"
1040 PRINT@426,"(D) IVIDE"
1050 PRINT@458,"(E) ND"
1060 G$=INKEY$:IFG$=""THEN1060EL
SEIFG$="A"THEN100ELSEIFG$="S"THE
N110ELSEIFG$="M"THEN120ELSEIFG$=
"D"THEN130ELSEIFG$="E"THEN140ELS
E1060
1070 RETURN
2000 PRINT@297,"DO YOU WANT TO"
2010 PRINT@330,"(A) DD"
2020 PRINT@362,"(S) UBTRACT"
2030 PRINT@394,"(M) ULTIPLY"
2040 PRINT@426,"(D) IVIDE"
2050 PRINT@458,"(E) ND"
2060 G$=INKEY$:IFG$=""THEN2060EL
SEIFG$="A"THEN310ELSEIFG$="S"THE
N320ELSEIFG$="M"THEN330ELSEIFG$=
"D"THEN340ELSEIFG$="E"THEN350ELS
E2060
2070 RETURN

```

## Mouse Tales By Logan Ward



**"I cannot imagine the CoCo 3 without ADOS-3; it would not be a complete machine."**

**The RAINBOW, July 1987**

You've moved up to a CoCo 3. A powerful new machine. Now, it's time to give BASIC a shot in the arm, with ADOS-3. Wouldn't it be nice to turn on your machine and be greeted by an 80-column display, in the colors of your choice, with your own custom startup message? To run routinely at 2 MHz (double speed) without having to slow down for disk and printer operations? This and much, much more is possible with ADOS-3, our CoCo 3 adaptation of the acclaimed original ADOS, which shares the original's virtual 100% compatibility with commercial software. After customizing ADOS-3 using the provided configuring utility, you can have it burned into an EPROM that plugs into the Disk BASIC ROM socket, or just use it in RAM as a disk utility. (EPROM + burning will cost \$15-20; we provide information concerning how you can have this done.) Supports double-sided drives (35, 40, or 80 tracks). FAST and SLOW commands, auto line number prompts, RUNM command, keystroke macros, arrow-key scroll through BASIC programs, auto-edit of error line, and many more valuable features.

**"ON A SCALE OF 1 TO 10, I RATE ADOS-3 A SOLID 15."** RAINBOW, 7/87  
 Disk . . . \$34.95 Original ADOS for CoCo 1 or 2 . . . \$27.95 (See 6/87 RAINBOW review)  
 Original ADOS plus ADOS-3 . . . \$50.00

### THE PEEPER

ML program tracer that multitasks with the target program. An excellent learning tool for the ML novice; an invaluable debugging aid for the expert. CoCo 1, 2, or 3 compatible.

Disk . . . \$23.95 Assembler source listing . . . Add \$3.00

### MONITOR CABLES for CoCo 3

Magnavox 8CM515/8CM505/8CM643 . . . \$19.95 Sony KV1311CR . . . \$29.95

**SPECTROSYSTEMS**



11111 N. Kendall Drive,  
 Suite A108  
 Miami, Florida 33176  
 (305) 274-3899 Day or Eve

No delay on personal checks • Please add \$2.00 shipping • Sorry no credit cards or COD's

# Come to Radio Shack for the Very



**Tandy Computers:**  
**Because there is**  
**no better value.**™

# Best in Color Computer Software

## What a selection!

At Radio Shack, we're dedicated to making sure that you never run out of ways to use and enjoy your Color Computer. We've got a terrific line of software—here's just a sample!

## Games for the whole family

Let your Color Computer open the door to an amazing world of fun and adventure. Radio Shack has a dazzling selection of all types of popular and challenging games.

Explore a secret cave in *Downland*. Challenge the evil wizard in *Dungeons of Daggorath*. Avoid the Great White Bat of *Cave Walker*. Take part in a daring raid in *Koronis Rift*. Or enter the magical world of *Rogue*.

Take off into the realism of the wild blue yonder of *Flight Simulator II*. Or go even further as you transport supplies between two galaxies of *Zone Runner*. Marvel at the 3-D color graphics of *Rescue on Fractalus* and *Springster*. Get down to earth and play *Color Baseball*. Or play the 3,000-year-old game of Mahjong in the smokey backrooms of *Shanghai*.

## Make learning fun

One of the most valuable potentials of your Color Computer is giving your children a head start in education. We've got programs for kids of all ages that will give them hours of productive fun.

Younger children enjoy the challenging fun of *Color Math*, *Winnie the Pooh*, *Donald Duck's Playground* and *Mickey's Space Adventure*. *Getting Started With Extended Color BASIC* and *The Color Computer Artist* help children realize computer skills at an early age. Older kids enjoy learning with *Where in the World is Carmen Sandiego?* and *Microscopic Mission*.

## Boost your productivity

No matter what your personal needs, we've got programs that will put your Color Computer to work where you need it most.

Pick up our easy-to-use *Color SCRIPSIT® II* and *TSSPELL* for perfect letters, manuscripts and reports, or create complex charts and graphs with *Phantomgraph*. For the programmer's delight we have *OS-9 Level Two* and the development system.

Eliminate clutter by filing your records electronically with *Color File II*. Get your household budget in order with *Personal Finance*. *Spectaculator™* electronic spreadsheet is useful in forecasting financial projections. Chart your stock holdings and market trends using *Investograph*.

And with *DeskMate 3™* you get seven of the most popular productivity applications—Text, Ledger, Index Cards, Paint, Telecom, Calendar and Calculator—all on one diskette.

## Come in today!

Need more suggestions? Drop by today and pick up a copy of our new 1988 Computer Catalog & Software Reference Guide. Radio Shack is your one-stop software center.

### Send me a new 1988 computer catalog.

Mail To: Radio Shack, Dept. 88-A-703  
300 One Tandy Center, Fort Worth, TX 76102

Name

Address

City

State  ZIP

Phone


Koronis Rift and Rescue on Fractalus/TM Lucasfilm Games. Rogue/TM Epyx. Flight Simulator II/TM subLOGIC Corp. Shanghai and Microscopic Mission/TM Activision. Where in the World is Carmen Sandiego?/TM Broderbund. OS-9/TM Microware and Motorola.

**Radio Shack®**  
**The Technology Store™**  
A DIVISION OF TANDY CORPORATION



*Make up to 120 different faces*

# THE CLOWN OF A HUNDRED FACES



**By Bill Bernico and George Aftamonow**

**B**udding plastic surgeons, take note: With *Clown Faces* you can control facial features onscreen to create up to 120 different faces.

When you run the program, you'll see the general outline of a face. The numbers 1 through 5 are


*Bill Bernico is a self-taught computerist who enjoys golf, music and programming. He is a drummer with a rock band and lives in Sheboygan, Wisconsin.*

*George Aftamonow is a self-taught programmer living in Milford, Connecticut, who enjoys creating and designing graphics.*

displayed down the left side of the screen. To add or change a feature, press one of the keys from 1 to 5. Key Number 1 adds or changes the hair/hat portion. Key Number 2 changes the eyebrows. Key 3 changes the eyes. Key 4 changes the nose, and Key 5 changes the mouth.

Once you have the features on the screen, press any of those keys again for a different combination; there are four combinations of each of the five features, making quite a large number of possibilities.

*(Questions or comments may be directed to Bill at 708 Michigan Ave., Sheboygan, WI 53081. Please enclose an SASE when requesting a reply.)* ☐



10 .....228  
25 .....110  
35 .....206  
END .....63

# The listing: CLOWNS

```
1 'CLOWNS by Bill Bernico
   amd George Aftamonow
2 PMODE4,1:PCLS1:SCREEN1,1:COLOR
  0,1:LINE(0,0)-(255,191),PSET,B:D
RAW"BM10,25U8BM10,45R4D4L4D4R4BM
10,78R4D4NL3D4L4BM10,120D4R4U4D8
BM10,160R5U4L5U4R5":CIRCLE(128,9
6),70,0,2
3 I$=INKEY$:IFI$=""THEN3
4 I=VAL(I$):IFI<1OR I>5THEN3
5 ON I GOTO6,10,7,8,9
6 LINE(50,1)-(200,52),PRESET,BF:
GOSUB16:GOTO3
7 LINE(70,66)-(170,90),PRESET,BF:
GOSUB29:GOTO3
8 LINE(70,89)-(170,132),PRESET,B
F:GOSUB36:GOTO3
9 LINE(80,130)-(180,186),PRESET,
BF:GOSUB42:GOTO3
10 LINE(70,52)-(180,65),PRESET,B
F:GOSUB23:GOTO3
11 CIRCLE(128,96),70,0,2:CIRCLE(
210,78),12,0,2:CIRCLE(46,78),12,
0,2:LINE(220,90)-(250,90),PSET:L
INE-(194,148),PSET:LINE(38,90)-
(5,90),PSET:LINE-(65,148),PSET
12 POKE178,173:PAINT(200,100),,0
:PAINT(30,100),,0:POKE178,0:RETU
RN
13 CIRCLE(128,96),70,0,2:RETURN
14 CIRCLE(128,96),70,0,2:CIRCLE(
128,96),70,0,2:RETURN
15 CIRCLE(128,96),70,0,2:RETURN
16 F1=F1+1:IF F1=5THEN F1=1
17 ON F1 GOTO 18,19,21,22
18 GOSUB11:DRAW"BM76,0F46R10E46"
:POKE178,2:PAINT(85,5),,0:POKE17
8,0:RETURN
19 GOSUB13:CIRCLE(128,1),50,0,.7
,.9,.6:PAINT(128,5),0,0:RETURN
20 GOSUB13:CIRCLE(128,1),50,0,.7
,.9,.6:RETURN
21 GOSUB13:DRAW"BM98,0S8ND4BR3ND
6BR2ND8BR3ND10BR3ND10BR4ND12BR4N
D10BR3ND10BR3ND8BR3ND6BR4ND4S4":
RETURN
22 GOSUB13:DRAW"BM66,42R124":DRA
W"BM126,0D30R4U30":POKE178,1:PAI
NT(85,5),,0:POKE178,0:RETURN
23 F2=F2+1:IF F2=5THENF2=1
24 ONF2 GOTO25,26,27,28
25 GOSUB11:CIRCLE(108,94),20,,2,
```

```
.65,.85:CIRCLE(158,92),20,,2,.65
,.85:RETURN
26 GOSUB11:DRAW"BM88,63E11R10F11
BR22E11R10F11":RETURN
27 GOSUB11:DRAW"BM114,60NH8DNH6B
R26NE8UNE6":RETURN
28 GOSUB11:DRAW"BM94,60R70DL70":
RETURN
29 F3=F3+1:IF F3=5THEN F3=1
30 ON F3 GOTO 31,32,33,35
31 GOSUB13:E1$="S8FRFNR4DNR4FNU2
RNU2RNU2ERERED2GDGLGL3HLHUHU2S4"
:DRAW"BM145,70"+E1$:DRAW"BM98,70
"+E1$:RETURN
32 GOSUB13:CIRCLE(158,78),8,0,1.
5,1,1:CIRCLE(108,78),8,0,1.5,1,1
:CIRCLE(108,76),8,0,.5,0,.5:CIRC
LE(158,76),8,0,.5,0,.5:CIRCLE(10
8,80),2,0,1,1:CIRCLE(158,80),2,0
,1,1:RETURN
33 GOSUB13:DRAW"BM150,66S8R4F5D3
G2L2H2UHUHU2HU":DRAW"BM113,66L4G
5D3F2R2E2UEUEU2EUS4"
34 CIRCLE(100,82),4,0,1,1:CIRCLE
(162,82),4,0,1,1:PAINT(100,82),0
,0:PAINT(162,82),0,0:RETURN
35 GOSUB13:E4$="S8RERER7F2D2GNGU
2HLGD2FNRL4HLH3S4":DRAW"BM142,70
"+E4$:DRAW"BM98,70"+E4$:PAINT(11
8,72),0,0:PAINT(164,72),0,0:RETU
RN
36 F4=F4+1:IF F4=5THEN F4=1
37 ON F4 GOTO 38,39,40,41
38 GOSUB14:CIRCLE(130,110),20,0,
1,1:RETURN
39 GOSUB14:CIRCLE(130,110),14,0,
1.5,1,1:RETURN
40 GOSUB14:CIRCLE(130,110),20,0,
.5,1,1:RETURN
41 GOSUB14:CIRCLE(125,109),8,0,1
,.1,.7:CIRCLE(135,109),8,0,1,.9,
.4:DRAW"BM130,119D8":RETURN
42 F5=F5+1:IF F5=6THEN F5=1
43 ON F5 GOTO 44,46,47,48,49
44 GOSUB15:CIRCLE(128,142),32,0,
1,0,.5:CIRCLE(128,142),30,0,.6,.
99,.51:LINE(0,185)-(68,160),PSET
:LINE(190,160)-(255,185),PSET
45 POKE178,200:PAINT(60,188),,0:
PAINT(220,188),,0:POKE178,0:RETU
RN
46 GOSUB15:CIRCLE(128,172),32,0,
1,.5,0:CIRCLE(128,170),34,0,.5,.
48,.02:RETURN
47 GOSUB15:DRAW"BM98,150R60E8R8D
20G15L61H15U20R8F8BD15R54":RETU
RN
48 GOSUB15:DRAW"BM98,145R60F8D18
L16H8L28G8L16U18E8BF8R40":RETURN
49 GOSUB15:DRAW"BM118,155E6R2F2N
D2E2R2F6NRL21F7R7E7":RETURN
```

# CBASIC - III

## The ULTIMATE Color Computer III Basic Compiler!!!

If you want to write fast efficient Machine Language Programs and you don't want to spend the next few years trying to learn how to write them in Assembly language or with a cheap compiler, then CBASIC III is the answer!!!

### 128K and 512K RAM Support

CBASIC III is the only fully integrated Basic Compiler and Program Editing System available for the Color Computer 3. It will allow you to take full advantage of all the capabilities available in your CoCo-3 including 512K RAM, without having to spend years trying to learn assembly language programming. CBASIC III allows you to create, edit and convert programs from a language you are already familiar with Enhanced Disk Color Basic, into fast efficient machine language programs easily and quickly. CBASIC III supports all the enhanced hardware available in the CoCo-3, including Hi-Res Graphics, & Screen displays, Extended Memory and Interrupts (Keyboard, Timer, Serial & Clock). It is 99% syntax compatible with Enhanced Disk Color Basic, so most Basic programs can be loaded and compiled with little or no changes required.

The compiler is an optimizing two-pass integer compiler that converts programs written in Basic into 100% pure 6809 Machine Language programs which are written directly to disk in a LOADM compatible format. The programs generated by the compiler are run as complete stand alone programs. A built in linker/editor will automatically select one and only one copy of each run-time library subroutine that is required and insert them directly in the program. This eliminates the need for cumbersome, often wasteful "run-time" packages.

### CBASIC III is for both Beginning & Advanced Users

CBASIC III is a Powerful tool for the Beginner or Novice programmer as well as the Advanced Basic or Machine Language programmer. You can write programs without having to worry about Stack Pointers, DP registers, memory allocation, and so on, because CBASIC III will handle it for you automatically. All you have to do is write programs using the standard Basic statements and syntax. For the Advanced Basic and Machine Language programmers, CBASIC III will let you take command and control every aspect of your program, even generating machine code directly in a program for specialized routines.

CBASIC III adds many features not found in Color Basic, like Interrupt and Reset handling, to give you a level of control only available to very advanced Machine Language programmers. Plus, we made it exceptionally easy to use, not like some other compilers. CBASIC III is the friendliest and easiest compiler available for the Color Computer III.

### CBASIC III has Full Command Support & Speed

CBASIC III features well over 150 Basic Commands and Functions that fully support Disk Sequential and Direct access files, Tape, Printer and Screen I/O. It also supports ALL the High and Low Resolution Graphics, Sound, Play and String Operations available in Enhanced Color Basic, including Graphics H/GET, H/PUT, H/PLAY and H/DRAW, all with 99.9% syntax compatibility. CBASIC III also supports the built in Serial I/O port with separate programmable printer & serial I/O baud rates. You can send and receive data with easy to use PRINT, INPUT, INKEY, GETCHAR and PUTCHAR commands.

CBASIC III is FAST. Not only will CBASIC III compiled programs execute 10 to several 100 times faster than Basic, but the time it takes to develop a CBASIC III program versus writing a machine language program is much, much shorter. A machine language program that might take several months to write and debug could be created using CBASIC III in a matter of days or hours, even for a well experienced machine language programmer. We had a report from one CBASIC user that claimed "a Basic program that used to take 3 hours to run, now runs in 7 to 8 minutes". Another user reported a program that took 1 to 1 1/2 hours to run in Basic, Now runs in 5 to 6 minutes!!!

### CBASIC III is more than just a Compiler

CBASIC III has its own completely integrated Basic Program Editor, that can be used to create and/or Edit programs for the compiler. It is a full featured editor with functions designed specifically for writing and editing Basic programs. It has built in block Move and Copy functions with automatic program renumbering. Complete, easy to use inserting, deleting, extending and overtyping of existing program lines. It is also used for Loading, Saving, Appending (merging), Killing disk files and displaying a disk Directory. It also has automatic line number generation for use when creating programs or inserting sequential lines between existing lines. You can set the printer baud rate and direct normal or compiled listings to the printer for hard copy. The built in editor makes program corrections and changes as easy as "falling off a log". If CBASIC III finds an error when compiling, it points to the place in the program line where the error occurred. All you have to do is tell the editor what line you want to start editing and when it is displayed, move the cursor with the arrow keys to the place where the error is and correct it. Just like that, it's simple.

### Selectable 32/40/64/80 Column Displays in 192 or 225 Res.

CBASIC III is the only Color Basic Compiler that includes its own 32, 40, 64 or 80 by 24 line display in 192 or 225 Resolution. All of these display formats are part of the standard CBASIC III compiler package. Not only can they be used for normal program editing and compiling, but can also be included in your compiled programs, with a single command, "HIRES"!! The run-time display package is not just a simple "WIDTH 80" display, but a full featured package, far more advanced than the "WIDTH 40 or 80" displays. It will let you do things you expect like "PRINT @" as well as X,Y positioning. You can select characters per line, underline, character highlight, erase to end of line or screen, home cursor, home & clear screen, protect screen lines, and much more.

CBASIC III makes full use of the powerful and flexible GIMI chip in the Color Computer 3. It will fully utilize the 128K of RAM available and install 2 Ultra Fast Ramdisks if 512K is available, for program Creation Editing and Compilation. You can easily access all 512K of memory in a Compiled program thru several extended memory commands that can access it in 32K or 8K block and single or double bytes. CBASIC III also allows your program to use the upper 32K of RAM space automatically for variables or even program storage at run-time. It will automatically switch the RAMs in and out when needed. There are also two other commands that allow you to control the upper 32K of RAM manually, under program control. No other Color Basic compiler directly supports the use of Extended RAM like CBASIC III.

### All Machine Language

CBASIC III is completely written in fast efficient Machine Language, not Basic, like some other Color Basic compilers. Because of this, CBASIC III can edit and compile very large programs, even using the 80 column displays it can handle almost 40K of program. Some of the other Basic compilers can only work with 16K or about 200 lines. Even working with large programs, CBASIC III compiles programs with lightning fast speed. It will compile a 24K program to disk in less than 2 minutes! That's without a listing being generated. We've heard stories about some other compilers that take almost 10 minutes to compile a simple 2-3K program. You might inquire about this when you look at some of the other compilers available.

### Compare the Difference

CBASIC III is not just another Color Basic Compiler. It is the only complete Basic Compiler System for the Color Computer. Compare CBASIC III's features to what other compilers offer and you'll see the difference. When comparing CBASIC III to other compilers you might want to keep some of these questions in mind. Does it support I/O functions? You can't write much of a program without PRINT, INPUT and so on. What about complex string statements, or strings statements at all? Can you compile a complex string like: MIDS(RIGHTS(DAS(VAL(INS),LEN(LES)),3,3)? How large of a program can you write? Can you use two character variable names for string & numeric variables, like Basic? Does it support all the Hi-Res graphics statements including H/PLAY, H/DRAW, H/GET and H/PUT, using the same syntax as Basic? Do you ever have to use a separate Basic program? How long would it take to compile a 24K program? Can you take complete Basic programs and compile them without extensive changes? Will they work? How do you edit a program when it has errors compiling?

### The Finished Product

Since CBASIC III contains statements to support ALL of the I/O devices (Disk, Tape, Screen & Printer), Hi-Res Graphics, Sound, and Enhanced Screen displays, it is well suited for a wide range of programming applications. When CBASIC III compiles a program, it generates a complete, Ready to Run machine language program. The finished product or program does not have to be interfaced to a Basic program to perform some of its functions or commands. This may seem obvious to you, but some of the other Color Basic compilers don't necessarily work this way. Some of their compiler commands need a separate Basic program in order for them to work. In some cases, they require that a separate Basic program be interfaced to the compiled program to perform I/O functions, like INPUT, PRINT and so on. CBASIC III doesn't do this, ALL of its commands are compiled into a single machine language program, that does not require any kind of Basic program to make it work.

### Price Verses Performance

The price of CBASIC III is \$149.00, it is the most expensive Color Basic Compiler on the market, and well worth the investment. We spent over 3 years writing and refining CBASIC III, to make it the Best, most Compatible Color Basic compiler available. Most of our CBASIC III users already bought one or more of the other compilers on the market and have since discarded them. Before you buy a compiler, compare the performance of CBASIC III against any Color Basic compiler. Dollar for Dollar CBASIC III gives you more than any other Color Basic compiler available.

### Requires 128K & Disk \$149.00

*"Over the years, few products have impressed me as much as this one."* .....The Rainbow, December 1987

To order CBASIC III by mail, send check or money order for the amount of purchase, plus \$3.00 for shipping & handling to the address below.

To Order by VISA, MASTERCARD or COD call us at (702) 452-0632 (Monday thru Saturday, 8am to 5pm PST)

### CER-COMP LTD.

5566 Ricochet Avenue  
Las Vegas, Nevada 89110  
(702) 452-0632

# TEXTPRO-IV

## "The ULTIMATE Color Computer III Word Processing System"

- 9 Hi-Res Displays from 58 to 212 columns by 24 lines in 225 Res.
- Screen Display of Bold, Italic, Underline & Double Width print.
- 9 Proportional Character Sets Supported with full Justification.
- 80 Programmable Function Keys & Loadable Function key sets.
- Three Programmable Headers and One Programmable Footer.
- Automatic Footnote System places lines at the bottom of a page.
- 7 Tab Commands, with: Center, Left, Right and Decimal align.
- Autoexecute Startup files for easy printer & system setup.
- 8 Pre-Defined & 10 Programmable printer function commands.
- Supports Library files for unlimited printing & configurations.
- Disk file record access for Mail Merge & Boiler Plate printing.
- Complete Automatic Justification, Centering, Flush left & right.
- Change indents, margins, line length, etc. anytime in the text.
- Create and Edit files larger than memory, up to a full disk.
- Easily imbed any number of printer format and control codes.
- Compatible with all printers including Laser printers.
- Built in Ultra Fast 2 drive RAMDISK for 512K support.

TEXTPRO IV is the most Powerful Word Processing System available for the COCO-3, designed for speed, flexibility and extensive document processing. It is not like most of the other word processing programs available for the Color Computer. If you are looking for a simple word processor to write letters or other short documents, and never expect to use multiple fonts or proportional printing, then most likely you'll be better off with one of the other simple word processors. But, if you want a powerful word processor with extensive document formatting features to handle large documents, term papers, manuals, complex formatting problems and letter writing, then TEXTPRO IV is the answer. It works in a totally different way than most word processing programs. It uses simple 2 character abbreviations of words or phrases for commands and formatting information that you imbed directly in your text. There are over 70 different formatting commands you can use without ever leaving the text your working on. There are no time consuming and frustrating menu chases, you are in total control at all times. You can display the formatted document on the screen before a single word is ever printed on your printer. Including margins, headers, footers, page numbers, page breaks, column formatting, justification, and Bold, Italic, Underline, Double Width, Superscript and Subscript characters.

TEXTPRO IV can even support LASER PRINTERS with proportional fonts, take a good look at this AD? It was done with TEXTPRO IV on an OKIDATA LASERLINE-6 laser printer!!! All of the character sets used on this AD are proportional, all centering, justification, font selection, and text printing was performed automatically by TEXTPRO IV.

### What you see is what you get!

TEXTPRO IV has 9 Hi-Resolution screen fonts to choose from, with 58 to 212 characters per line in 225 Resolution, for the best display possible. You can easily match the width of your printed page to the screen and you can have it automatically change display widths as you change printer fonts so you can even display the "fine print". All of the screen fonts can display, Bold, Italic, Underline, Superscript, Subscript and Double Width characters. When you want to see what your printed document will look like, TEXTPRO IV will let you see it on the screen in all its glory, so that, "What you see is what you get".

### Standard Commands

TEXTPRO IV has all the document formatting commands you expect in a word processor and then some. The setup commands include: line length, top margin, bottom margin, page length, page numbering on/off, page format on/off, automatic word fill on/off and justification left, center, right or full. Some of the Vertical control features include: Test for a number of lines left on a page, skip to next page, set page number, page pause, single and multiple line spacing.

TEXTPRO IV features 3 programmable Header lines that can be centered, left or right justified and one programmable Footer line. There are 3 commands for continuous, single and paragraph indenting, Center Text, Center Line and Right Justify text with character fill.

### Printer & Special Commands

TEXTPRO IV has 8 pre-defined printer & screen commands for Bold, Italic, Double Width, Underline, Subscript, Superscript, Condensed and Double Strike print. It also has 10 programmable functions that you can use to access intelligent printer features like: Graphics, variable line spacing, half line feed, horizontal & vertical positioning. There are also 3 other printer commands that allow you to imbed control code sequences anywhere in the text.

There is a Footnote command that will automatically place footnotes at the bottom of the page. Another command allows you to display a message on the screen and input text from the keyboard, to be included in your printed document. There is also a repeat command that allows you to repeat an entire document or part of one, up to 255 times.

### Tab Functions

TEXTPRO IV features an elaborate system of tab commands for complete control over column formatting. There are 10 programmable tab stops that can be defined and re-defined at any time. They can be used to: Center over Tab column, Right Justify to Tab column, Decimal Align over Tab column, Left Justify to Tab column (Normal Tab) and Horizontal Tab. They can also be used with a numeric column position for maximum flexibility.

### Proportional Fonts & Printing

TEXTPRO IV is the only Color Computer III Word Processing system that gives you Justified Proportion Printing, which can give your documents and letters that professional touch that just isn't obtainable with fixed or mono spaced printing. And just about all printers today support proportional fonts, and with Laser Printers you can get typesetting quality output for just pennies a page. TEXTPRO IV supports up to 9 proportional fonts, with full justification. And, you can even mix mono spaced and proportional fonts for maximum flexibility. Even if you don't use proportional printing, you can select between Pica, Elite and Condensed fixed width fonts to get fully justified printing.

### Mail Merge and Text Processing Disk Functions

TEXTPRO IV supports several commands that allow you to import data or text from other disk files. They allow you to include information like names and addresses for Mail Merge capability, Import standard paragraphs or other information for Boiler Plate type functions and more. Some of the commands include: Open a file, Field a Record, Read a Record into fielded variables, Read single or multiple lines and Trim spaces from the trailing end of fielded variables.

Another powerful disk function not to be overlooked is the "LIBRARY" command that allows you to include the entire contents of a file in your text. This can be very useful for a great many applications. You can use a Library command to automatically include a standard or optional printer setup command file, or to include standard paragraphs, headers or information created from a spread sheet or any other program. And, for printing very large documents that consist of several files linked together.

### Autoexec Startup Files

TEXTPRO IV will automatically load and execute a command text file when it first executes. This allows you to customize the program configuration for your system and printer whenever you startup TEXTPRO IV. You can setup the screen display format, colors, adjust automatic key repeat, printer baud rate, load a set of function keys, load your printers control codes and more.

### 80 Programmable Function Keys

TEXTPRO IV allows you to have up to 80 function keys with just about any kind of information or command sequences you can imagine. Once programmed, you can have a command sequence execute using a single function key. You can also Save and Load function key sets at any time. So, you can have several sets for different writing tasks or projects, the possibilities are endless. Just think, with a single function key you could, load a disk file, search for and replace all the occurrences of a phrase, save the file back to disk, have it processed and printed!

### Text Editing

TEXTPRO IV has a powerful, full featured, line oriented screen editor that is faster and more efficient than most editors you've ever worked with. It supports single or multiple line copy and move, global or local search and replace, word and character insert/delete, block delete and much more. It features adjustable automatic key repeat, selectable display foreground and background colors, screen line width and more.

TEXTPRO IV uses fully compatible ASCII formatted files. You can even direct formatted output files to a standard ASCII disk file. It will Load, Save, Append, Kill, Text Process files from disk. Roll part of a file to disk, Get next portion of a file, display a Directory and Backup Ramdisk to & from Floppy disks.

TEXTPRO IV's files are also compatible with spelling checker programs like Spell 'n Fix from Star Kits, a shareware program, available with TEXTPRO IV for your evaluation, just for the asking.

### Fully Buffered Keyboard

While many word processing programs are slow and often lose keystrokes. TEXTPRO IV has a fully buffered keyboard that is virtually impossible to out type. Even when it's busy, it will still remember the keystrokes entered. You can enter in commands or whatever, even during insert mode you'll never lose a key.

### Professional Word Processing Power

TEXTPRO IV is a powerful tool for both the Casual and Professional Word Processing user. It offers a wide range of features and functions that can satisfy even the most demanding writer. Even though you may not need all of TEXTPRO IV's power and flexibility right now, its not a program that you can easily outgrow. As your needs and skills improve, you'll discover that you won't need to go out and buy another word processing program, TEXTPRO IV will already be ready and waiting. No Text Processing program available for the Color Computer III gives you more Text Processing Power than TEXTPRO IV. It can make your writing appear more professional than you ever thought possible. Check around, see what other word processing programs have to offer in terms of power, speed and flexibility. When your finished comparing them against TEXTPRO IV, you'll see that it's the only real choice for the Color Computer III.

### Requires 128K & Disk \$89.95

To order TEXTPRO IV by mail, send check or money order for the amount of purchase, plus \$3.00 for shipping & handling to the address below.  
To Order by VISA, MASTERCARD or COD call us at (702) 452-0632  
(Monday thru Saturday, 8am to 5pm PST)

### CER-COMP LTD.

5566 Ricochet Avenue  
Las Vegas, Nevada 89110  
(702) 452-0632

Coming Soon: CoCo 1 & 2 versions of TEXTPRO IV

# SCOREBOARD POINTERS

In conjunction with THE RAINBOW's Scoreboard, which appears bimonthly, we offer this column of pointers for our game-playing readers' benefit. If you have some interesting hints, tips or responses to questions, or want help yourself, we encourage you to write to the Scoreboard, c/o THE RAINBOW.

## FEEDBACK

In response to questions from:

● Ron Smith: In *Dungeons of Daggorath*, you incant the Vulcan ring as Fire and you receive an iron sword from one of the two blobs on the first level. On the second level, three stone giants bearing axes instead of clubs carry flasks. On the third level, three evil knights hold them. Also on the third level, you must be burning a lunar torch to even see most of the creatures.

You will receive a torch on the second level which you can't reveal. It is a solar torch and will enable you to see what's invisible with a pine torch. The creature that is killing you is the scorpion. Even with the lunar torch burning, the scorpion is hard to see. You can see it perfectly with the solar torch burning. If you have the lunar torch burning, you will find the scorpion in the bottom-left corner of the screen. One shot from the iron sword will kill it.

● Mike Morrell: In *CoCo Zone*, you get the oxygen from the cabinet in the infirmary. You get the key from the safe in the warden's office, but go into the warden's office by way of the panel.

● Daniel Streidt: In *Black Sanctum*, there is a jug of wine in the room with the fireplace. Take this jug to the old man upstairs through the mirror. Find the old man when he leaves and get the jug again. The jug is used to hold the snow when it melts. Go outside and type GET SNOW.

● Greg Barnes: In *Shenanigans*, you must move through the woods until you find the unicorn horn. Type BLOW HORN and a leprechaun drops the rope at your feet.

● Shawn Bonning: In *Dungeons of Daggorath*, there are five levels of play. But what you are concerned about should be the third level. As soon as you climb down the hole to the third level, drop about 10 to 15 items as quickly as possible. When an evil knight comes, he will start to pick up your items. Hit him until

you faint, then let your heart calm down a little, then hit him once every four to five seconds.

The scorpions take one shot from the iron sword, but they can kill you just as quickly. You can see them with a lunar torch, but only if they're right on top of you. The solar torch works better, though.

Wraiths are the floating faces you see on the fourth level. To kill them, let your heart calm down almost totally, drop one item and hit them until they die. A good defense against any fourth level monster is to find a medium-sized hall and move back and forth around him until your heart is settled enough to attack.

James Stakelin  
Cynthiana, KY

● Darren King: In *Dungeons of Daggorath*, you must first construct a map of levels 1 and 2. You are exerting too much energy on Level 1. Follow a course covering the parameter of the level. As you hear the creature, stop, pull your shield and type AR if your sword is in the right hand. As soon as the monster enters your cell, press ENTER, type M and press ENTER again. Now type M and AR. It gives your heartbeat time to slow down and gives you a chance to look at your map.

B. Keith Dougherty  
Altoona, PA

● Russ Maede: In *Sea Quest*, as you are on the beach, continue East until you have passed the steps. Presuming you have the metal detector, type PUSH BUTTON. The detector will buzz loudly. Use the shovel to dig and you will find a mirror. Take this to the mermaid. Type GIVE MIRROR. When you do this, the mermaid will give you the key to the trap door in the beach house.

In *Zaxxon*, how do all the scoreboard highs earn at least 1 million points? I can't manage to get more than 150,000 because of fuel loss. In *Sea Quest*, how do you successfully drop everything in the cave?

Tim Everson  
Sandusky, OH

● Ian Renaud: To get past the sheer wall in *Martian Crypt*, type SAY MORE AND JUMP.

● Neil Lehouillier: In *Martian Crypt*, throw the stalactite at the wraith which you find in the underground river entrance.

Dale Kaczmarek  
Oaklawn, IL

● Nila Grose and Ian Renaud: In *Sea Quest*, you cannot get the speargun, and you get by the shark by using shark repellent. It is in a locked part of the house, and the mermaid will give you the key if you give her the right article. Try tying the balloon to the anchor and then inflating the balloon underwater. At the start of Bashan, go north and get the lamp, then go east to the crack, get what is in the crack and rub the lamp. Go north until you are in the city.

● Louie Elliott: In *Zork I*, the key to unlock the grating can be found in the maze with the skeleton. The basket and the chain are to lower things to a lower level that you will need, such as a torch, coal and a screwdriver, but you cannot take it with you because the doorway is too narrow.

Richard King  
Plymouth, IN

● Mike Duvall: To get the scepter in *Sands of Egypt*, you must have the snake oil in the canteen. At the pool, type WALK TREE. Climb the tree and get the dates. Go down and then go east two times. Type FEED CAMEL, MOUNT CAMEL, RIDE CAMEL and DISMOUNT. Oil the scepter and pull it. Don't eat the dates yourself, they might be useful later.

● Allen Bell: At the top of the cliff in *Sands of Egypt*, go down. Go west until you are in the sand and out of the base of the cliff. Go south, then east and you'll be at the pool.

● Jason Mielke: In *Sands of Egypt*, with the ladder, just float down the river until you see a hole in the ceiling. Type DROP LADDER and CLIMB LADDER.

Phil Derksen  
Hendersonville, NC



# 'SUPER VOICE' T.M.

**COCO'S MOST ADVANCED  
SPEECH SYNTHESIZER.**

**IT TALKS, SINGS AND  
MORE.**

**only . . . \$79.95**

**WITH EARS PURCHASE**

**only . . . \$59.95**

**CoCo 3  
Compatible**



SUPER VOICE is no ordinary speech synthesizer. It uses Silicon Systems, Inc. SSI-263, the most advanced speech/sound chip available. SUPER VOICE is not only capable of highly intelligible speech, sound effects, and singing over a 6 octave range, but now we have turned SUPER VOICE into a monophonic Super Music Synthesizer with our PIANO KEYBOARD.

IT TALKS. A free TRANSLATOR text-to-speech program makes writing your own talking program as easy as SAYING "HELLO."

SUPER VOICE works in any 32K or 64K computer. A disk system requires a Y-Cable or Multi-Pak.

**Here are the facts;  
the decision is yours.**

**SAVE  
\$24.95**

**FREE  
"REACTION"  
To Test Your  
Reflexes**


**FREE  
SUPER VOICE  
SINGS THE  
STAR SPANGLED  
BANNER**

**FREE  
"SIMON"  
To Test Your  
Memory**

**FREE  
SUPER TALKING HEADS**

	SUPER VOICE	REAL TALKER	RS SPEECH CARTRIDGE	VOICE-PAK
Synthesizer Device	SSI-263	SC-01	SP-256	SC-01
Speaking Speeds	16	1	1	1
Volume Levels	16	1	1	1
Articulation Rates	8	1	1	1
Vocal Tract Filter Settings	255	1	1	1
Basic unit of Speech	64 phonemes 4 durations each	64 phonemes	64 allophones 5 pause lengths	64 phonemes
Pitch Variations	4096 (32 absolute levels with 8 inflection speeds)	4	1	4

Paul and Pauline, our talking heads program is normally \$24.95. Until Dec. 15 we will include them with each SUPER VOICE order.



Dealer Inquiries  
Invited



**Speech Systems**

**38W 255 DEERPATH ROAD  
BATAVIA, ILLINOIS 60510  
(312) 879-6880 (TO ORDER)**

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.  
Shipping and handling US and Canada ..... \$3.00  
Shipping and handling outside the US and Canada ..... \$5.00  
COD charge ..... \$2.00  
Illinois residents add 6 1/4% sales tax

CALL ANY DAY TO ORDER. ALSO ORDER BY MAIL

Now Your  
Computer  
Can Listen  
To You!

# EARS™

Electronic  
Audio  
Recognition  
System

## \$99.95

- SPEECH RECOGNITION
- HANDS OFF PROGRAMMING
- HIGH QUALITY SPEECH REPRODUCTION

EARS Does It All!

INCREDIBLE!



**Two Years In the Making.** Speech Systems was formed to develop new and innovative speech products. After 2 years of intensive Research and Development, we have created a truly sophisticated speech recognition device. Recognition rates from 95% to 98% are typical. Until now, such a product was outside the price range of the personnel computer market, and even small businesses.

EARS is trained by your voice and capable of recognizing any word or phrase. Training EARS to your particular voice print takes seconds. Up to 64 voice prints may be loaded into memory. You may then save on tape or disk as many as you like so that your total vocabulary is virtually infinite.

**Speech and Sound Recognition.** EARS is really a sound recognition system, so it really doesn't matter whether you speak in English, Spanish, or French. In fact you do not have to speak at all, you can train EARS to understand sounds such as a musical note or a door slamming.

**Hands Off Programming.** Imagine writing your own BASIC programs without ever touching the keyboard. Everything that

you would normally do through a keyboard can now be done by just speaking.

**Programming EARS Is Easy.** LISTEN, MATCH and other commands have been added to BASIC so that programming EARS is a piece of cake! The single BASIC line: 10 LISTEN: MATCH will instruct EARS to listen to you and return the matching phrase.

**It Talks.** EARS is also capable of high quality speech. We mean REALLY high quality. The speech is a fixed vocabulary spoken by a professional announcer. Speech Systems is currently creating a library of thousands of high quality words and phrases. For a demonstration call (312) 879-6844, you won't believe your ears or our EARS.

**DISK OWNERS.** EARS will work with any disk system with either a MULTI-PAK or Y-CABLE. Our new Triple Y-CABLE was specifically developed for those wishing to add SUPER VOICE as a third device.

**You Get Everything You Need.** You get everything you need including a specially designed professional headset style noise

cancelling microphone. The manual is easy to use and understand. Several demonstration examples are included so you don't have to write your own programs unless you want to. EARS will work in any 32K or 64K Color Computer.

### SUPER VOICE \$20 OFF

Imagine talking to your computer and it talking back to you. When you need an unlimited vocabulary, you can't beat SUPER VOICE. For a limited time, we will give you the SUPER VOICE for \$59.95 with your EARS purchase. Even if you already have another speech unit, here is your chance to buy the best and save \$20.

### VOICE CONTROL

Applications for EARS are astounding. Here is our first of many listening programs to come. VOICE CONTROL is a program specifically designed to allow you to control any appliance in your house with your voice and our HOME COMMANDER (sold separately) or the Radio Shack Plug 'N' Power controller. For example, you can control your TV by saying "TV ON" or "TV OFF". . \$24.95



Dealer Inquiries  
Invited




## Speech Systems

38W255 DEERPATH ROAD  
BATAVIA, ILLINOIS 60510  
(312) 879-6880 (TO ORDER)

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.  
Shipping and handling US and Canada ..... \$3.00  
Shipping and handling outside the US and Canada ..... \$5.00  
COD charge ..... \$2.00  
Illinois residents add 6 1/4% sales tax

CALL ANY DAY TO ORDER. ALSO ORDER BY MAIL



Introducing

**Lyra**  
**COMPATIBLE!**

**COCO MIDI 2**

Coco 1, 2, 3  
Compatible

Confused  
about MIDI?

"Understanding  
MIDI"

80 pages \$3.95



NOW Print  
Single Voice/  
Track files  
using  
**LYRA PRINT**  
\$29.95

Now your COCO can talk to your MIDI music synthesizer. Whether you have a Korg, Roland, Casio, Yamaha, or Moog, it doesn't matter as long as it's MIDI equipped. Choose from our

entry level MUSICA MIDI system that plays MUSICA files or our Professional COCO MIDI 2 system.

- ✓ Supports 16 Track recording and playback.
- ✓ Adjustable tempo.
- ✓ Over 45 Kbytes available (Over 15,500 MIDI events possible).
- ✓ Record to any track.
- ✓ Low Level track editing.
- ✓ LYRA editing. (one voice per track).
- ✓ Playback from any number of tracks.
- ✓ Quantizing to 1/16, 1/32, 1/64 intervals.
- ✓ Dynamic memory allocation.

- ✓ Filter out MIDI data:
  - Key pressure
  - Program change
  - Pitch wheel
- ✓ Graphic Piano Keyboard Display in both record and playback mode.
- ✓ Adjustable Key (Transposition) for each track.
- ✓ Save recording to disk for later playback or editing.
- ✓ Syncs to drum machine as MASTER or SLAVE.

Control Change  
Channel Pressure  
System Message

- ✓ PUNCH IN and PUNCH OUT editing.
  - ✓ Sequencer features.
  - ✓ 100% machine code.
  - ✓ "Musician Friendly" Menu Driven.
  - ✓ Metronome
  - ✓ Many songs included.
- Includes MIDI hardware interface, 2 MIDI cables, detailed manual, and software. Requires 64K CoCo, Y-Cable or Multi-Pak.
- COCO MIDI 2 (disk only) #CM147 . . . . . \$149.95**  
**DOUBLE Y-CABLE #DY181 . . . . . \$28.95**  
**TRIPLE Y-CABLE #TY173 . . . . . \$34.95**

## DX LIBRARIAN™

Save and load voice parameters for the Yamaha DX series of synthesizers (DX-7, DX-100, DX-21 etc.). Save sounds individually or as a group letting you load the entire synthesizer in seconds.

Comes with professionally developed voices for the DX-7 worth 10 times the price. Requires COCO MIDI hardware interface.  
**DX LIBRARIAN (Disk only) #DX143 . . . . . \$39.95**

## CASIO LIBRARIAN

Save and load voice parameters for any Casio synthesizer (CZ-101, CZ-1000, CZ-5000 etc.) You can save from the: presets, cartridge,

memory or buffer. Requires COCO MIDI hardware interface.  
**CASIO LIBRARIAN (Disk only) #CL169 . . . . . \$39.95**

## MUSICA MIDI™

MUSICA MIDI takes any MUSICA 2 music file and plays it through your MIDI synthesizer. We offer you over 800 tunes from our MUSIC LIBRARY series (sold separately) or create your own music

using MUSICA 2. Includes: documentation, plenty of music, and the cable to connect between the COCO and your synthesizer.  
**MUSICA MIDI Complete (Disk Only) #CM126 . . . . . \$39.95**

## MIDI KEYBOARD

If you own the Casio CZ-101 or similar MIDI synth, you know that the mini keys and the short 3 or 4 octave keyboard is limiting. MIDI KEYBOARD when used with our full size 5 octave keyboard

gives you the flexibility you need. Comes with cable to connect the COCO to your MIDI synth.  
**MIDI KEYBOARD (Disk only) #MK167 . . . . . \$29.95**

NEW!  
**LYRA PRINT**  
NOW PRINT LYRA  
FILES ON YOUR  
RADIO SHACK,  
OKIDATA 92,  
GEMINI, PANASONIC  
& COMPATIBLE  
PRINTER  
\$29.95

# Lyra™

The Musical  
Coco Max™

IF YOU  
CAN POINT,  
YOU CAN COMPOSE

PULL  
DOWN  
MENUS

ICONS!



Coco 1, 2, 3  
Compatible

A MUST  
FOR MIDI  
USERS

LYRA is the most powerful music composition program we have seen on any computer. We don't mean just the COCO, we really mean any computer. Whether you are a novice trying to learn music or a professional musician with MIDI equipment you will find LYRA a powerful tool. You

see, we wrote LYRA for musicians that hate computers. If you want proof, purchase a LYRA demo for \$7.95. We will apply the demo price to your purchase. MIDI output requires the LYRA MIDI cable (#MC158) or COCO MIDI Seq/Editor (#CM147).

- ✓ Ultra Easy to use, just point with joystick or mouse and click.
- ✓ Compose with up to 8 completely independent voices.
- ✓ Room for over 18,000 notes. (This is not a misprint!)
- ✓ Super Simple Editing Supports:
  - Note insert      Block insert
  - Note delete      Block delete
  - Note change      Block copy
- ✓ Output music to:
  - TV Speaker      Monitor Speaker
  - STEREO PAK      ORCHESTRA 90
  - SYMPHONY 12      COCO MIDI S/E
  - MIDI Synth      MIDI Drum Machine
- ✓ Output up to 4 voices without additional hardware.

- ✓ Output all 8 voices using either SYMPHONY 12 or one or more MIDI synthesizers and drum machines.
- ✓ Output any voice on any of the 8 MIDI channels.
- ✓ Transpose music to any key.
- ✓ Modify music to any tempo.
- ✓ Automatically inserts bar for each measure as you compose.
- ✓ Key signature lets you specify sharps and flats only once, LYRA will do the rest.
- ✓ Plays MUSICA 2 files using LYRA CONVERT (#LC164).
- ✓ Each voice may be visually highlighted or erased.
- ✓ Each measure is numbered for easy reading.

- ✓ Solo capability
  - ✓ Block edits are highlighted.
  - ✓ Tie notes together for musical continuity.
  - ✓ Name of note pointed to is constantly displayed.
  - ✓ Jump to any point in the score instantaneously.
  - ✓ Memory remaining clearly displayed, however you will have plenty of memory even for the most demanding piece.
  - ✓ Help menu makes manual virtually unnecessary.
  - ✓ LYRA is 100% software, no need for extra hardware unless you want more power.
  - ✓ Music easily saved to tape or disk.
  - ✓ Requires 64K and mouse or joystick.
- LYRA (Disk only) #LY122 ..... \$54.95**

## LYRA OPTIONS

These LYRA options are **not** required. They are provided for those wishing additional flexibility.

### LYRA CONVERT

A program to convert MUSICA 2 files to LYRA files.  
(Disk) #LC164 ..... **\$14.95**

### VERSION UPDATE

To receive the latest version of LYRA return your original disk. #UP162 ..... **\$10.00**

### LYRA MIDI CABLE

A cable to connect your computer to your MIDI synthesizer.  
#MC158 ..... **\$19.95**

### LYRA SYMPHONY 12 ENHANCER

Lets LYRA play all 8 voices through SYMPHONY 12.  
(Disk) #LS177 ..... **\$19.95**

### LYRA LIBRARY

A collection of 50 songs ready to play for hours. Most have 7 and 8 voices. #LL137 ..... **\$39.95**

### SYMPHONY 12

A real hardware music synthesizer, lets LYRA play all 8 voices in stereo.  
(T or D) #SY149 ..... **\$69.95**

### COCO MID Seq/Editor

A professional quality MIDI interface for MIDI synthesizers.  
(Disk only) #CM147 ..... **\$149.95**

### MUSIC LIBRARY

A collection of over 900 songs. When used with CONVERT, it gives an incredible LYRA library. Each volume 100 songs.  
(T or D) #MLXXX ..... **\$29.95**

COCO MAX is a trademark of Colóware.  
ORCHESTRA 90 is a trademark of Radio Shack.

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.  
Shipping and handling US and Canada ..... \$3.00  
Shipping and handling outside the US and Canada ..... \$5.00  
COD Charge ..... \$2.00  
Illinois residents add 6 3/4% sales tax.

*Speech Systems*

**38W255 DEERPATH ROAD  
BATAVIA, ILLINOIS 60510  
(312) 879-6880**



*The first of a two-part series on  
estimating expenses*

# Can You Afford a Burger Attack?

By Steve Blyn  
Rainbow Contributing Editor

**T**his month's program is for kids who like to go shopping. And what kid doesn't? We will be concerned with the aspect of estimating expenses at a fast food restaurant. This program is the first of a two-part series, but each program can stand alone.

The art of estimating expenses is too often overlooked in classrooms. It is truly important to know how to compute them; it is also important to be able to compute purchases. Methodology and computation, however, are often taught to the exclusion of estimation. The truth of the matter is that when we go shopping, the skill of estimating expenses is the most crucial of the three.

An increasing number of people carry calculators with them at all times. I am one of those who wears a calculator on the wrist. (Of course, one has to have Smurf-size fingers to operate it.) But most people do not feel comfortable pulling out their calculators in stores such as Burger King — people will stare! Thus, even armed with a calculator, one still should be familiar with estimating expenses.

*Fastfood* presents a list of four fast food items. Of course, there are many more items on the menu, but we have pared the list to four so that the items are easy to locate. The prices for each item vary from round to round. Each example chooses a random quantity of an item and a random amount of money for the student to spend.

*Steve Blyn teaches both exceptional and gifted children, holds two master's degrees and has won awards for the design of programs to aid the handicapped. He owns Computer Island and lives in Staten Island, New York.*

The student is asked whether or not he has enough money for the purchase. For example, if chicken sandwiches cost \$1.25 and the amount we have is \$5.20, can we buy four of them? We hope the students find ways or are taught ways to estimate that they indeed would have enough money for this purchase.

There are certainly many ways to perform the estimation. We hope you help your children learn one method that works for them. It helps to verbalize the methods. Being able to vocalize thoughts generally helps to clarify them. But no matter which method is used, encourage the students not to use pencil and paper.

Program lines 50 through 110 set up the screen and present the four food items and their prices for each example. The prices are chosen randomly within the limits set by these lines. Line 140 prints the variable M, which is the randomly selected amount of money that we have for each example.

Line 150 contains the variable J, which is the amount of the particular food item we want to purchase. J is always a random number chosen between 3 and 6. N\$ represents the name of the particular food item selected. The variable AA represents the cost of one of this item.

The total cost of the items is there-

fore J times AA. The total amount of money we have at any given time is M times 100(cents). Lines 220 through 240 compare these two values to determine whether or not we have enough money for the total purchase. The result is then compared to the student's response.

After 10 examples, the program jumps to a report card. A scoreboard is presented on lines 370 through 430. The student may either end the program or go on to a new round of examples.

We hope your children/students are able to make good use of this program. We feel that the skill of estimating is an often overlooked, but essential, skill of daily adult living. Next month we will present Part 2, a similar program that actually tests the students in computing their fast food expenses. □

## The listing: FASTFOOD

```
10 REM"ESTIMATING EXPENSES"
20 REM"STEVE BLYN, COMPUTER ISLAN
D, STATEN ISLAND, NY, 1988"
30 CLS5:IF CT=10 THEN 370
40 J=RND(4)+2:D=RND(-TIMER)
50 PRINT@3,"YOUR MENU";:IF CT=9
THEN PRINT@28,CT+1; ELSE PRINT@2
5,"#";CT+1;
60 LA=0:ZA=0:F=0:YE=1:AA=0:BB=0
70 FOR T=1056TO1087:POKET,243:NE
XT:SOUND100,3
80 CH=120+RND(40):PRINT@98,"CHIC
KEN-$";:PRINTUSING"#.##";CH/100;
90 SA=70+RND(20):PRINT@162,"SALA
D -$";:PRINTUSING"#.##";SA/100;
100 SD=32+RND(20):PRINT@114,"SOD
A -$";:PRINTUSING"#.##";SD/100;
```

```

110 CO=40+RND(20):PRINT@178,"COF
FEE-$";:PRINTUSING"#.##";CO/100;
120 FOR T=1248 TO 1279
130 POKET,252:NEXTT:SOUND200,2
140 M=70+RND(30)*10:M=M/100
150 GOSUB 310:PRINT@288,"YOU WAN
T TO BUY";J;N$;"S."
160 PRINT@352,"IS $";
170 PRINTUSING"#.##";M;
180 PRINT"ENOUGH FOR THIS ? ";
190 Z$=INKEY$
200 IF Z$="Y" OR Z$="N" THEN 210
ELSE 190
210 PRINTZ$:CT=CT+1
220 IF Z$="Y"AND M*100>J*AA THEN
260
230 IF Z$="Y" AND M*100=J*AA THE
N 260
240 IF Z$="N" AND M*100<J*AA THE
N 260
250 GOTO 280
260 RI=RI+1:PRINT@428,"CORRECT";
270 FOR T=200TO255STEP11:SOUNDT,
1:NEXTT:GOTO 290
280 PRINT@428,"SORRY";:SOUND 10,
3
290 PRINT@484,"PRESS <ENTER> TO

```

```

GO ON ";
300 EN$=INKEY$:IF EN$=CHR$(13) T
HEN 30 ELSE 300
310 RN=RND(4)
320 IF RN=1THEN N$="CHICKEN":AA=
CH
330 IF RN=2 THEN N$="SALAD":AA=S
A
340 IF RN=3 THEN N$="SODA":AA=SD
350 IF RN=4 THEN N$="COFFEE":AA=
CO
360 RETURN
370 CLS8:FOR T=1024TO1055:POKET,
214:PLAY"L100;G":NEXT:PRINT@37,"
HERE IS YOUR SCORECARD";
380 FOR T=1119TO1088STEP-1:POKET
,214:PLAY"L100;A":NEXTT
390 PRINT@202,"SCORE = ";10*RI;"
%";
400 FOR T=1344TO1375:POKET,214:P
LAY"L100;A":NEXT T
410 PRINT@416," ":PRINT@448," ":
PRINT@418,"DO YOU WANT TO PLAY A
GAIN? ";
420 EN$=INKEY$
430 IF EN$="Y" THEN RUN ELSE IF
EN$="N" THEN END ELSE 420

```



# CINSOFT

PROGRAMS • PERIPHERALS • SUPPLIES • SERVICE

Fast Delivery...  
Friendly Service



Now in our 5th year!

## Avatex Modems

### SUPER VALUE!

Avatex 1200 \$89  
with Coco Cable 99



Avatex 1200, Cable  
AUTOTERM 6.1 ... \$129

\*Coco 1, 2 requires Deluxe RS-232 Pak

### SUPER SPEED!

Avatex 2400 \$229  
with Coco Cable 239  
(Coco 3 only)

with RS-232 Cable\* 245

Avatex 2400, Cable  
AUTOTERM 6.1 ... \$269

• Call •

513-396-SOFT

• Shop by Modem •

513-396-SHOP



2235 Losantiville, Cincinnati, OH 45237

SHIPPING will be charged at our ACTUAL COST

Ohio residents add 5.5% Sales Tax COD add 2.00


# \$UPER \$ALE!

## 40% TO 33% OFF!!

GREAT VALUES  
ORDER NOW!!

COMPATIBLE  
WITH COCO 3

30 DAY  
UNCONDITIONAL  
MONEY-BACK  
GUARANTEE!!



- \* AUTOMATICALLY LOADS DATA FROM MOST POPULAR SPREADSHEETS.
- \* 291 GRAPHING SYMBOLS AND UNLIMITED OVERLAY OF DATA.
- \* AUTOMATICALLY SCALES AND LABELS ALL THREE OF THE AXES.
- \* CALCULATES MATH FUNCTIONS, INTEGRALS AND MOVING AVERAGES.
- \* FULLY AUTOMATIC, MENU DRIVEN W/ COMPLETE ERROR TRAPPING.
- \* FULL-PAGE SCREENPRINTS ON ANY PRINTER: **SPECIFY WITH ORDER.**

REQUIRES 32K EXT. BASIC: TAPE - \$40.00 DISK - \$30.00

NEW!!

PRINTER

## Picture Perfect

NEW!!

UTILITY

UNIVERSAL SCREENPRINT PROGRAM

- \* COMPATIBLE WITH COCO III!!
- \* "PERFECTLY SIMPLE" TO OPERATE - "SIMPLY PERFECT" RESULTS!
- \* "PERFECTLY COMPATIBLE" WITH ALL DOT MATRIX PRINTERS!
- \* GET "PERFECT CONTROL" OF: HEIGHT, WIDTH, POSITION, BAUD RATE, DOT DENSITY, NEGATIVE IMAGES, ETC.
- \* THE "PERFECT SOLUTION" TO YOUR GRAPHICS PRINTING NEEDS!
- \* COMPATIBLE WITH GRAPHICOM AND COCO MAX PICTURES!

ONLY \$25.00 ON DISK OR TAPE

SEND CHECK OR MONEY ORDER TO:

HAWKES RESEARCH SERVICES: 859 STANFORD AVE, OAKLAND, CA 94608

\*\*\* FOR FREE INFORMATION IN THE MAIL, CALL: (415) 547-7557 \*\*\*  
YOUR PERSONAL CHECK IS WELCOME! SHIPMENT WITHIN 48 HOURS!  
ADD \$3.00 SHIPPING ON ALL ORDERS. CA. RESIDENTS ADD SALES TAX

# The Best . . .

## "CoCo Product of the Year"

### COLOR MAX 3 ©

Unleash the power of your CoCo 3 with 320 x 200 screen resolution, and the choice of any 16 colors from the CoCo 3's 64 color palette, and your graphic creations almost can't help but come alive with color and detail. Icons, pull down menus, and dialog boxes make COLOR MAX 3 very easy to use. 11 fonts are supplied, making hundreds of lettering styles possible. Text can use any combinations of color, shadow, outline, bold, and italics. Painting is a snap with 16 colors and 32 editable patterns. COLOR MAX 3 requires a 128K CoCo 3 with disk drive, High-Resolution Joystick interface, and a joystick device (mouse, touch pad, or joystick). Print drivers supplied for most popular printers. CGP 220 driver provides beautiful 16 color print-outs.

Cat. # 205MD See RAINBOW REVIEW (10/87) on page 129 . . . \$59.95

#### Standard Hi-Res Joystick Interface

(Radio Shack # 26-5028)

Cat. # 221CH . . . \$12.00

#### Color Max 3 Font Editor ©

Create/Modify fonts for use with Color Max 3. Create Keyboard driven Icons. Customize existing fonts. Works in a "Fat Bits" type mode. Variable Height & Width. Let your imagination "go to work"!

Cat. # 224MD . . . \$29.95

#### CM3 Basic Tool & Gallery ©

Load & Save "MGE" pictures for display outside of Color Max 3. Incorporate into basic programs. Gallery lists all MGE files-just Point & Display!

Cat. # 225MD . . . \$19.95

#### Color Max 3 FONTS ©

36 Fonts in two sizes  
72 fonts in all!

Cat. # 223CD . . . \$19.95

#### Picture Converter 1 ©

6 Picture Format Converters:

- CoCo Max B&W to "MGE"
- CoCo Max artifact to "MGE"
- 6K B&W binary file to "MGE"
- 6K artifact binary to "MGE"
- Graphicom B&W to "MGE"
- Graphicom artifact to "MGE"

(MGE is Color Max 3 Pix format)

Cat. # 220MD . . . \$29.95

#### Picture Converter 2 ©

Converts ATARITM Low Res 320x200 picture files to "MGE" format used by Color Max 3. Works with ATARI pictures with file extensions .ST, .NEO, and .TNY.

NOTE: This utility is designed to allow the user to retrieve picture files from Bulletin Boards and Information Services. Files must be "Un-Arced".

Most databases have "UN-ARC" utilities available.

Cat. # 222MD . . . \$29.95

#### INTRODUCING . . .

### COLOR TALK 3 ©






The Complete Terminal/Communications Program you've been waiting for!

Ideal for accessing Compuserve, Delphi and other Information Services. Send your Color Max 3 "MGE" pictures to friends and fellow COCO users. **THIS IS THE ONLY COMMUNICATIONS PROGRAM AVAILABLE FOR YOUR COCO WITH ALL OF THIS POWER!** Compare COLOR TALK 3 with programs for the "PC" market costing 4 to 5 times as much. I'm sure you'll agree that COLOR TALK 3 represents real value for your COCO Dollars!

#### Just look at this partial list of Impressive Features:

- Supports COCO 3 as well as COCO 1 & 2.
- Screen Display options: COCO 3: 80x24, 40x24, 32x16 . . . Standard COCO: 32x60, 32x24, 51x24, 64x24, 85x24.
- Supports PBJ Wordpack & Double 80+.
- XMODEM & YMODEM.
- Upload & Download.
- Save to buffer or direct to disk.
- Full ASCII XON/XOFF support.
- ASCII filtering.
- ASCII buffering.
- Customizer-set and store frequently used options/parameters.
- 10-64 character user programmable macros.
- Conference/Chat mode.
- Selectable Baud rates of 110, 300, 600, 1200, 2400, 4800, 9600 (Radio Shack RS232 Ram required for baud rates above 2400).
- Parity: Odd, Even, Mark, Space, None.
- VT-52 Terminal Emulation.
- Duplex: Half, Full, Echo.
- Set Begin Block/End Block for selected save and print functions.
- Browse/View through buffer.
- Define margins, word-wrap, and justification for print-outs.
- Complete support of the COCO's serial port and the RS232 Pack.
- Optional prompted ASCII upload.
- Customize Colors to suit your display.

**Much, Much More!**  
Cat. # 255MD Disk only . . . Introductory price . . . Just \$49.95



# Just Got Better!

## ANNOUNCING... COLOR MAX DELUXE ©

In addition to the features and quality incorporated in the original Color Max 3, take a look at this partial list of impressive enhancements included in the new **COLOR MAX DELUXE**:

**EDIT MULTIPLE SCREENS - SIMULTANEOUSLY!**  
**STRETCH & SHRINK - ANY PROPORTION!**  
**ANIMATION - VARIABLE SPEED!**  
**ROTATE - ANY DEGREE!**  
**TILT!**  
**SHADOW!**  
**STAMP!**  
**RAYS & ARCS!**  
**MORE FONTS!**  
**MORE STYLES!**  
**MORE SPEED!**  
**MORE POWER!**  
**ALL PRINT DRIVERS INCLUDED!**  
**COLOR CYCLING - UP TO 16 COLORS!**

**NEW  
DELUXE!**

COLOR MAX 3 AND DELUXE utilize the **STANDARD "MGE" format** for picture exchange. In addition, COLOR MAX uses the **STANDARD RADIO SHACK Hi-Res Interface** - BEWARE OF LESSER QUALITY PROGRAMS EMPLOYING NON-STANDARD INTERFACES AS A FORM OF HARDWARE PROTECTION.

COLOR MAX DELUXE REQUIRES 512K RAM which provides for **SUPERIOR SPEED & POWER!**

Available for shipment **AFTER October 1, 1987**

Cat. # 260MD ..... Introductory Price ... \$69.95

Upgrade for Registered Owners Only ...

Cat. # 261CC ..... (Send Original Disk) ... \$15.00

**MOUSE PADS ..... \$10.99 EA**


Super High Quality Mouse Pads with Felt Finish.

10 3/4 x 8 1/2" Specify Color ...

Cat. # 210CH Red

Cat. # 211CH Blue

Cat. # 212CH Silver



**BLIP ART © BORDER PICTURE DISKS**

Three disk set containing 20 border picture files for use with Color Max 3, Color Max 3 Deluxe, Graphicom II, CoCo Max, Hardcopy, Colorscan, or any program that can load standard 6K binary files. Helps create decorative signs, post cards, sale posters, etc.

Cat. # 227WD ..... \$19.95

Print in Color! With **COLORSCAN**, easy to use software for the CGP-220 and your 64K CoCo (I, II, III). This program is a must for anyone who owns a Radio Shack Ink Jet Printer, and enjoys creating graphics with Graphicom, Graphicom Part II, CoCo MAX, or any other program that produces a standard 6K binary picture files.




**COLORSCAN** will print program listings in blazing color. Help create colorful banners over four feet in length, produce 1x1/2x2 or poster printout of your favorite 6K graphic disk files.

Order Catalog# 184WD, See RAINBOW REVIEW (1/87 page 136) ..... \$29.95

**HARDCOPY** is more than just a screen print utility, compare these features with any other graphic dump program on the market: Gray Scale or B&W printouts, 1x1, 2x2, 3x3, Labels, posters, and greeting cards with your graphics and much much more! **HARDCOPY** requires a 64K CoCo (I, II, or III) and disk drive. Please specify printer and catalog # when ordering.

IDS 480/560-G, C# 170WD • OKI 82A (Okigraph), C# 179WD • OKIDATA 92, C# 171WD • GEMINI 10X, C# 174WD • GEMINI SG 10/15, C# 178WD • DMP-105, C# 183WD • DMP-110, C# 180WD • DMP-120, C# 176WD • DMP-130, C# 182WD • DMP-200, C# 175WD • CGP-220, C# 181WD • EPSON LX-80, C# 173WD • EPSON MX-80, C# 172WD • EPSON RX/FX 80, C# 173WD • RITEMAN PLUS, C# 177WD

**HARDCOPY DISK** See RAINBOW REVIEW (10/85) on page 218) ..... \$29.95




# Computize INC.

(215) 946-7260 P.O. BOX 207 • LANGHORNE, PA 19047

VISA

Check or M.O. • Add \$3.00 shipping • PA residents add 6% sales tax

MasterCard



### *Build a city from the ground up*

**C**oCo transforms you into a big-time developer with *Usetown Annex*, a Simulation that casts you as a city planner who must build a town from scratch — without overshooting a budget of \$14 million.

The goal is to develop some recently annexed land into a housing project, shopping center, a waste disposal facility and a park. Your budget is limited, and your job performance will be evaluated at the end of the game based on the quality of your decisions. If the boss doesn't like what you've done — you're fired!

In the game, as in life, it is possible (though not probable) that you could make all the right decisions and still not be successful.

The decisions are difficult, often

---

*Paul French is a CoCo programmer and second grade teacher who lives in Burlington, Iowa. He is interested in corresponding with other educators who use Color Computers.*

---



# Usetown Annex

By Paul French

forcing you to choose between cost-effectiveness and environmental protection: Will you employ expensive soil conservation techniques or cut costs? Will you spend tens of thousands of dollars to preserve trees and endangered species? Will you pay almost \$100,000 for a device to control emissions from a waste facility's incinerator? Will you provide facilities for the handicapped? You must use responsibility in answering these questions while always keeping in mind that your job is on the line.

*Usetown Annex* employs graphics, memos and news flashes to increase its realism. It was inspired by the Iowa 4H program, *Useburg Annex*, which was developed for Apple computers. *Usetown* runs on a 32K Color Computer with Extended Color BASIC, and shares absolutely no coding with the Apple program that inspired it.

Since I intended to use the game with children in classrooms, I included the following features:

- Easy-to-read screens.


- Disabled BREAK and CLEAR keys to prevent disruption of the game.
- Consistent keyboard response. The game always responds to one key-stroke with no requirement to press ENTER. Only appropriate keys will respond, and the program is protected from someone changing the CoCo to lowercase (by pressing SHIFT-0), which could interfere with recognition of a pressed key.
- Directions are presented at the bottom of the screen. Unless your CoCo has true lowercase instead of green on black lowercase characters, the directions will be in inverse video.
- User-controlled program pace. Delays caused by the program were held to a minimum.
- A way to restart the game without playing it to its conclusion. Press shifted up arrow when the program prompts for Y (Yes) or N (No) to restart the game. (I added this feature when I found that students were

having to leave the game unfinished at the end of a class period and the new students coming in wanted to start their own games.)

The graphics were added after the text portion of the game was completed. They were kept relatively simple to minimize delays and to keep the program within memory limitations.

Programming style suffered a bit because I used multi-statement lines to conserve memory where I could. Variable names were reused to minimize the memory devoted to variable storage. Most of the options selected during development are recorded in the variable OT as individual bits. Despite its looks, there is structure to the program.

In order to present the directions at the bottom of the screen in inverse video, I wrote RVSLINE, the short BASIC program shown in Listing 1. I am not an assembly language programmer, but the inverse video is achieved by replacing RVSLINE's last line with the machine language program when it is run, and



then attaching the machine language program to the end of USETOWN. Complete instructions regarding how to do this are as follows:

- 1) Type in RVSLINE exactly as it appears and save a copy *before* you run it.
- 2) Run the program. (If you list the program after running it, all that should show up is Line 70. Line 80 was replaced by the machine language program, which you can't see, and the other lines were deleted.)
- 3) Do *not* type NEW and do not delete Line 70 yet. If you do, you will lose the machine language program that is attached to the end of the BASIC program. Instead, start typing in Listing 2, USETOWN. After you have typed in at least one line of USETOWN, you may delete Line 70 (type DEL70). The machine

language program will stay attached to the end of USETOWN when you save or load it and as you finish typing it in. Do *not* save the program in ASCII format or the machine language portion will be lost.

You can also use RVSLINE with other programs. Follow the same steps, except type in the program you want to achieve inverse video on after running RVSLINE. And near the beginning of your program, insert the following line from Line 200 of USETOWN:

```
DEFUSR9 = PEEK(27) * 256 +
PEEK(28) - 26
```

When you want to reverse a line on the screen, PRINT the line, then place D = USR9(XXXX) in your program. The XXXX should be replaced with the memory address of the first character of the line you want to reverse — 1024 for the first line, 1056 for the second line, etc.

(An example is shown in Line 308 of USETOWN.)

#### Listing 1: RVSLINE

```
10 DATA 0,0,0,0,0,0,BD,B3,ED,1F,0
1,C3,0,0,2,0,DD,0,0,A6,84,8,0,4,0,A7,
8,0,9C,0,0,26,F6,39
20 AD=PEEK(27)*256+PEEK(28)
30 FOR N=AD-28 TO AD-4
40 READ ML$
50 POKE N,VAL("&H"+ML$)
60 NEXT
65 DEL 10-65
70 'ML PROGRAM ATTACHED TO
END OF BASIC
80 REMABCDEFGHIJKLMNQRST
```

I hope you enjoy *Usetown Annex*, learn something about the responsibility and strategy of decision-making, and keep your job as city planner.

(Questions or comments regarding this program may be directed to the author at 310 N. Gertrude, Burlington, IA 52601. Please enclose an SASE when writing for a response.) □

*Editor's Note: RVSLINE, the machine language program will already be embedded into the USETOWN program on this month's RAINBOW ON TAPE and RAINBOW ON DISK.*

✓	340	.....	235	1864	.....	58
	1032	.....	146	2010	.....	122
	1102	.....	192	3020	.....	6
	1192	.....	121	3045	.....	64
	1352	.....	201	3226	.....	236
	1357	.....	59	3555	.....	100
	1424	.....	212	END	.....	251
	1709	.....	137			

#### Listing 2: USETOWN

```
0 GOTO63999
1 GOTO3
2 PCLEAR4:GOTO1
3 POKE248,50:POKE249,98:POKE250,
28:POKE251,175:POKE252,126:POKE2
53,173:POKE254,165:POKE410,126:P
OKE411,0:POKE412,248:POKE113,87:
POKE114,2:POKE115,93
200 DEFUSR9=PEEK(27)*256+PEEK(28
)-26
202 CLEAR450:DIMA(3),C(3),A$(3),
U$(3),D$(3),P$(3),C$(3),FP$(5,1)
,FP(5),SP$(3,1),SP(3)
204 CR$=CHR$(13):S$="V15T4505B":
FM$="$$#####"
206 A$(0)="FOREST":A$(1)="FARMLA
ND":A$(2)="WETLAND":A$(3)="AN UR
BAN AREA"
```

```
208 C$(0)="$150,000":C$(1)="$200
,000":C$(2)="$60,000":C$(3)="$30
0,000":C(0)=150000:C(1)=200000:C
(2)=60000:C(3)=30000
210 U$(0)="GRAZING OR PARK AREA.
":U$(1)="GRAZING OR GROWING CROP
S.":U$(2)="FARMING OR A NATURAL
AREA PARK.":U$(3)="FACTORI
ES AND STORES."
212 P$(0)="HOUSING DEVELOPMENT":
P$(1)="SHOPPING CENTER":P$(2)="P
ARK":P$(3)="WASTE FACILITY"
220 D=RND(-TIMER)
298 GOTO1000
300 D$=INKEY$:PRINT@482,"PRESS A
NY KEY TO CONTINUE...";D=USR9(1
504)
304 IF INKEY$=""THEN304ELSEPLAYS
$:CLS:RETURN
308 D$=INKEY$:PRINT@481,"PRESS
Y FOR YES, N FOR NO";D=USR9(
1504)
310 POKE282,255:D$=INKEY$:IFD$=C
HR$(95)THENCLS:RUNELSEIFD$<>"Y"A
NDD$<>"N"THEN310ELSEPLAYS$:RETUR
N
314 D$=INKEY$:PRINT@480,"PRESS T
HE NUMBER OF YOUR CHOICE";D=USR
9(1504)
316 D$=INKEY$:IFD$=CHR$(95)THENC
LS:RUNELSEIFD$=""THEN316
318 D=VAL(D$):IFD<1ORD>MX THEN31
6ELSEPLAYS$:RETURN
320 FORD=1TO600:NEXT:RETURN
340 FORD=1TOLEN(D$):PRINTMID$(D$
,D,1);IFMID$(D$,D,1)>" "THENPLA
Y"V15T25502D"
```

```

342 FORDE=1TO3:NEXTDE,D:RETURN
1000 CLS:PRINTSTRING$(32,42);:PR
INT@72,"WELCOME TO THE":PRINT@13
7,"USETOWN ANNEX":PRINT@204,"PRO
JECT":PRINT@256,STRING$(32,42);:
PRINT@268,"V. 2.01";:PRINT@289,"
COPR. (C) 1985 BY PAUL FRENCH":
GOSUB3000
1002 PRINT@387,"WOULD YOU LIKE D
IRECTIONS?":GOSUB308:IFD$="Y"GOS
UB4000
1005 SCREEN1,0:GOSUB304
1006 PC=0:FF=0:MX=0:FORD=0TO3:D$
(D)="":NEXTD:FORD=0TO3:IFA$(D)>"
"THEND$(MX)=A$(D):MX=MX+1
1008 NEXTD
1010 CLS:PRINT@35,"WHICH AREA WO
ULD YOU LIKE TO DEVELOP?":PR
INT:FORD=1TOMX:PRINTTAB(6);STR$(
D);") ";D$(D-1):NEXTD
1012 GOSUB314:FORDE=0TO3:IFA$(DE
)=D$(D-1)THENA=DE:NEXT:ELSENEXT
1016 D$=" TO: CITY PLANNER"+CR$+
" FROM: CITY ASSESSOR"+CR$+" S
UBJECT: COST OF LAND"+CR$+CR$+"
THE COST OF THE ":IFA<3THEND$
=D$+A$(A)ELSED$=D$+RIGHT$(A$(A),
10)
1018 GOSUB2030:PRINT:D$=" IS "+C
$(A)+".":GOSUB340:GOSUB300
1019 PC=PC+C(A)
1020 CLS:PRINT:PRINT" YOU SHOU
LD LOOK AT THE ZONING COD
E (WHICH TELLS HOW THE LAND M
AY BE USED) BEFORE DECIDING H
OW TO DEVELOP ";:IFA<3THENPRINT"
THE "ELSEPRINT" "
1022 PRINT" "A$(A)".":GOSUB300
1023 CLS:PRINT"***** ZONING
CODE *****":PRINT" IN USE
TOWN, ";A$(A):PRINT" MAY BE USED
EXCLUSIVELY FOR":PRINT" "U$(A)
1024 PRINT:PRINT" ALL OTHER US
ES ARE STRICTLY AGAINST THE LA
W. A ZONING VARIANCE (PERM
ISSION TO USE THE LAND FOR O
THER PURPOSES) MUST BE OBTAIN
ED TO USE THE LAND FOR ANY P
URPOSE BESIDES"
1025 PRINT" "U$(A):GOSUB300
1026 MX=0:FORD=0TO3:D$(D)="":NEX
TD:FORD=0TO3:IFP$(D)>"THEND$(MX
)=P$(D):MX=MX+1
1028 NEXTD
1030 CLS:PRINT@34,"WHAT ARE YOU
GOING TO DEVELOP IN THE ";:IFA=
3THENPRINTRIGHT$(A$(A),10);:ELSE
PRINTA$(A);
1032 PRINT"?":PRINT:FORD=1TOMX:P
RINTTAB(6);STR$(D);") ";D$(D-1):
NEXTD

```

## Coco Graphics Designer

### Only \$29.95

The Coco Graphics Designer produces beautiful Greeting Cards, Banners, and Signs for holidays, birthdays and other occasions.

The program features picture, border, and character font editors, so that you can modify or expand the already built in libraries. Plus a special "grabber" utility is included to capture areas of high resolution screens for your picture library.

100/105/110/130/430 CGP220, many Okidata (check with Zebra), Seikosha GP100/250, Gorilla Banana, Legend 808.

#C323 Coco Graphics Designer

### Picture Disk #1

This supplementary picture library diskette contains over one hundred additional pictures.

#C333 Picture Disk #1 \$14.95

### Colored Paper Packs

150 sheets (50 each red, yellow, blue) with 60 matching envelopes. Perfect for making your productions outstanding.

#C274 Paper Pack \$19.95



It's fun making your own Greeting Cards, Signs, and Banners with Zebra's Coco Graphics Designer.

## WICO TRACKBALL

### Only \$29.95

Order Cat#TBRS01  
(Originally \$69.95)



WICO designed these trackballs specifically for the Radio Shack Color Computer joystick port.

WICO is the largest designer and manufacturer of control devices for commercial arcade video games. If you've ever played an arcade video game, chances are you've used a WICO joystick or trackball and experienced its superior control, pinpoint firing accuracy, and exceptional durability.

Includes one-year limited

warranty. Phenolic ball offers 360-degree movement. Two optical encoders provide split-second response. Quick-action fire button for smooth, two handed arcade response and feel. Long 5' computer connection. Heavy duty plastic case for long hard use. Compatible with all color computer models.

We also have trackballs for Atari, Atari ST, Commodore 64, Amiga, Macintosh, Apple II/III, and TI99/4A computers.

**Ordering Instructions:** All orders add \$3.00 Shipping & Handling. UPS COD add \$3.00. VISA/MC Accepted. NY residents add sales tax.

**Zebra Systems, Inc.**  
78-06 Jamaica Avenue  
Woodhaven, NY 11421  
(718) 296-2385

```

1034 GOSUB314:FORDE=0TO3:IFP$(DE
)=D$(D-1)THENP=DE:NEXT:ELSENEXT
1038 IFA=2ANDP=2GOSUB2010
1050 IFA=2ANDP=2AND01=2ORA=0ANDP
=2ORA=3ANDP=1THEN1100
1052 CLS:PRINT:PRINT"    GETTING
A ZONING VARIANCE    WON'T BE E
ASY.    CHANCES OF    GETTING TH
E VARIANCE APPROVED    MIGHT BE B
ETTER IF YOU HIRE A    LAWYER.":P
RINT:PRINT"    DO YOU WISH TO HIR
E ONE?":GOSUB308
1054 L$=D$:IFL$="N"THEN1070
1056 CLS:PRINT@35,"LAWYERS NEED
TIME TO PREPARE    THEIR ARGUMENTS
.    YOUR HEARING    HAS BEEN DELAYE
D TWO WEEKS.":PRINT:GOSUB2014:GO
SUB300
1070 CLS:PRINT@36,"PROPOSAL - TO
PERMIT A":PRINT"    ZONING VARIAN
CE SO THE":PRINT"    ";IFA=3THENP
RINTRIGHT$(A$(A),10);ELSEPRINTA$(
A);
1072 PRINT"    MAY BE DEVELOPED":PR
INT"    AS A ";IFA=2ANDP=2THENPRI
NT"SPORTS RECREATION AREA."ELSEP
RINTP$(P)".
1074 FORDE=1TO4:GOSUB320:NEXT
1076 DATAWARREN PEASE,MARY LEE,R
OBERT BARON,SOL LIGHT,FOREST H.
GRUPE
1078 PRINT@194,"BOARD MEMBERS":P
RINT@218,"VOTE":PRINT@226,STRING
$(28,45):FORDE=258TO386STEP32:RE
ADD$:PRINT@DE,D$:NEXT:GOSUB320:R
ESTORE
1080 V=0:FORDE=282TO410STEP32:GO
SUB320:D=RND(5):PRINT@DE,;:IFL$=
"Y"ANDD>2ORD>3THENV=V+1:PRINT"YE
S"ELSEPRINT"    NO"
1082 NEXT:GOSUB320:PRINT:PRINT"
RESULTS:    VARIANCE ";:IFV<3THEN
PRINT"FAILS."ELSEPRINT"PASSES."
1083 IFV<3THENFF=1:FP=FP+1
1084 GOSUB300
1086 IFL$="N"THEN1092ELSECLS:PRI
NT@33,"DEAR CITY PLANNER,":PRINT
:PRINT"    OUR BILL FOR LEGAL SER
VICES    IN THE USETOWN ANNEX ZON
ING    HEARING COMES TO";:DE=RN
D(15)*1000+10000:PRINTUSING"$ $ #
,###.":DE
1088 PRINT:PRINT"    IT HAS BEEN
A PLEASURE TO    SERVE YOU.":PC
=PC+DE
1090 PRINT:PRINTTAB(13);"WILSON
& WILSON":PRINTTAB(16);"(LAWYERS
)":GOSUB300
1092 IFFF<>0THEN1700
1100 IFA<>2THEN1110
1102 CLS:PRINT@35,"IT WOULD COST
$200,000 TO    FILL AND LEVEL
THE WETLAND TO    ENSURE PROPER B
UILDING    CONDITIONS.    DO
YOU WISH TO    SPEND THE MONEY
?":GOSUB308
1104 IFD$="Y"THENPC=PC+200000:OT
=OT OR1
1106 CLS:PRINT@35,"FLOOD CONTROL
CONSTRUCTION    WOULD COST $300
,000.    DO YOU    WISH TO SPEND T
HE MONEY FOR    FLOOD CONTROL?":
GOSUB308
1108 IFD$="Y"THENPC=PC+300000:OT
=OT OR2
1110 IFP<>0THEN1130
1112 CLS:PRINT@35,"WHICH TYPE OF
HOUSING    WOULD YOU PREFE
R TO BUILD?":PRINT@131,"1) TWELV
E SINGLE FAMILY    HOMES
FOR $780,000":PRINT@227,"2) THR
EE MULTI-FAMILY UNITS    (12
HOMES) FOR $540,000":MX=2:GOSUB
314
1114 IFD=2THENPC=PC+540000:OT=OT
OR4ELSEPC=PC+780000
1130 IFP<>1THEN1160
1132 CLS:PRINT@35,"YOU CAN BUILD
":PRINT:PRINT"    1) A LARGE SHOP
PING CENTER":PRINTTAB(6)"FOR $6,
000,000 WHICH WILL    PROVIDE
MORE JOBS AND":PRINTTAB(6)"INCO
ME, OR"
1134 PRINT:PRINT"    2) A SMALLER
ONE FOR":PRINTTAB(6)"$3,500,000
.":MX=2:GOSUB314
1136 IFD=1THENPC=PC+600000:OT=O
T OR8ELSEPC=PC+350000
1160 IFP<>2THEN1190
1161 IFA<>2THENGOSUB2010
1162 CLS:PRINT@35,"PARK FACILITI
ES WITH CONVEN-    TIONAL HEATING,
COOLING, AND    LIGHTING WILL C
OST $90,000.":PRINT:PRINT"    SOL
AR FACILITIES MIGHT HELP    KEEP
UTILITY BILLS DOWN IN THE    FUTUR
E.    DO YOU WANT TO SPEND"
1164 PRINT"    $40,000 FOR SUPPLEME
NTAL SOLAR FACILITIES?":GOSUB30
8:PC=PC+90000
1166 IFD$="Y"THENPC=PC+40000:OT=
OT OR16
1190 IFP<>3THEN1220
1192 CLS:PRINT@35,"YOU CAN BUILD
":PRINT:PRINT"    1) A LANDFILL F
OR":PRINTTAB(6)"$2,500,000, OR":
PRINT:PRINT"    2) A WASTE RECYCL
ING CENTER    FOR $4,500,000

```

```

.:MX=2:GOSUB314
1193 IFA<>2ORD<>1THEN1195ELSECLS
:PRINT@35,"EVEN WITH THE VARIANC
E YOU WILL NOT BE ALLOWED TO
BUILD A LANDFILL IN THE WETLAND
. DO YOU WANT TO":PRINT:PRIN
T" 1) CANCEL THIS DEVELOPMENT,
OR":PRINT:PRINT" 2) BU
ILD A RECYCLING PLANT?"
1194 MX=2:GOSUB314:OT=OT OR2048:
IFD=1THENFF=1:FP=FP+1:GOTO1700
1195 IFD=1THENPC=PC+2500000:OT=O
T OR32ELSEPC=PC+4500000
1198 IFOT AND32THEN1220ELSEGOSUB
2020:IFD$="Y"THENPC=PC+80000:OT=
OT OR512
1220 IFA<>0THEN1350
1222 CLS:PRINT@35,"USING SPECIAL
CONSTRUCTION METHODS WOULD A
LLOW YOU TO SAVE MANY OF TH
E TREES AT A COST OF $80,000
. DO YOU WANT TO SAVE THE TRE
ES?":GOSUB308
1224 IFD$="Y"THENPC=PC+80000:OT=
OT OR64
1350 IFP=3THEN1362
1352 CLS:PRINT@35,"PROVISIONS FO
R HANDICAPPED ACCESS WOULD AD
D ";:PRINTUSING"$ $ $ #,###";(.02*P
C):PRINT" TO THE COST. WILL YOU
PROVIDE HANDICAPPED ACCESS?":G
OSUB308
1353 IFD$="Y"THENOT=OT OR128:PC=
PC+ (.02*PC):GOTO1362ELSEIFRND(10
)>8THEN1362
1354 CLS:PRINT@35,"THE STATE COM
MISSION ON THE HANDICAPPED HAS
REQUESTED YOU TO APPEAR WITH
YOUR LAWYER SO THAT THEY CAN E
XPLAIN THE FINER POINTS OF
THE STATE HANDICAPPED ACC
ESS LAW TO YOU."
1355 GOSUB300:CLS:PRINT@35,"THE
FINER POINTS INDICATE THAT Y
OU DON'T HAVE A CHOICE. YOU WI
LL PROVIDE HANDICAPPED ACCESS
AT A COST OF ";:PRINTUSING"$ $ $ #
,###.";(.02*PC):PC=PC+ (.02*PC):G
OSUB300
1356 CLS:PRINT@33,"DEAR CITY PLA
NNER,":PRINT:PRINT" OUR BILL F
OR LEGAL SERVICES IN THE HANDI
CAPPED ACCESS MATTER COMES
TO ";:DE=RND(5)*1000+10000:PRIN
TUSING"$ $ $ #,###.";DE:PRINT:PRINT"
IT HAS BEEN A PLEASURE TO
SERVE YOU.":PC=PC+DE
1357 PRINT:PRINTTAB(13)"WILSON &
WILSON":PRINTTAB(16)"(LAWYERS)"
:GOSUB300

```

# Disto

## SUPER PRODUCTS

### DISTO SUPER CONTROLLER \$99.95



**A superb controller.** Along with the included C-DOS, plug-in three more software selectable 2764 or 27128 EPROMs burned to your liking.


The internal Mini Expansion Bus lets you add some incredible features to the controller. Disto Super Add-Ons were designed to fit neatly inside the controller case.

### DISTO SUPER RAM

# 3

Zero K \$ 29.95

Full 512K \$ 79.95



**Now is the time** to upgrade your COCO 3 to 512K of memory. Available with or without memory chips, the **Super Ram 3** board is easily installed inside the COCO. It is fully compatible with OS-9 Level 2 and is delivered with a software package (in BASIC) that includes: a printer spooler, a ramdisk, a memory test and an install/configure program for your system.

### DISTO SUPER ADD-ONS

#### REAL TIME CLOCK AND PARALLEL PRINTER INTERFACE

Have the Real Time, date and year displayed on your screen at a simple command using the included software drivers. **\$29.95**

#### MINI EPROM PROGRAMMER

A low cost EPROM programmer that attaches directly to your Disto Super Controller to program those often used utilities. **\$54.95**

#### HARD DISK INTERFACE

A hard disk interface fully compatible with S.A.S.I. that fits inside the Super Controller or Ramdisk. OS-9 Drivers are included. **\$49.95**

#### SUPER RAMDISK 512K

Imagine having access to 512K of virtual disk memory in close to no time. **\$169.95**

The OS-9 operating system is rapidly becoming a best-seller. All Disto products are supported by OS-9 Level 1 and Level 2 software. We have drivers for: Parallel Printer Interface, Real Time Clock Adapter, Super Ramdisk, Hard Disk Adapter and Disto's Super Controller 2.

### SEND FOR FREE 87/88 WINTER CATALOG



## CRC COMPUTERS inc.

10802 Lajeunesse, Montreal, Quebec, Canada, H3L 2E8

MASTER CARD  
AND VISA  
ACCEPTED

## 1-514-383-5293

We accept phone orders.  
C.O.D. in Canada only.

Shipping & Handling not included in prices.

```

1362 DE=RND(5)*1000+4000:CLS:PRINT@35,"WILL YOU PAY ";:PRINTUSING"$$$,###";DE:PRINT" TO":PRINT" CONSERVE AS MUCH SOIL AS POSSIBLE DURING CONSTRUCTION?":GOSUB308:IFD$="Y"THENPC=PC+DE:OT=OT OR256
1372 D$=" TO: CITY PLANNER"+CR$+" FROM: ACE CONSTRUCTION CO."+CR$+" SUBJECT: PROJECT CONSTRUCTION"+CR$+CR$+" CONSTRUCTION HAS BEGUN"+CR$+" IN THE ":GOSUB2050
1383 IFA=0THENDE=4000
1384 IFA=1THENDE=1250
1385 IFA=2AND(OT AND1)THEN1402ELSEIFA=2THENDE=2000
1386 IFA=3AND(OT AND32)THENDE=9700ELSEIFA=3THENDE=4800
1389 CLS:PRINT@35,"CLEARING THE AREA FOR CONSTRUCTION COSTS ";:PRINTUSING"$$$,###.";DE:PC=PC+DE:GOSUB300
1402 IFA=0ORA=2THENCLS:PRINT@35,"CONSTRUCTION IS DELAYED WHILE AN ENVIRONMENTAL IMPACT STUDY IS CONDUCTED.":PRINT:GOSUB2014:GOSUB300ELSEGOTO1422
1404 IFRND(10)>5THEN1422ELSECLS:PRINT@35,"AN ENDANGERED SPECIES WAS FOUND AND CONSTRUCTION WILL NOT CONTINUE UNTIL CONSTRUCTION METHODS ARE APPROVED WHICH WILL PROTECT THE ENDANGERED SPECIES.":PRINT:GOSUB2014
1406 GOSUB300:DE=PC*.05:CLS:PRINT@35,"CONSTRUCTION MAY CONTINUE, BUT PROTECTING THE ENDANGERED SPECIES INCREASES YOUR COSTS BY ";:PRINTUSING"$$$,###.";DE:PC=PC+DE:GOSUB300
1422 DU=RND(10)*10:D$="USETOWN WEATHER REPORT"+CR$+CR$:IFDU<60THEND$=D$+" MOSTLY SUNNY.":GOSUB2040:GOTO1432ELSEDE=D$+" CLOUDY WITH A"+STR$((DU-55)*2)+"% CHANCE OF"+CR$+" RAIN.":GOSUB2040:D=RND(10)*10
1423 IFD>(DU-55)*2THEND$="USETOWN WEATHER UPDATE"+CR$+CR$+" WE HAVE CLOUDY SKIES - NO"+CR$+" RAIN.":GOSUB2040:GOTO1432
1424 D$="USETOWN WEATHER UPDATE"+CR$+CR$+" WE CURRENTLY HAVE HEAVY RAINS"+CR$+" IN USETOWN...":GOSUB2040:CLS:PRINT@35,"CONSTRUCTION IS HALTED BY THE RAIN."+CR$:GOSUB2014:GOSUB300
1426 IFOT AND256THEN1428ELSEDE=" TO: CITY PLANNER"+CR$+" FROM:

```

```

STATE E.P.A."+CR$+" SUBJECT: SOIL EROSION"+CR$+CR$+" YOU ARE FINED $40,000 FOR FAILING TO PREVENT SOIL EROSION.":PC=PC+4000:GOSUB2030:GOSUB300
1428 IFA<>2THEN1452ELSEIFOT AND2 THEN1432ELSEDE="USETOWN WEATHER UPDATE"+CR$+CR$+" RAINS CAUSE FLOODING IN"+CR$+" WETLAND. CONSTRUCTION PROJECT"+CR$+" DESTROYED.":GOSUB2040:FF=1:FP=FP+1:GOTO1700
1432 IFA<>2THEN1452ELSEIFOT AND1 THEN1452ELSEPC=PC*2:PRINT@35,"PROBLEMS ENCOUNTERED WHILE TRYING TO BUILD ON MARSHY LAND DOUBLE THE COST OF THIS PROJECT TO ";:PRINTUSING"$$$,###.";PC:GOSUB300
1452 CLS:PRINT@35,"CONSTRUCTION IS IN ITS FINAL STAGES. WILL YOU LANDSCAPE AT A COST OF ";:PRINTUSING"$$$,###.";PC*.04:GOSUB308:IFD$="Y"THENPC=PC+PC*.04:OT=OT OR1024
1462 D$=" TO: CITY PLANNER"+CR$+" FROM: ACE CONSTRUCTION CO."+CR$+" SUBJECT: PROJECT CONSTRUCTION"+CR$+CR$+" CONSTRUCTION IS COMPLETE"+CR$+" IN THE ":GOSUB2050
1472 IFP<3OR(OT AND512)OR(OT AND32)THEN1482ELSECLS:PRINT@35,"THE STATE E.P.A. WILL NOT ALLOW THE RECYCLING PLANT TO OPEN UNTIL STACK EMISSIONS ARE CONTROLLED."+CR$:GOSUB2014:GOSUB300:GOSUB2020:IFD$="N"THEN1472ELSEPC=PC+8000
1482 IFA=2ANDP<>2THENCLS:PRINT@35,"SEEPAGE AND SETTLING HAS RESULTED IN A PENALTY TO YOU OF ";:PRINTUSING"$$$,###.";PC*.1:PC=PC+PC*.1:GOSUB300
1492 IFOT AND256THENDE=153:D$="SOIL CONSERVATION":DU$="WORKING TO SAVE SOIL":GOSUB2070
1494 IFOT AND512THENDE=169:D$="CLEAN AIR":DU$="KEEPING OUR AIR CLEAN":GOSUB2070
1496 IFOT AND1024THENDE=185:D$="CITY BEAUTIFUL":DU$="BEAUTIFUL PLANTINGS":GOSUB2070
1498 IFOT AND16THENDE=249:D$="ENERGY EFFICIENCY":DU$="HELPING CONSERVE RESOURCES":GOSUB2070
1700 IFP=1ANDA=2THENBR=BR-2
1703 IFP=1ANDA=0THENBR=BR-1
1706 IFOT AND2048THENBR=BR-2
1709 IFP=3ANDA=3AND(OT AND32)THENBR=BR-2

```

# COMPUTER AIDED INSTRUCTION

Educational Programs for Students Grade K-12 and Adult Self Studies

## NEW PROGRAMS FOR YOUR TANDY 1000 AND TRS-80 COLOR COMPUTER

Compatible with Apple - Atari - Commodore - TRS 80 I, III, 4 - IBM PC Jr.

16 New Programs now available in Basic Spanish

### NEW! VIDEO CASSETTES FOR VHS!

InnerActive™ Video Tutorials  
Complete with audio narration

4 cassettes with 8 programs in each of the following subject areas:


- Basic Spanish Grammar
- Basic Algebra
- Reading by Phonics
- Basic Fractions

2 programs per tape. Running time: 45 minutes per tape.

**\$19<sup>95</sup>** per/tape

16 Programs on 8 VHS Tapes \$159<sup>00</sup>

CALL TOLL FREE  
FOR MORE INFORMATION



## Interactive Tutorial Programs for Home or Classroom Use

Over 1000 programs for your selection with 32 now available on disk for the Color Computer and 500 now available for the Tandy 1000.

### "We're Your Educational Software Source"

Subject	No. of Programs
Reading Development	256 (4 on disk)
Reading Comprehension	48 (4 on disk)
Mathematics	128
Algebra	16 (16 on disk)
History	32 (4 on disk)
Spelling	16
Government	16
Physics	16 (4 on disk)

### 16 Programs in each of the following:

Children's Tales - Carpentry - Electronics  
Health Services - Office Skills - Statistics  
First Aid/Safety - Economics - Business  
Accounting - Psychology - MUCH MORE!

Apple II, TRS 80 I, III, & 4, and Commodore 64 computers require respective conversion kits (plug-in board and stereo cassette player), \$99.00. Atari 400/600/800/1200 computers require the Atari cassette recorder and the Dorsett 4001 Educational Master Cartridge, \$9.95. For the IBM PC Jr. a cassette adapter cable and a good cassette recorder are required. The Tandy 1000 requires the Dorsett M1001 speaker/PC board kit, \$69.00, and a standard cassette recorder. A Radio Shack CCR-81 or CCR-82 is recommended.

**CASSETTES:** \$59.50 for an album containing a 16-program course (8 cassettes with 2 programs each); \$9.95 for a 2-program cassette.

**DISKS:** \$14.95 for a one-program disk; \$28.95 for two disks; \$48.95 for four disks. All disks come in a vinyl album.

Dealer Inquiries Welcome

### Dorsett Educational Software features:

- Interactive Learning
- User Friendly
- Multiple Choice and Typed
- Program Advance with Correct Response
- Full-time audio narration (Cassette Programs Only)
- Self-Paced Study
- High Resolution Graphics
- Easy Reading Text

For more information, or to order call:

**TOLL FREE 1-800-654-3871**  
**IN OKLAHOMA CALL (405) 288-2301**



**DORSETT**  
Educational Systems, Inc.  
Box 1226, Norman, OK 73070

Send for our free catalog of over 1000 Dorsett educational programs for Atari, TRS 80, Apple, IBM PC Jr., Commodore, Tandy 1000, etc.

# Save \$200 on Magnavox Monitors Magnavox 8CM643 RGB Analog only \$385!!

## MONITORS

**ZENITH**

**1230A 12"**

This 12" green screen high resolution monitor offers 80 column capability, Zenith quality and a 90-day warranty valid at any of Zenith's 1200 locations.

Retail \$199  
**Our price \$125**  
(\$7 shipping) **BRAND NEW**

All monitors require an amplifier circuit to drive the monitor and are mounted inside the color computer. They attach with spring connectors with two wires extending out of the computer, one for audio and one for video. CoCo 3 does not require an amplifier circuit.

VA-1 for monochrome monitors only, fits all color computers

(\$2 shipping) **\$24.45**  
VC-4 for monochrome or color, fits all color computers **\$39.45**  
(\$2 shipping)

**MAGNAVOX**  
**CM 8505** has analog RGB and TTL RGB and composite color input. Built in speaker. 13" screen with 390 dots x 240 resolution in RGB mode. Plus 1 year parts & labor warranty.

reg. list \$299

**SAVE \$79**

**\$220**  
+ \$14 Shipping



122A Zenith 12" Amber Screen offers the same 640 dots x 200 lines resolution at 15MHz and a 90-day warranty valid at 1200 locations.

(\$7 shipping) **\$88**

**MAGNAVOX**  
**8 CM 515** has analog RGB for CoCo 3, TTL RGB for Tandy 1000 or IBM PC's, and composite color for CoCo 2 and 3. Built-in speaker. 14" screen with 640 dot x 240 line resolution. Plus 2 years parts and labor warranty.

reg. list \$499

**SAVE \$200**

**\$298**  
+ \$14 Shipping



CC-3 Magnavox RGB cable.

**\$19.95** with Magnavox Monitor order.  
\$29.95 w/o monitor.

## DISK CONTROLLER



Includes controller and C-DOS 4.0 ROM Chip. **DISTO**

**\$98** DC-3 **A**

\$2 shipping on all DISTO products

## ADD-ON BOARDS

DC-38 includes 80 column capacity, parallel printer, real time clock, and all software **\$138**

DC-256 256K RAM Board includes software to access all RAM **\$90**

DC512 512K RAM Board with software **\$125**

DC-3C Clock Calendar and parallel printer port **C \$40**

DC-3P Mini Eeprom programmer includes all software to program 2764 or 27128 chips **B \$55**

2764 8K Eeprom 28 pin **\$850 each**

27128 16K Eeprom 28 pin **\$850 each**

1 FREE Eeprom w/DC-3P order effective thru 12/15/87

C-DOS 3 28 pin Eeprom makes Disto controller compatible with CoCo 3 **\$20**

## SOFTWARE SPECIALS

**Payroll/BAS™** (\$2 shipping)

- Nonprotected basic is modifiable
- Tax tables built in for automatic federal calculation
- Custom code for each state (\$25 option)
- 4 pay periods
- 7 deductions
- Prints checks
- 100 employees
- 30 ledger numbers for checks other than payroll
- Check register includes monthly or weekly federal deposit amount
- Enter, update, delete employees, company and check information
- Print payroll and nonpayroll checks

**Payroll/BAS™**  
**30 Day Trial**

**\$29.95**

### VIP LIBRARY

Softlaw's integrated package includes VIP Writer Terminal Data Base, Calc and Disk Zap which can fix a diskette that is giving I/O errors

**\$125** reg. \$149 (\$2 shipping)

**DRIVE 0 + .** Howards Drive 0 gives you a DD-3 MPI drive, a CA-1 cable and a J&M DC-4 Disk Controller for only. Double sided double density 360K

**\$178.45**

(\$5 shipping)

Add \$34 for a Disto DC-3.

Double sided  
Double density  
360K



### GUARANTEE

Howard Medical's 30-day guarantee is meant to eliminate the uncertainty of dealing with a company through the mail. Once you receive our hardware, try it out; test it for compatibility. If you're not happy with it for any reason, return it in 30 days and we'll give you your money back (less shipping.)

Shipping charges are for 48 states.

APO, Canada and Puerto Rico orders are higher.

## MEMORY

Memory for CoCo 3 PC memory board plugs into the spare slots inside the computer and is populated with 256K ram chips. Completely solderless with complete easy to install instructions.

**\$79.95**

PC Memory board without RAM **\$49.50**

Software spooler and RAM disk for lightning quick response or no disk swapping drive backup for 1 drive system and printer spooler to free computer during long listings. For CoCo 3 with 512K RAM **\$19.45**  
(\$2 shipping on Memory products)

## WE REPAIR

### DISK DRIVES

### MONITORS

### CONTROLLERS

Send them UPS prepaid to Howard Medical with your daytime telephone number and we will call with a cost to repair.

Howard Medical Computers 1690 N. Elston Chicago, IL 60622

ORDERS

INQUIRIES AND ORDER STATUS

**(800) 443-1444** **(312) 278-1440**

Showroom Hours:  
8:00 - 5:00 Mon. - Fri.  
10:00 - 3:00 Sat.

WE ACCEPT: VISA • MASTERCARD • AMERICAN EXPRESS  
C.O.D. OR CHECKS • SCHOOL P.O.'S



The Biggest  
The Best  
The Indispensable

# RAINBOW

The COLOR COMPUTER MONTHLY MAGAZINE

**THE RAINBOW** is the biggest, best, brightest and most comprehensive publication a happy CoCo ever had! **THE RAINBOW** features more programs, more information and more in-depth treatment of the Tandy Color Computer than any other source.

A monthly issue contains nearly 200 pages and up to two dozen programs, 14 regular columns and as many as 12 new product reviews. And advertisements: **THE RAINBOW** is known as *the* medium for advertisers — which means every month it has a wealth of information unavailable anywhere else about new products! Hundreds of programs are advertised in its pages each month.

Every single issue of **THE RAINBOW** covers the wide spectrum of interests in the Tandy Color Computer — from beginners' tutorials and arcade games to telecommunications and business and finance programs. Helpful utilities and do-it-yourself hardware projects make it easy and fun to expand your CoCo's capabilities. And, monthly reviews by independent reader reviewers take the guesswork out of buying new software and hardware products.

Join the tens of thousands who have found **THE RAINBOW** to be an absolute necessity for their CoCo. With all this going for it, it is surprising that more than 90 percent of **THE RAINBOW** subscribers renew their subscriptions? We're willing to bet that, a year from now, you'll be doing the same.

## Rainbow On Tape & Rainbow On Disk!

— great ways to bring **THE RAINBOW** into your life. Each month, all you do is pop the tape into your cassette player or the disk into your drive. No more lost weekends. As soon as you read an article about a program in **THE RAINBOW**, it's ready to load and run. No work. No wait.

Just think how your software library will grow. With your first year's subscription, you'll get almost 250 new programs: games, utilities, business programs, home applications. And, with **RAINBOW ON DISK**, you'll also get all the OS-9 programs.

**RAINBOW ON TAPE** and **RAINBOW ON DISK** — they're the "meat" of **THE RAINBOW** at a price that's "small potatoes." And now you even have a choice about how it should be served up to you.

To get your first heaping helping, just fill out and return the attached reply card. No postage necessary.

NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES

**BUSINESS REPLY CARD**  
FIRST CLASS PERMIT NO. 1 PROSPECT, KY

POSTAGE WILL BE PAID BY ADDRESSEE

**RAINBOW**  
The COLOR COMPUTER MONTHLY MAGAZINE

**The Falsoft Building**

**P.O. Box 385**

**Prospect, KY 40059-0385**

NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES

**BUSINESS REPLY CARD**  
FIRST CLASS PERMIT NO. 1 PROSPECT, KY

POSTAGE WILL BE PAID BY ADDRESSEE

**RAINBOW**  
The COLOR COMPUTER MONTHLY MAGAZINE

**The Falsoft Building**

**P.O. Box 385**

**Prospect, KY 40059-0385**

## Use our 800 number!

For credit card orders, you may want to phone in your subscription. Our credit card order number is (800) 847-0309, 8 a.m. to 5 p.m. EST. All other inquiries please call (502) 228-4492.

We accept VISA, MasterCard and American Express.

Subscriptions to **THE RAINBOW** are \$31 a year in the United States. Canadian rate is \$38 (U.S. funds only). Surface rate elsewhere is \$68 (U.S.). Airmail is \$103 (U.S.). All subscriptions begin with the current issue. Please allow 6 to 8 weeks for the first copy. Kentucky residents add 5% sales tax. In order to hold down non-editorial costs, we do not bill.

## Send Me Rainbow Magazine!

Here's your chance to have a Pot O' Gold full of programs, articles and information about CoCo every month of the year!

As the premier magazine for the Tandy Color Computer, **THE RAINBOW** has more of everything — and greater variety, too. Do yourself and your CoCo a favor and subscribe to **THE RAINBOW** today!

YES! Sign me up for a year (12 issues) of **THE RAINBOW**.

☐ NEW ☐ RENEW (attach label)

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

☐ Payment Enclosed (payment must accompany order)

Charge: ☐ VISA ☐ MasterCard ☐ American Express

Account Number \_\_\_\_\_

Signature \_\_\_\_\_ Card Expiration Date \_\_\_\_\_

## Our 800 number is also good for ordering RAINBOW ON TAPE or RAINBOW ON DISK!

Just call (800) 847-0309 anytime from 8 a.m. to 5 p.m. EST. Credit card orders only. Subscriptions to **RAINBOW ON TAPE** are \$80 a year in the United States, \$90 (U.S. funds) in Canada and \$105 (U.S.) in all other countries.

**RAINBOW ON DISK** is \$99 a year in the United States, \$115 (U.S.) in Canada and \$130 (U.S.) in all other countries.

Individual issues of **RAINBOW ON TAPE** are \$10 in the U.S., \$12 (U.S.) in Canada and all other countries. Individual issues of **RAINBOW ON DISK** are \$12 in the U.S., \$14 (U.S.) in Canada, and \$16 (U.S.) in all other countries. Kentucky residents please add 5% sales tax.

**RAINBOW ON TAPE** and **RAINBOW ON DISK** are not stand-alone products; you need the magazine for loading and operating instructions and the necessary documentation. **THE RAINBOW** magazine is a separate purchase.

## Give Your Fingers A Break!

YES! Sign me up: ☐ NEW ☐ RENEW (attach label)

☐ RAINBOW ON TAPE

☐ RAINBOW ON DISK

(Available beginning with the October 1986 issue)

☐ A Full Year ☐ Single Issue (specify month & year) \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

☐ Payment Enclosed (payment must accompany order)

Charge: ☐ VISA ☐ MasterCard ☐ American Express

Account Number \_\_\_\_\_

Signature \_\_\_\_\_ Card Expiration Date \_\_\_\_\_

```


1710 IFFF>0THENBR=BR-1:GOTO1760
1712 IFP=2ANDA=2AND01=2THENBR=BR
+5
1715 IFP=3ANDA=1THENBR=BR+5
1718 IFP=0ANDA=0THENBR=BR+5
1721 IFP=1ANDA=3THENBR=BR+5
1724 IFOT AND1THENBR=BR+1
1727 IFOT AND2THENBR=BR+1
1730 IFOT AND4THENBR=BR+1
1733 IFOT AND8THENBR=BR+1
1736 IFOT AND16THENBR=BR+1
1739 IFOT AND32THEN1742ELSEIFP=3
THENBR=BR+1
1742 IFOT AND64THENBR=BR+1
1745 IFOT AND128THENBR=BR+1
1748 IFOT AND256THENBR=BR+1
1751 IFOT AND512THENBR=BR+1
1754 IFOT AND1024THENBR=BR+1
1760 IFFF=1THENSREEN1,0:GOSUB30
4ELSEGOSUB3100
1770 OT=0:01=0
1800 IFA=3THEND$=MID$(A$(A),4,5)
ELSEDS=A$(A)
1801 IFP=0ORP=1THENDU$=LEFT$(P$(
P),8)ELSEIFP=3THENDU$=LEFT$(P$(P
),6)ELSEDU$=P$(P)
1802 IFFF=1THENFSP$(FP-1,0)=D$:FP
$(FP-1,1)=DU$:FP(FP-1)=PC:GOTO18
06ELSESP=SP+1:SP$(SP-1,0)=D$:SP$

```

```


(SP-1,1)=DU$:SP(SP-1)=PC:A$(A)="
":P$(P)=""
1806 IFFP=0THEN1856
1808 CLS:PRINT@5,"USETOWN PROJEC
T REPORT":PRINTSTRING$(32,61):;P
RINT"INCOMPLETE PROJECTS:":PRINT
"region project cost"
1810 IC=0:FORD=0TOFP-1:PRINTFP$(
D,0);TAB(10)FP$(D,1);TAB(20):;PR
INTUSINGFM$;FP(D):;IC=IC+FP(D):N
EXT
1812 PRINT@320,STRING$(32,61):;P
RINT@352,"TOTAL COST OF":PRINT@3
84,"INCOMPLETE PROJECTS:":;PRINT
USINGFM$;IC
1814 PRINT@448,"PRESS ANY KEY TO
VIEW":D=USR9(1472):PRINT@480,"T
HE NEXT PAGE OF THIS REPORT...";
:D=USR9(1504):GOSUB304
1856 CLS:PRINT@5,"USETOWN PROJEC
T REPORT":PRINTSTRING$(32,61):;P
RINT"COMPLETED PROJECTS:":PRINT
"region project cost"
1857 IFSP=0THEN1862
1858 RT=0:FORD=0TOSP-1:PRINTSP$(
D,0);TAB(10)SP$(D,1);TAB(20):;PR
INTUSINGFM$;SP(D):;RT=RT+SP(D):N
EXT
1862 PRINT@256,STRING$(20,61):PR

```



# HOLIDAY SPECIALS

from The Computer Center



## Hardware

- 2 Drive System(2 DSDD Drives in one case) ————— \$329.95
- Drive 1 Upgrade(1 DSDD for your 26-3129,3131, or 3135) Specify Catalog# when ordering !! ————— \$119.95
- Drive 0-SSDD Full Height ————— \$199.95
- Drive 1-SSDD Full Height ————— \$125.95
- COCO 3 512K Upgrade(New Low Price)-\$99.95
- COCO 3 Keyboard ————— \$34.95

\*Specify R.S. or Disto  
Controller.

ALL DISK DRIVES  
CARRY A 90 DAY  
WARRANTY.

**Epson LX-800  
Printer**  
**\$209.95**

180 CPS - DRAFT  
30 CPS - NLD  
3K BUFFER  
REQUIRES SERIAL TO  
PARALLEL INTERFACE

## Software & Misc.

- ADOS - \$29.95
- COCO Graphics Designer ————— \$29.95
- Art Deli(440 Pix on 10 disks) ————— \$99.95
- Monitor Interface ————— \$29.95
- Serial to Parallel Converters ————— \$54.95
- FKEYS III - \$19.95
- Telewriter 64 - \$59.95
- Gauntlet - \$28.95
- Disto Super Controller ————— \$99.95
- COCO in Stitch (X-Stitch Patterns)- \$ 3.95
- ADOS 3 - \$39.95
- Sixdrive - \$19.95
- COCO-Util - \$39.95
- Pyramid - \$24.95

# The Computer Center

5512 Poplar Ave. Memphis, TN 38119 901-761-4565

Add \$4.90 for Shipping & Handling. VISA, Master Card, & Money Orders Accepted.  
Allow 3 Weeks for personal checks, NO CODS. Prices may change without notice.

IF YOU DON'T SEE  
IT, ASK US !



```

INT@288,"INCOMPLETE PROJECTS:":;:
PRINTUSINGFM$;IC
1864 PRINT@340,STRING$(12,45);:P
RINT@361,"TOTAL COST:":;:PRINTUSI
NGFM$;IC+RT
1866 PRINT@396,"BALANCE:":;:PRINT
USINGFM$;14000000-(IC+RT)
1867 IFFP=0GOSUB300:GOTO1872
1868 PRINT@448,"PRESS P TO VIE
W PREVIOUS PAGE,";:D=USR9(1472):
PRINT@480," ANY OTHER KEY TO CO
NTINUE...";:D=USR9(1504)
1870 POKE282,255:D$=INKEY$:IFD$=
""THEN1870ELSEIFD$=CHR$(95)THENC
LS:RUNELSEIFD$="P"THENPLAYS$:GOT
O1806ELSEPLAYS$
1872 IF14000000-(IC+RT)<0THEN192
0ELSEIFFP=6THEN1930ELSEIFFSP<4THE
N1006
1910 CLS:PRINT@37,"YOU HAVE DEVE
LOPED ALL          FOUR AREAS IN T
HE USETOWN          ANNEX. WE RATE
YOUR JOB            PERFORMANCE:":P
RINT:FORDE=1TO3000:NEXT
1911 PRINTTAB(9)"EXCELLENT":PRIN
TTAB(14)"GOOD":PRINTTAB(11)"AVER
AGE":PRINTTAB(14)"FAIR":PRINTTAB
(14)"POOR"
1915 GOSUB320:SOUND89,1:PRINT@34
0,"*";:IFBR>9THENGOSUB320:PRINT@
340," ";:SOUND125,1:PRINT@308,"*
";:IFBR>18THENGOSUB320:PRINT@308
," ";:SOUND147,1:PRINT@276,"*";
1916 IFBR>27THENGOSUB320:PRINT@2
76," ";:SOUND176,1:PRINT@244,"*
";:IFBR>35THENGOSUB320:PRINT@244
," ";:SOUND189,1:SOUND193,1:PRINT
@212,"*";
1917 IFBR<19THENFORDE=1TO2000:NE
XT:PRINT@387,"YOUR SERVICES ARE
NO LONGER          REQUIRED. YOU'RE
FIRED."
1918 GOSUB300:GOTO1950
1920 CLS:PRINT@35,"YOU OVERSPENT
YOUR BUDGET.      IF YOU HAVE THE
GOOD GRACE TO     SEEK OTHER EMPL
OYMENT, WE        WON'T HINDER YO
UR EFFORTS.       WILL YOU LOOK F
OR ANOTHER JOB?":GOSUB300:IFD$="
Y"THEN1950ELSE1940
1930 CLS:PRINT@35,"TOO MANY PROJ
ECTS HAVE          FAILED.":PRINT:
PRINT"          EVEN THOUGH IT IS NOT A
LL          YOUR FAULT, SOMEONE MUST
TAKE          RESPONSIBILITY. DO YOU W
ISH          TO LOOK FOR A DIFFERENT J
OB?":GOSUB300:IFD$="Y"THEN1950
1940 PRINT@357,"SORRY - YOU'RE F
IRED!":GOSUB300
1950 CLS:PRINT@259,"DO YOU WANT
TO PLAY AGAIN?":GOSUB300:IFD$="Y
"THENRUN202ELSE1950
1999 END
2010 CLS:PRINT@66,"WHICH DO YOU
PLAN TO BUILD?":PRINT@131,"1. A
SPORTS RECREATION AREA":PRINT@16
3,"2. NATURAL AREA PARK":MX=2:GO
SUB314:O1=D:RETURN
2014 DE=RND(30)*1000+10000:PRINT
"          DELAYS COST MONEY. THIS
          DELAY COSTS YOU":;:PRINTUSING"$
###,###.":DE:PC=PC+DE:RETURN
2020 CLS:PRINT@35,"DO YOU WISH T
O CONTROL THE      EMISSIONS FROM
THE INCINERATOR AT A COST OF $8
0,000?":GOSUB300:RETURN
2030 CLS:PRINT@64,STRING$(32,35)
:PRINT@352,STRING$(32,35):PRINT@
96," ":GOSUB340:RETURN
2040 CLS:PRINT@96,STRING$(32,42)
:PRINT@320,STRING$(32,42):PRINT@
165," ";:GOSUB340:GOSUB300:RETURN
2050 IFA<3THEND$=D$+A$(A)+".ELS
ED$=D$+RIGHT$(A$(A),10)+".
2052 CLS:PRINT@64,STRING$(32,35)
:PRINT@352,STRING$(32,35):PRINT@
96," ":GOSUB340:GOSUB300:RETURN
2070 CLS:PRINTSTRING$(32,DE):FOR
D=32TO416STEP32:PRINT@D,CHR$(DE)
:PRINT@D+31,CHR$(DE);:NEXT:PRINT
@448,STRING$(32,DE);:PRINT@112-L
EN(D$)/2,D$;:PRINT@173,"AWARD";:
PRINT@202,STRING$(11,45);:PRINT@
292,"TO THE CITY PLANNER FOR";
2071 PRINT@368-LEN(DU$)/2,DU$;:G
OSUB300:RETURN
2100 END
3000 DIMG1(4),L$(27),G2(3),G4(3)
,G3(6)
3005 RQ$="NU5R3BU2U2R1D2BD2R3U4R
1D4R2NR4U4R5D4R3NU5E3U6G3L18E3R1
7U6H1U5L2D5G1D5R1U5R1NU4ND5R1D5"
3007 LQ$="R1E4F1E2NF3U1E2R2E1R2N
F2H1U1E1R1F3R1F1R1E1R2F3F2F1D1NF
3BD1BL1H1L2G1L1L1G1BE2BU1U1H1NE1L2
G4NL2BE2U1H1L1H1L1G2NF1H1L1G2BH6
R1BE3R1BE3BR6R1BF2BR3R1BF4R1"
3010 MQ$="NU7R=QQ;NR7U4R2ND3R2ND
3R2ND3R2D4R=QQ;NU7E7U8L=QQ;L8L=Q
Q;G7R1R=QR;D2NR21U7R2NR19BD2ND3F
2E2D3BR2U1NR2U1E1R1F1D2BR2NU3R2B
R2NU3R2BR2ND1NU4R2R=QR;E7"
3015 PQ$="NU3R6BU2U2R1D2BD2R2U4R
1D4R3NU4E5U3E1L1H1U6L1D5H1U1H1U1
G5L1NE5G1L3G5R3E1R1E1R1E1U1E2D1F
1D1F3E4"
3018 WI$="BU2U2BU4U2R1D2BD4D2BD2
R2":NQ$="NU11R2XWI$;XWI$;U4BU4U2
R1D2BD4D4R2XWI$;XWI$;NU11E3U10E1
L1H1L2H1L2H1L3G1L2G1L2G1L1G3R1E1
R2E1R2E1R3F1R2F1R2F1R1E2"
3020 PMODE3,1:PCLS4:DRAW"BM40,20

```

```
;C2U2L3U1E3E1D1F4L3":PAINT(40,16
),2,2:GET(35,11)-(46,21),G2,G
3021 PUT(3,19)-(14,29),G2,PSET:P
UT(27,3)-(38,13),G2,PSET:PUT(47,
25)-(58,35),G2,PSET:PUT(17,27)-
(28,37),G2,PSET:PUT(51,15)-(62,25
),G2,PSET:PUT(55,4)-(66,14),G2,P
SET:PUT(74,2)-(85,12),G2,PSET:PU
T(87,16)-(98,26),G2,PSET:PUT(41,
42)-(52,52),G2,PSET
3022 PUT(23,68)-(34,78),G2,PSET:
PUT(33,55)-(44,65),G2,PSET:PUT(6
7,65)-(78,75),G2,PSET:PUT(83,53)
-(94,63),G2,PSET:PUT(100,41)-(11
1,51),G2,PSET:PUT(3,50)-(14,60),
G2,PSET
3025 DRAW"BM11,15;U4L2H3U1E3R1E1
F1D1F3G3L1":PAINT(11,9),2,2:GET(
7,3)-(16,15),G4,G
3026 PUT(19,12)-(28,24),G4,PSET:
PUT(15,41)-(24,53),G4,PSET:PUT(3
5,29)-(44,41),G4,PSET:PUT(45,2)-
(54,14),G4,PSET:PUT(71,12)-(80,2
3),G4,PSET:PUT(93,4)-(102,15),G4
,PSET:PUT(111,16)-(120,27),G4,PS
ET
3027 PUT(19,55)-(28,67),G4,PSET:
PUT(7,67)-(16,78),G4,PSET:PUT(49
,61)-(58,72),G4,PSET:PUT(65,39)-
```

```
(74,50),G4,PSET:PUT(87,29)-(96,4
0),G4,PSET:PUT(97,66)-(106,77),G
4,PSET:PUT(89,124)-(98,135),G4,A
ND
3030 CIRCLE(165,36),14,3,.4:PAIN
T(163,35),3,3:CIRCLE(213,44),16,
3,.4:PAINT(221,45),3,3:DRAW"C3BM
180,36;R4F5R4F2":PMODE4,1
3035 COLOR 0,1:LINE(0,0)-(255,18
0),PSET,B:LINE(127,0)-(127,180),
PSET:LINE(0,90)-(255,90),PSET
3040 L$(1)="U3NR4U2E2F2D5":L$(2)
="U7R3F1D1G1NL2F1D2G1L3":L$(3)="
BR4BU1G1L2H1U5E1R2F1":L$(4)="U7R
3F1D5G1L3":L$(5)="NR4U4NR2U3R4":
L$(6)="U4NR3U3R4":L$(7)="BR4BU6H
1L2G1D5F1R3U3L1":L$(8)="U7D3R4NU
3D4":L$(9)="BR1R2L1U7NL1R1":L$(1
1)="U7D4NE4R1F3"
3041 L$(12)="NU7R4":L$(13)="U7F2
E2D7":L$(14)="U7F4ND3U4":L$(15)=
"U7R4D7L4":L$(16)="U7R3F1D2G1L2"
:L$(18)="U7R3F1D2G1L2F3":L$(19)=
"BU1F1R2E1U2H1L2H1U1E1R2F1":L$(2
0)="BR2U7L2R4":L$(21)="BU1NU6F1R
2E1U6":L$(22)="BU7D5F2E2U5"
3042 L$(23)="NU7E2F2U7":L$(25)=
"BR2U3H2U2D2F2E2U2":L$(26)="BR1R1
":L$(0)="" :L$(27)="BR1BU2E3"
```

### Two-Liner Contest Winner . . .


Upon running *Frantic Fingers*, you will be prompted for the level at which you want to play. Enter a number from 1 to 400. Now, use the arrow keys to move around the screen and try to gather all the yellow blocks while avoiding the red ones. On a CoCo 3, you may need to enter PALETTE RGB before running.

#### The listing:

```
0 POKE65495,0:INPUTL:Pmode3,1:PC
LS:SCREEN1:LINE(0,0)-(255,191),P
SET,B:FORI=1TOL*3:COLOR4+2*(I<=L
),1:A=RND(60)*4:B=RND(45)*4:IFPP
OINT(A,B)=2THENI=I-1:NEXTELSELIN
E(A,B)-(A+3,B+3),PSET,BF:NEXT:X=
128:Y=96:S=0:Z=0
1 PRESET(X,Y):PSET(X,Y,4):A$=INK
EY$:Z=ASC(A$+CHR$(Z)):X=X+2*(Z=8
):X=X-2*(Z=9):Y=Y+(Z=94):Y=Y-(Z=
10):PM=PPOINT(X,Y):IFPM=2THENA=I
NT(X/4)*4:B=INT(Y/4)*4:LINE(A,B)
-(A+3,B+3),PRESET,BF:S=S+1:IFS=L
THENPRINT"W":GOTO0ELSE1ELSEIF-P
M*(Z<>0)=4THEN0ELSE1
```

Michael G. Toepke  
Oak Harbor, WA

(For this winning two-liner contest entry, the author has been sent copies of both *The Third Rainbow Book of Adventures* and its companion *The Third Rainbow Adventures Tape*.)



## DISKMASTERS, INC.

P.O. BOX 223 - RNB  
SKOKIE, IL 60076  
(312) 679-DISK

### • DISKETTES •

100% CERTIFIED ERROR-FREE  
LIFETIME GUARANTEED

#### 5 1/4 Inch BULK PRICES

100 DS/DD - 56¢/ea	.....\$ 56.00
250 DS/DD - 54¢/ea	.....\$135.00
500 DS/DD - 51¢/ea	.....\$255.00
1000 DS/DD - 49¢/ea	.....\$490.00

The above disks manufactured by BASF — but have no manufacturers labels.

All 5 1/4 in. disks complete with Tyvek Sleeves, ID Labels, Write Prot. Tabs, and Reinforced Hub Rings

Many other items available

3 1/2 in. disks SS/DD & DS/DD,

High Cap AT type disks,

Ribbons for most popular printers, printer stands, and much more.

Call or write for latest prices or our latest catalog.

Add 5% shipping & handling. Illinois residents add 7% tax.

We accept, VISA, MC, DISCOVER, Personal & Company Checks, Money Orders, & C.O.D.

```

3045 LINE(0,180)-(255,192),PSET,
BF:COLOR1,0:MS$="PRESS ANY KEY T
O CONTINUE...":MX=32:MY$="189":G
OSUB3990:COLOR0,1
3050 MS$="FARMLAND":MX=5:MY$="17
8":GOSUB3990:MS$="URBAN":MX=132:
MY$="178":GOSUB3990:MS$="WETLAND
":MX=132:MY$="88":GOSUB3990:MS$=
"FOREST":MX=5:MY$="88":GOSUB3990
3055 DRAW"BM99,126":DRAW"NU4R2BU
2U2R1D2BD2R2U4R1D4R2NU4E2U3NG1E1
H5G2NG5F4":GET(97,126)-(111,114)
,G1,G
3056 DRAW"BM78,121":DRAW"NU4R4NR
4U4R2BU4U1R1D1BD4R2D4R4NU4E3U3NG
2E1H1U2NL1NH3U7H1L2G1D3L1H1NG2L1
G4L1G3D1G1D1G1E1U1E1U1E3R1E1R1F1
R1F3D1F1D1F1"
3060 DRAW"BM175,150":DRAW"U18E1R
1E1F1R1F1R2F1D17L2NL6BU2U2BU4U2B
U4U2L1D2BD4D2BD4D2BD1BL3U3BU4U2B
U4U2L1D2BD4D2BD4D3BR8E1U17NG1L4"
:GET(175,130)-(186,150),G3,G:PUT
(184,129)-(195,149),G3,PSET:PUT(
193,132)-(204,152),G3,PSET
3099 RETURN
3100 CLS:PRINT@261,"ONE MOMENT P
LEASE . . .":IFA<>0THEN3140ELSEI
FOT AND64THEN3115ELSELINE(1,1)-(
126,80),PRESET,BF:GOTO3200
3115 IFP=3AND(OT AND32)GOTO3120E
LSEIFP=3OR01=2THENLINE(76,27)-(1
14,53),PRESET,BF:GOTO3200
3120 LINE(12,27)-(114,53),PRESET
,BF
3125 IFP=1ORP=3THENLINE(1,50)-(1
26,80),PRESET,BF
3140 IFA<>1THEN3160ELSELINE(77,1
03)-(110,135),PRESET,BF
3160 IFA<>3THEN3200ELSELINE(175,
129)-(204,152),PRESET,BF
3200 IFA=0THENX=1:Y=1ELSEIFA=1TH
ENX=1:Y=91ELSEIFA=3THENX=128:Y=9
1
3205 DRAW"BM=X; ,=Y;":IFP<>0THEN3
300ELSEIFOT AND4THEN3250ELSEIFA=
2THEN3225ELSEX=X+10:Y=Y+12:FORD=

```

```

1TO2:FORD1=0TO5:PUT(X+D1*18,10+Y
+15*D)-(X+D1*18+14,10+Y+15*D-12)
,G1,AND:NEXTD1:NEXTD
3215 IFOT AND1024THENX=X-7:Y=Y+2
3:FORD=1TO7:PUT(X,Y)-(X+9,Y+12),
G4,AND:X=X+18:NEXTD:GOTO3300ELSE
GOTO3300
3225 PUT(133,40)-(147,28),G1,AND
:PUT(234,48)-(248,36),G1,AND:PUT
(144,53)-(158,41),G1,AND:PUT(163
,55)-(177,43),G1,AND:PUT(182,58)
-(196,46),G1,AND:PUT(201,63)-(21
5,51),G1,AND:PUT(220,61)-(234,49
),G1,AND:PUT(150,29)-(164,17),G1
,AND
3226 PUT(169,28)-(183,16),G1,AND
:PUT(188,34)-(202,22),G1,AND:PUT
(207,33)-(221,21),G1,AND:PUT(226
,36)-(240,24),G1,AND
3230 IFOT AND1024THENX=128:Y=7:G
OTO3555ELSEGOTO3300
3250 IFA=2THEN3255ELSEDRAW"BM+15
,+43;XNQ$;BM+15,+21;XNQ$;BM+19,+
9;XNQ$;"
3252 IFOT AND1024THENFORD=0TO3:P
UT(X+D*36+3,Y+37)-(X+D*36+12,Y+4
9),G4,PSET:NEXTD:GOTO3300ELSEGOT
O3300
3255 DRAW"BM192,33;XNQ$;BM147,60
;XNQ$;BM213,68;XNQ$;"
3260 IFOT AND1024THENX=128:Y=9:G
OTO3555
3300 IFP<>1THEN3400
3305 IFOT AND8THENQQ=38:QR=30:DR
AW"BM+18,+45;"ELSEQQ=18:QR=10:DR
AW"BM+38,+45;"
3310 IFA=2THENDRAW"BM+128,+23;XM
Q$;":IFOT AND1024THENX=128:Y=9:G
OTO3555ELSE3400
3315 DRAW"XMQ$;"
3320 IFOT AND1024THEN3555
3400 IFP<2ORP>3THEN3700ELSEIFOT
AND32THEN3550ELSEIFA=0ORA=1THEND
RAW"BM+83,+48"ELSEIFA=2ANDP=2THE
NDRAW"BM+167,+60;"ELSEIFA=2ANDP=
3THENDRAW"BM+215,+30"ELSEIFA=3TH
ENDRAW"BM+46,+70"
3402 IFOT AND32THEN3550
3425 IFP=2THENDRAWPQ$ELSEIFP=3TH
ENDRAWRQ$
3430 IFOT AND1024THENX=PEEK(200)
:Y=PEEK(202)-2:PUT(X+5,Y)-(X+16,
Y+10),G2,PSET:GOTO3700ELSEGOTO37
00
3550 DRAW"BM+50,+50;XLQ$;"
3555 IFOT AND1024THENFORD=1TO6:P
UT(X+16*D,Y+60)-(X+16*D+11,Y+70)
,G2,PSET:NEXTD
3700 IFA=0THENMX=47:MY$="88"ELSE
IFA=1THENMX=61:MY$="178"ELSEIFA=
2THENMX=181:MY$="88":ELSEIFA=3TH

```

Put away your manuals!


## The Comprehensive Color Computer Anti-Clutter Kit

is here!

Two Books In One!

- Information on CoCo 1, 2, 3 commands
- Keyboard templates and stickers
- Space for writing program notes
- ASCII tables • Graphic codes • Error messages • Sound & Play tables • More!

TO ORDER: Send \$9.95 check or money order to: Eric Ackley, c/o Heritage House Lithographers, P. O. Box 629, Wharton, Texas 77488. (409) 532-4410. Please allow 4-6 weeks for delivery.



```

ENMX=167:MY$="178"
3705 IFP=0THENMS$="/HOUSING"ELSE
IFP=1THENMS$="/SHOPPING"ELSEIFP=
2THENMS$="/PARK"ELSEIFP=3THENMS$
="/WASTE"
3710 GOSUB 3990
3900 SCREEN1,0
3901 GOSUB304:X=0:Y=0:RETURN
3990 FORDU=1TOLEN(MS$):CH=ASC(MI
D$(MS$,DU,1))-64:IFCH=-18THENCH=
26ELSEIFCH=-17THENCH=27ELSEIFCH<
0ORCH>27THENCH=0
3991 DRAW"BM"+STR$(MX)+","+MY$+"
;XL$(CH);":MX=MX+7:NEXT DU:RETUR
N
4000 CLS:PRINT@35,"YOU ARE THE C
ITY PLANNER FOR THE CITY OF
USETOWN, IOWA. YOUR CITY HAS R
ECENTLY ANNEXED, OR ADDED, A NEW
PARCEL OF LAND WHICH INCLUDES
FOREST, FARM- LAND, WETLAND,
AND AN URBAN RENEWAL AREA.":
PRINT
4002 PRINT" YOU HAVE RECEIVED
A GOVERN- MENT GRANT OF $14 MI
LLION ($14,000,000) TO DEV

```

```

ELOP THIS LAND.":GOSUB300
4004 PRINT@35,"YOUR JOB IS TO DE
VELOP HOUSING, A PARK, A
SHOPPING CENTER, AND A SOLID
WASTE DISPOSAL FACILITY."
:PRINT
4006 PRINT" YOU HAVE ONLY $14
MILLION TO WORK WITH. THE C
OST FOR EACH TYPE OF DEVELOP
MENT WILL DIFFER DEPENDING ON
WHERE YOU WANT TO PUT IT.":GOS
UB300
4008 PRINT@35,"FOR EXAMPLE, BUIL
DING HOUSES IN THE FOREST MIGHT
NOT COST THE SAME AS BUILDIN
G HOUSES ON THE FARMLAND.":P
RINT:PRINT" ONCE YOU BEGIN TO
DEVELOP AN AREA THERE IS NO
TURNING BACK.":PRINT
4010 PRINT" TRY TO STAY WITHIN
YOUR BUDGET. PLANNERS WH
O GO OVER THEIR BUDGETS OFTEN
LOSE THEIR JOBS. GOOD LUCK!"
:GOSUB300:RETURN
63999 PMODE0:PCLEAR1:GOTO2

```

## J&R ELECTRONICS

### Easy, Solderless Installation

#### "JramR"

512K COCO 3 Memory Expansion Board. Upgrades stock 128K COCO 3 to full 512K for OS9 Level II. Similar to RS upgrade.

Now partner...reach for your

## SIXDRIVE!

With purchase of a BANKER II or JramR you can have a #9008 **SIXDRIVE**

for only **\$995**

**SIXDRIVE** is a machine language utility that modifies Disk Extended Basic 1.0, 1.1, or FKEYS III to allow the use of 3 double sided drives as 6 single side drives without **ANY** hardware modifications.

**FEATURES** two different drive select assignments:

(1) [0,2] [1,3] [4,5] (2) [0,1] [2,3] [4,5]

Ramdisk is compatible with GIMMESOFT's **SIXDRIVE**

Made in U.S.A.

Complete Hardware & Software

#### COCO 3 ONLY

#1010	\$39.95	JramR bare board plus connectors and software
#1011	\$79.95	JramR kit includes all parts plus memory chips and software
#1012	\$99.95	JramR assembled and tested plus memory chips and software
#1013	\$19.95	JramR S/W deluxe customizable ramdisk & spooler, memory test, and ramdisk utility programs. Compatible with all CoCo 3 512K.
#1014	\$49.95	JramR 0K bytes (#1012 less memory chips)

Readily available: User Replaceable Socketed Memory Chips, no hard-to-find SIP memories.

To place an order, write to J&R Electronics, P.O. Box 2572, Columbia, MD 21045, OR call (301) 987-9067—Jesse or (301) 788-0861—Ray.

HOURS: Weekdays 7 p.m.-9 p.m.; Sat. Noon-5 p.m. EASTERN TIME, usually, if no answer try later.

Add \$4.00 shipping & handling (FOREIGN ORDERS \$7.00), COD charge \$3.00. Maryland residents add 5% state tax. Foreign orders must include payment on U.S. bank.

CHECKS, MONEY ORDERS OR COD's only please (personal check—2 weeks for clearance), IMMEDIATE DELIVERY. Give COCO Radio Shack model # (i.e. 26-3136). Disk or Tape when ordering.

QUANTITY DISCOUNT AVAILABLE. For information on shipping or previously placed orders call (301) 788-0861. COCO II 26-31XX owners call (soldering experience may be required).

Refer to back issues of RAINBOW for other products.



R.A.D. Products  
194 Hotchkiss Street  
Jamestown, NY 14701  
(716) 665-2124

#### R.A.D. Products Presents TEXTFORM

Finally, a versatile text formatter is available for the Color Computer. TEXTFORM is compatible with all models with at least 64K, even the Color Computer III. This machine language program will format ASCII text files into two column pages quickly and easily. Text may be left unmodified, or simply insert special formatter commands for added control. TEXTFORM is a versatile enhancement to any word processing system whether you are a casual or professional user.

#### Software supports:

- Output to printer or disk
- Most popular printers
- Adjustable format parameters
- Columnar data
- Multiple page titles
- Optional page numbering
- Large files (up to a full disk)

TEXTFORM comes with complete documentation as well as sample format examples. Onscreen parameter display takes the guesswork out of format settings. Customized parameters may be saved to disk and reloaded for future use, thus eliminating mistakes and configuration time. Special printer codes and baud rate settings are software selectable. TEXTFORM is programmed in a high resolution environment which incorporates pull-down menus for ease of use. The software also supports auxiliary peripheral input from joysticks, mouse, touchpad, and high resolution input pack for added program control.

This is not another word processor. There are many fine word processors on the market for the Color Computer. TEXTFORM is a user definable two column text formatter. If you are looking for a program which will allow your Color Computer to create professional looking documents without hours of tedious work, then TEXTFORM is the answer.

#### Ideal for:

- School newspapers
- Club newsletters
- Business reports
- Bulletins
- Advertisements
- Program listings
- And much more...

#### System requirements:

- Color Computer (64K minimum)
- Disk drive
- Printer

TEXTFORM.....\$34.95

R.A.D. Products  
194 Hotchkiss St.  
Jamestown, NY 14701  
(716) 665-2124

Terms: Check, Money Order, C.O.D.  
NY residents add 7% sales tax  
C.O.D. orders add \$3.00  
All orders add \$3.00 for shipping  
All orders shipped within 24-48 hours  
Express shipping available by request

# NOVICES NICHE



THE RAINBOW is a teaching environment and we realize that the majority of our readers will always be beginners. In our continuing effort to always keep the new user in mind, and in addition to the many beginner feature articles and programs published in every issue, "Novices Niche" contains shorter BASIC program listings that entertain as well as help the new user gain expertise in all aspects of the Color Computer: graphics, music, games, utilities, education, programming, etc.

## Beginners Blockbuster

### Music

#### From Scales to Mozart

By Gip Wayne Plaster

16K  
ECB

Using four major loops and three PLAY statements, you can make one short program produce almost three minutes of music. That's what I did with MUS1. But that's not all I wanted to do. I wanted to improve the program and give you some pointers on music programming at the same time. Thus, MUS2 was born.

Notice that in MUS1 most of the lines are played at least twice. Here are some tips I used to make my program better. You should follow them in your music programs, too:

- 1) Use loops. One line can be played as many times as you like, but listen to your music — if it sounds too *repetitious*, cut down the loop a bit.
- 2) Use short lines. If a line is short, it is easier to edit, and easier for others to type without getting lost.
- 3) Make sure to tie things in. If the last note of a line is D, try to make the next note the program plays either a D, C or E (unless you are branching out in experimental directions).
- 4) Follow every PLAY statement with a semicolon to make the music sound smoother.
- 5) Don't clutter the program with unnecessary things, as is true for any program.

Sounds simple, doesn't it? It is. Now apply these tips and write your own music program. See how short and entertaining my second program is? It's a lot better than running up and down the scale as I did with MUS1. Music programs are

the easiest kinds of programs to write — there are no real rules. Go ahead and try it.

#### Listing 1: MUS1

```
10 CLS
20 FORL=1TO1000:NEXTL
30 PLAY"O3;"
40 FORD=1TO2
50 FORC=1TO2
60 IFC=1THENFORA=1TO2
70 PLAY"T5;L4;CCDDDEEEFFFFGGGAAA
BBBAGFEDCDEFGBAAABBCCDCDCDEDED;L
1;ED;"
80 IFC=1THEN NEXTA
90 IFC=2THENFORB=1TO2
100 PLAY"L1;CDEDC;L2;DEDC;L4;DED
CDEDCDEDCDEDCDEDCDDDEEECCC;"
110 IFC=2THEN NEXTB
120 NEXTC
130 PLAY"CDDDEEEFFFFGGGGFEDCDE
FGGGFFFGFGFGGGFFGGGGFFGG;"
140 PLAY"O1;"
150 NEXTD
```

#### Listing 2: MUS2

```
10 CLS
20 PRINT@204,"*MUSIC*"
30 PRINT@227,"WRITTEN BY GIP W.
PLASTER"
40 FORL=1TO500:NEXTL
```

```

50 PLAY"02;T5;L16;DDDDCCCCDDDDDEE
EEFFFFGGGGFFFFEEEEDDDDCCCCDDDDDEE
EEDDDDEEEFFFGGGGFEEEDDCC;"
60 PLAY"L8;DEFGFEDCDEFGFED;L4;CD
EFGFEDC;L2;DEFG;L1;FEDCC;"
70 PLAY"T8;L1;DDEEFFGGFFGGDDDEECC
FCDECCGGFDECCCEFGGFCDECFGGGDECF
G;"
80 FORA=1TO2
90 PLAY"T5;L2;GGDDGGEEFFDDGGCC;L

```

```

4;GFEDCDEFGFEDCDEFFGGDDCCEEFF;"
100 NEXTA
110 PLAY"L1;EDC;01;GFEDCBA;"
120 PLAY"L4;CDEFGFEDCDEFGFDECCDE
FGGFDECCDEFFFFDEFGCDEFFGFFCDEEFG
CCDED;"
130 PLAY"L2;DEFGFEDCDDEEFFGGFFFF
EEEEDDDDCCCCDDDDDEEEFFFGGGGFEDC
CCDEFGFDECFEG;"
140 PLAY"L1;FED;T2;EFGFFF"

```

## Graphics

### Laying It on the Line

By Keiran Kenny

*Linedraw* is a short graphics program that lets you draw lines anywhere on the screen, at any angle.

You begin with a flashing cursor in the center of the screen. Press an arrow key (just once) and the cursor will move in the arrow direction. Press another arrow key to change direction, or any other key (except 1 or 2) to stop movement.

Press 1 to set the beginning of a line. Move the cursor to where you want your line to end, and then press 2 to draw it. The flashing cursor will remain at the end of your line, waiting for your next move.

The listing: LINEDRAW

```
0 'TENLINER': BY KEIRAN KENNY,
```

16K  
ECB

THE HAGUE, 1987.

```

10 PMODE4,1:COLOR0,5:PCLS:SCREEN
1,1
20 X=128:Y=96
30 PSET(X,Y,0):FORD=1TO30:NEXT:P
SET(X,Y,5):FORD=1TO30:NEXT
40 IFP=94THENY=Y-1:IFY<0THENY=0
50 IFP=10THENY=Y+1:IFY>191THENY=
191
60 IFP=8THENX=X-1:IFX<0THENX=0
70 IFP=9THENX=X+1:IFX>255THENX=2
55
80 IFP=49THENH=X:V=Y
90 IFP=50THENCOLOR0:LINE(H,V)-(X
,Y),PSET
100 P=PEEK(135):GOTO30

```

### CoCo's Daring Flying Machine

By John Musumeci

Learn the secrets of flight and animation with *Airplane*. The program draws an airplane flying through the air with the greatest of ease.

The listing: AIRPLANE

```

10 PMODE 3,1
20 SCREEN 1,0
30 PCLS
40 DRAW "BM35,80;E15;R185;G15;L1
85"
50 DRAW "BM40,110;R185;G8;L185;E
8"
60 DRAW "BM48,75;D35"
70 DRAW "BM50,75;D35"
80 DRAW "BM63,70;D40"
90 DRAW "BM65,70;D40"

```

16K  
ECB

```

100 DRAW "BM93,75;D35"
110 DRAW "BM95,75;D35"
120 DRAW "BM108,70;D40"
130 DRAW "BM110,70;D40"
140 DRAW "BM140,75;D35"
150 DRAW "BM142,75;D35"
160 DRAW "BM155,70;D40"
170 DRAW "BM157,70;D40"
180 DRAW "BM185,75;D35"
190 DRAW "BM187,75;D35"
200 DRAW "BM200,70;D40"
210 DRAW "BM202,70;D40"
220 DRAW "BM125,105;M68,108;U23;
F13;BM68,102;M125,85"
230 CIRCLE (125,95),10
240 DRAW "BM117,90;D10;BR15;U10"
250 DRAW "BM100,130;H15"
260 DRAW "BM100,130;E15"
270 DRAW "BM150,130;H15"
280 DRAW "BM150,130;E15"
290 DRAW "BM100,130;R50;D2;L50;U

```

```

2"
300 CIRCLE (100,130),5
310 CIRCLE (150,130),5
320 P$="C3;BM125,95;R2;D2;L2;U2;
BL4;U25;R8;D50;L8;U25"
330 DRAW "A0"+P$
340 GOSUB 420
350 DRAW "A1"+P$
360 GOSUB 420
370 DRAW "A2"+P$

```

```

380 GOSUB 420
390 DRAW "A3"+P$
400 GOSUB 420
410 GOTO 320
420 FOR I=0 TO 5
430 NEXT I
440 DRAW "C1;BM125,95;R2;D2;L2;U
2;BL4;U25;R8;D50;L8;U25"
450 RETURN

```

## CoCo Cuddler

By Bernice Shoobs

The cold is upon us, and winter storms can be fierce. Here is CoCo 3 to the rescue with a winter quilt and a cuddly companion to make your long January nights a little warmer.

The listing: PLAID

```

10 REM ***PLAID***
20 REM BY: BERNICE M. SHOOPS
30 REM CLIFTON, NEW JERSEY
40 'I'VE WOVEN A WARM PLAID BLAN
KET FOR YOU
50 'FOR THESE CHILLY WINTER EVEN
INGS AHEAD
60 'IF YOU DON'T LIKE TO CUDDLE
UP ALONE
70 'I'VE SENT MY VERY BEST FRIEN
D TO KEEP YOU COMPANY.
80 PMODE 3,1
90 PCLS
100 SCREEN 1,1

```

CoCo 3

```

110 FOR X=0 TO 250 STEP 4
120 FOR Y=0 TO 250 STEP 6
130 LINE (X,Y)-(Y,X),PSET,B
140 NEXT Y,X
150 PALETTE 11,56
160 COLOR 7,6
170 FOR X=64 TO 144 STEP 4
180 FOR Y=144 TO 64 STEP -6
190 LINE (X,X)-(Y,Y),PSET,B
200 NEXT Y,X
210 CIRCLE(108,46),3,,.75
220 CIRCLE(106,40),16,,1
230 CIRCLE(102,38),5,,1.5
240 CIRCLE(112,38),5,,1.5
250 CIRCLE(92,28),9,,.75,.30,.95
260 CIRCLE(120,28),9,,.75,.55,.3
0
270 CIRCLE(108,44),8,,1,.12,.40
280 CIRCLE(120,64),14,,1.3,.75,.
06
290 CIRCLE(92,64),14,,1.3,.50,.7
5
300 LINE(118,58)-(122,64),PSET
310 LINE(94,58)-(90,64),PSET
320 GOTO 320

```

## Games

## Back to Square One

By Louis Martinez

16K  
ECB

*Puzzle* is like those plastic games you used to dig from the depths of the cereal box — the kind where the letters were scrambled and you had to perform all sorts of maneuvers to get that 'A' up there in Square One and the rest of the letters to fall into place. Usually everything went well until you reached 'P'. Then it seemed nothing would fit; to get 'P' into place, you lost 'O', etc.

Now that you are older and the proud owner of a keener mind and a Color Computer, this mental exercise should present no challenge, right? We'll see. Type in *Puzzle*, use the arrow keys to rearrange the letters, and see if you can get back to Square One.

The listing: PUZZLE

```

10 CLS0
20 '***DEFINE LETTER ARRAY***
30 A=65
40 FOR R=1 TO 5

```

# DIGISECTOR DS-69B **NEW** VIDEO DIGITIZER FOR THE COCO 3

(AND ALL OTHER COCOS...)

**SUPER  
RESOLUTION !!!**



COCO 3 SCREEN

## USE YOUR COCO 3 TO ITS FULL POTENTIAL!

Use The Micro Works' DIGISECTOR™ DS-69 or DS-69B and your COCO 3's high resolution graphics to capture and display television pictures from your VCR or video camera. The DIGISECTOR™ systems are the only COCO video digitizers available that accurately capture and reproduce the subtle shades of gray in TV pictures!

- **COLOR:** Add color to your screen for dramatic special effects.
- **HIGH RESOLUTION:** 256 by 256 spatial resolution.
- **PRECISION:** 64 levels of grey scale.
- **SPEED!** 8 images per second on DS-69B, 2 images per second DS-69.
- **COMPACTNESS:** Self contained in a plug-in Rompack.
- **EASY TO USE:** Software on disk will get you up and running fast!
- **COMPATIBLE:** Use with a black and white or color camera, a VCR or tuner.
- **INEXPENSIVE:** Our low price puts this within everyone's reach.

## POWERFUL C-SEE 3.3 SOFTWARE

This menu-driven software will provide 5 and 16 shades of gray to the screen and to the printer with simple joystick control of brightness and contrast. Pictures taken by the DIGISECTOR™ may be saved on disk by C-SEE 3.3 and then edited by our optional MAGIGRAPH, or by COCO MAX or GRAPHICOM. This versatile new software is included in both DIGISECTORS™



<b>DS-69B and C-SEE 3.3</b>	<b>\$149.95</b>
<b>DS-69 and C-SEE 3.3</b>	<b>\$ 99.95</b>

## TRADE IN YOUR OLD DIGISECTOR™

If you already have one of The Micro Works' DS-69 or DS-69A DIGISECTORS™, you may return it to us and we will upgrade your unit to a DS-69B.

<b>UPGRADE DS-69A to DS-69B</b>	<b>\$49.95</b>
<b>UPGRADE DS-69 to DS-69B</b>	<b>\$69.95</b>

The DS-69B comes with a one year warranty. Cameras and other accessories are available from The Micro Works.

## NO RISK GUARANTEE

If you are not completely satisfied with the performance of your new DS-69B, you may return it, undamaged, within ten days for a full refund of the purchase price. We'll even pay the return shipping. If you can get any of our competitors to give you the same guarantee, buy both and return the one you don't like. We know which one you'll keep.

```

50 FOR C=1 TO 5
60 L$(R,C)=CHR$(A)
70 GOSUB 600
80 A=A+1
90 NEXT C,R
100 R=5:C=5
110 L$(R,C)=" "
120 GOSUB 600
130 F=1
140 FOR N=1 TO 100
150 E=RND(4)
160 ON E GOTO 230,280,390,440
170 NEXT N
180 F=0
190 IF F=1 THEN 170
200 K$=INKEY$:IF K$="" GOTO 200
210 '***MOVE LEFT***
220 IF K$<>CHR$(8) THEN 270
230 IF C>=5 THEN 530
240 T=C+1
250 GOTO 310
260 '***MOVE RIGHT***
270 IF K$<>CHR$(9) THEN 380
280 IF C<=1 THEN 530
290 T=C-1
300 '***MOVE LEFT/RIGHT ROUTINE**
310 L$(R,C)=L$(R,T)
320 GOSUB 600
330 L$(R,T)=" "
340 C=T

```

```

350 GOSUB 600
360 GOTO 190
370 '***MOVE DOWN***
380 IF K$<>CHR$(10) THEN 430
390 IF R<=1 THEN 530
400 T=R-1
410 GOTO 470
420 '***MOVE UP***
430 IF K$<>"^" THEN 190
440 IF R>=5 THEN 530
450 T=R+1
460 '***MOVE UP/DOWN ROUTINE***
470 L$(R,C)=L$(T,C)
480 GOSUB 600
490 L$(T,C)=" "
500 R=T
510 GOSUB 600
520 GOTO 190
530 IF F=1 THEN 150
540 PRINT @40,"ILLEGAL MOVE";
550 FOR B=1 TO 250
560 NEXT B
570 PRINT @40,STRING$(12,128);
580 GOTO 190
590 '***DISPLAY MOVE***
600 PRINT @68+R*64+C*3,L$(R,C)+"
";
610 SOUND 10*R*C,1
620 RETURN

```

## Hit Me If You Can

By Chris Gleason

You are a blinking dot, and your job is to move (using the right joystick) directly over a stationary red dot. When you think you have done so, press the firebutton. Don't dally, though; you're working under a time limit. Pretend you are a helicopter pilot who has just a few seconds to hover directly over your target and drop some explosives. If you don't get your job done fast, the forces on the ground will have time to rally and shoot you down. If both dots move and your score increases, you succeed and a new round starts. It's not as easy as it sounds.

The listing: HITME

```

5 CLS
10 E$=CHR$(128):TIMER=0

```

16K  
ECB

```

15 FORI=1TO75:T=INT(TIMER/60):X=
T*100:Q=X/60*10:G=Q/100:G=G*5
20 PRINT@0,"score";V;:PRINT@9,"t
imer";FIX(G);
23 IF I>1 THEN 26
25 C=RND(63):D=RND(31)
26 SET (C,D,2)
30 A=JOYSTK(0):B=JOYSTK(1)
35 IF B>31 THEN B=31
40 SET (A,B,1)
45 E=A:F=B
48 RESET (E,F)
50 IF PEEK(65280)=126 OR PEEK(65
280)=253 THEN 100
55 NEXT I
60 PRINT@64,"you";E$;"did";E$;"n
ot";E$;"hit";E$;"it";E$;"in";E$;
"time";
65 PRINT@96,"total";E$;"time";IN
T(H);:FORK=1TO1000:NEXT:RUN
100 IF C=A AND D=B THEN V=V+1:H=
H+G:GOTO 5
105 GOTO 55

```

## Color Connection

by BJ Chambless



This is the most comprehensive modem package for the Color Computer!

**All are Protocols Supported** including CompuServe Protocol B, XMODEM protocol, and XON/XOFF. **Auto dial** feature for both Hayes compatible and some Radio Shack modems. You can use **all baud rates** when using the Radio Shack Deluxe RS232 program pack! Printer baud rates are selectable.

You can **print from the buffer** and files bigger than the buffer can be uploaded and downloaded. **Download direct to disk** with automatic XON/XOFF protocol! **Single key macros** allow easy entry of often-used passwords and ID's.

**Hi-Res screens** with a choice of colors are used. All printable characters available and all control characters are supported.

**RSDOS Version** includes two sets, one for CoCo I and CoCo II, the other for CoCo 3.

### OS-9 Connection 3.0:

The package includes all of the features of the RSDOS version plus runs on OS-9! Versions for both Level I and Level II are included. RS232 pak is required.

RSDOS Disk  
OS-9 Disk

\$49.95  
\$49.95

Also available from Radio Shack  
through Express Order Software



## Data Master

by BJ Chambless

### Simplify with pull-down menus

All options are available from anywhere in the program. To make it even simpler, each menu option can be invoked by a single character!

### Dialog boxes

Pop-up windows display current settings and available choices.

### Unique LIST display format

You view data in easy-to-read rows & columns. From this easy-to-read screen you may edit your data, without having to exit. Mass changes are a snap!

For even more power, use an access key to selectively display a subset of records and can change them right on the screen!

### Compatibility with OS-9 Profile & Data Bank

You won't lose any of your valuable data!

### Easy Expansion

with re-definition of records and transfer of files.

### Elements & Records:

Each record can contain up to 512 characters used within 35 elements. Elements are defined as: alphanumeric (descriptive data), math (real numbers including dollars & cents), date, and derived (formulas calculated from other elements in the same record). You can store any type of data using these field types!

### Display & Entry Screens

Design up to 9 different screen formats for data display and data entry for each data base. This is helpful for accessing your data for different purposes.

### Sorts & Selections:

Up to 9 different access keys can be defined. These are used for displaying data on the screen or selecting data for printing. You may use several levels of sorts as well as logical operators to select just the right data. A powerful generic search is also available.

### Reports:

See your data any way you want by designing your own reports! Data Master offers easy-to-use tools to design professional reports including report headings, titles, column headings, automatic page numbers, column totals, and more. Store up to 9 report formats for each data base.

### File Management

Built-in file management capabilities allow easy file manipulation for transferring data files, renaming data files, expanding data files, and more.

### Upload/Download

Data Master can read and write standard sequential files which aids in data transfer between DynaCalc and many others.

### Full keyboard ease

taking full advantage of the CoCo 3's cursor and function keys.

### OS-9 accessible

Even while operating within Data Master.

Requires OS-9 Level II,  
CoCo 3, 512K

\$64.95



## Screen Star

by Scott Cabit

Also available from Radio Shack  
through Express Order Software

Screen Star implements the popular WordStar editing capabilities. If you know WordStar you already know how to use Screen Star!

- **Edit files larger than memory** since Screen Star uses the disk as an extension of memory.
- **Block Commands** - with a keystroke you can mark the start and end of a block, then move, copy, or delete the block.
- **Cursor Movement** is easy with an array of commands to move left or right one character, or one word, or one line; scroll forward or back one line, one screen, one block; jump to the start or end of the line or the screen, block, or file.
- **Find & Find/Replace Commands** make mass changes and searches a snap.
- **Pop-Up Help Menus** are as close as a keystroke.

- **Closing Commands** let you exit the editor with or without save, and can import or export files whenever you need them.
- **Smart Speller** is included.
- **Parameter commands** personalize your environment.
- **Access the OS-9 Shell.**
- **Up to 10 functions keys** can be defined by CoCo 3 users for fast, repetitive functions.
- **Use with the Text Formatter** for a full word processing team. Simply imbed the Text Formatter commands in your Screen Star file and it will be printed in style!
- **Level 1 & Level 2** are supported and both versions are included.

Requires OS-9 Disk  
With Text Formatter

\$49.95  
\$74.95

## OS-9 Text Formatter

Also available from Radio Shack  
through Express Order Software

An easy way to get beautiful documents and letters with OS-9, Text Formatter interfaces with any editor that produces standard ASCII text files.

Features include left and right **justification**, page breaks, special spacing, automatic **pagination**, automatic **page numbering**, **centering**, **indenting**, **tabs**, and sending **escape and control codes** to your printer as well as sophisticated **headers and footers**. Special functions include **macros** for often used sequences, relative arguments, upper and lower case modes, nonprintable remarks, and more!

Requires OS-9

\$34.95

call or write today for

## FREE Catalog

### 512K COMBO Package

We've put together a combination package of everything you need to expand to 512K and priced it special to make it impossible to resist! The package includes:

- **512K Memory Board** with prime, 120 ns memory chips and easy instructions.
- **512K Ramdisk & Diagnostics** Software package for RSDOS.
- **Specifications** on the important GIME chip (plus a number of additional pages of CoCo 3 technical details that we think you'll find interesting.)

512K Combo Package  
OK Combo Package  
(no chips in board)

\$114.95  
\$ 54.95

Call or Write to:



**COMPUTERWARE** (619) 436-3512  
Box 668 • Encinitas, CA • 92024

Name \_\_\_\_\_  
Address \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
**Yes! Send me your FREE catalog!** CoCo ☐  
VISA MasterCard  
Card # \_\_\_\_\_ Exp. \_\_\_\_\_  
Signature \_\_\_\_\_

Item	Format	Price

Shipping \_\_\_\_\_ 6% Calif. Sales Tax \_\_\_\_\_  
Surface — \$2 minimum. COD Add \$5 \_\_\_\_\_  
2% for orders over \$100. Shipping\* \_\_\_\_\_  
Air or Canada — \$5 minimum. TOTAL \_\_\_\_\_  
5% for orders over \$100  
Checks are delayed for bank clearance

## Color Creator

By Adam Breindel

CoCo 3

When Tandy released the CoCo 3 with its 64 colors, most everyone celebrated, glad that graphics could be realistic without having to resort to artifacting and other complex graphics tricks.

But some CoCo 3 owners, me included, felt that some colors were missing or insufficiently represented — brown, for instance. Greedily, we wanted yet more colors and shades. I began to wonder just what kinds of video tricks could be accomplished with the CoCo 3's 640-by-192 graphics and an RGB monitor.

Through experimentation I found that colors can literally be blended onscreen, as paint can be blended to produce different colors and shades. This is done very simply by alternating pixels of one color with pixels of another. In high resolution, it is difficult for your eye and brain to separate the alternating pixel patterns, so you begin to see a new color.

My program, *Colormix*, blends colors and illustrates the programming of this process. *Colormix* requests two-digit codes for the colors you want to blend (e.g., enter '8' as "08"). It is helpful to have your color chart handy. This program works best with an RGB monitor.

The listing: COLORMIX

```
5 'Rainbow Color Mix
6 'BY ADAM BREINDEL
7 'COPYRIGHT (C) 1987
```

```
9 ON BRK GOTO 10000
10 HSCREEN 4:PALETTE 0,0:PALETTE
  1,63:HCOLOR 1,0:HCLS
20 HPRINT (10,0),"Rainbow Color
  Mix":HPRINT (12,1),"by Adam Brei
  ndel":HPRINT (14,2),"Copyright (
  C) 1987":HPRINT (2,5),"Backgroun
  d color (Mix color #1) ?":R=6
30 FOR Q=1 TO 2
40 Q$=INKEY$:IF Q$="" THEN 40 EL
  SE AA$=AA$+Q$:HPRINT (9+Q,R),Q$
50 NEXT Q
60 IF SBR=1 THEN RETURN
70 B=VAL (AA$):AA$=""
80 HPRINT (2,7),"Foreground colo
  r (Mix color #2) ?":R=8:SBR=1:GO
  SUB 30:F=VAL (AA$)
90 PALETTE 0,B:PALETTE 1,F:HCLS:
  HPRINT (31,0),"Rainbow Color Mix
  ":HPRINT (35,2),STR$(F)+" ON "+S
  TR$(B)
95 FOR Y=40 TO 60 STEP 2
100 FOR X=318 TO 330 STEP 2:HSET
  (X,Y,1):HSET (X+1,Y+1,1):NEXT X
  ,Y
110 HLINE (318,70)-(331,90),PSET
  ,BF
120 A$=INKEY$:IF A$="" THEN 120
  ELSE RUN
10000 HSCREEN 0:SCREEN0:CLS:END
```

## A Smooth Operator

By John Blochowiak

CoCo 3

*Smoothy* gives your 128K CoCo 3 a screen scrolling capability in the 40-column mode, making scrolled listings easily readable.

Run SMOOTHY, load a long BASIC program, and see the results when you list it. You shouldn't have any trouble reading the listing as it scrolls by. LIST, DIR and PRINT are the most useful BASIC commands that are affected by the program. If you want to return to normal operation, just press the reset button.

It is difficult to read ordinary listings because of the way they are scrolled: The screen jumps up the length of one character (eight pixels) when the screen is full. If you were able to move the screen up by more gradual steps (one pixel at a time instead of eight), it would appear to scroll more smoothly and become easier to read. With the help of a few features on the CoCo 3, *Smoothy* does just that.

The secret to this program lies in memory locations 65,436 to 65,438, which directly control the video display generator. Location 65,436 changes the scan-line offset register, while locations 65,437 (MSB) and 65,438 (LSB) change the screen start register. By poking the numbers 0 through 7 at location 65,436, you can offset the character screen from zero to seven scan lines (zero to seven pixels).

The listing: SMOOTHY

```
1 ' *****
2 ' *
3 ' * SMOOTHY/BAS *
4 ' * By *
5 ' * John Blochowiak *
6 ' * *
7 ' *****
8 ' COPYRIGHT (C) 1987
9 '
100 WIDTH 80 : PALETTE 0,0
110 CLS 1 : ATTR 3,0 : WIDTH 40
```

# XTEAM & OS-9



# BOTH WINNERS

All of our OS-9 products  
work with:  
OS-9 version 1  
OS-9 version 2  
OS-9 Level 2

## XTERM

OS-9 Communications program.

- Menu oriented
- Upload/download. Ascii or XMODEM protocol
- Execute OS-9 commands from within XTERM
- Definable macro keys
- Works with standard serial port, RS232 PAK, or PBJ 2SP Pack. Includes all drivers.
- Works with standard screen. XSCREEN, WORDPAK or DISTO 80 column board.

**\$49.95** with source **\$89.95**

## XDIR & XCAL

- Hierarchical directory
- Full sorting
- Complete pattern matching
- OS-9 calculator
- Decimal, Hex, Binary
- +, -, \*, /, AND, OR, XOR, NOT

**\$24.95** with source **\$49.95**

## XDIS

OS-9 disassembler

**\$34.95** with source **\$54.95**

## HARDWARE

512k memory upgrade **\$80.00**

Printers

Citizen 120D  
Star NP10

CALL  
CALL

## XWORD

OS-9 word processing system

- Works with standard text screen, XSCREEN, WORDPAK, or DISTO
- True character oriented full screen editing
- Full block commands
- Find and Replace commands
- Execute OS-9 commands from within
- Proportional spacing supported
- Full printer control, character size, emphasized, italics, overstrike, underline, super/sub-scripts
- 10 header/footers
- Page numbering in decimal or Roman numerals
- Margins and headers can be set different for even and odd pages

**\$69.95** with source **\$124.95**

## XMERGE

Mail merge capabilities for XWORD

**\$24.95** with source **\$49.95**

## XSPELL

OS-9 spelling checker, with 20000 and 40000 word dictionaries

**\$39.95**

## XTRIO

XWORD/XMERGE/XSPELL

**\$114.95** with XWORD/XMERGE source **\$199.95**

## XED

OS-9 full screen editor

**\$39.95** with source **\$79.95**

# AND FOR RS DOS ...

## SMALL BUSINESS ACCOUNTING

This sales-based accounting package is designed for the non-accounting oriented businessman. It also contains the flexibility for the accounting oriented user to set up a double entry journal with an almost unlimited chart of accounts. Includes Sales Entry, transaction driven Accounts Receivable and Accounts Payable, Journal Entry, Payroll Disbursement, and Record Maintenance programs. System outputs include Balance Sheet, Income Statement, Customer and Vendor status Reports, Accounts Receivable and Payable Aging Reports, Check Register, Sales Reports, Account Status Lists, and a Journal Posting List.

**\$79.95**

## INVENTORY CONTROL/SALES ANALYSIS

This module is designed to handle inventory control, with user defined product codes, and produce a detailed analysis of the business' sales and the sales force. One may enter/update inventory data, enter sales, run five sales analysis reports, run five inventory reports, set up product codes, enter/update salesman records, and update the SBAP inventory.

**\$59.95**

## PAYROLL

Designed for maintaining personnel and payroll data for up to 200 hourly and salaried employees with 8 deductions each. Calculates payroll and tax amounts, prints checks and maintains year-to-date totals which can be automatically transferred to the SBA package. Computes each pay period's totals for straight time, overtime and bonus pay and determines taxes to be withheld. Additional outputs include mailing list, listing of employees, year-to-date federal and/or state tax listing, and a listing of current misc. deductions. Suited for use in all states except Oklahoma and Delaware.

**\$59.95**

## PERSONAL BOOKEEPING 2000

Handles 45 accounts. Enters cash expenses as easily as checks. Handles 26 expense categories. Menu driven and user friendly.

**\$39.95**

## ACCOUNTS RECEIVABLE

Includes detailed audit trails and history reports for each customer, prepares invoices and monthly statements, mailing labels, aging lists, and an alphabetized customer listing. The user can define net terms for commercial accounts or finance charges for revolving accounts. This package functions as a standalone A/R system or integrates with the Small Business Accounting package.

**\$59.95**

## ACCOUNTS PAYABLE

Designed for the maintenance of vendor and A/P invoice files. The system prints checks, voids checks, cancels checks, deletes cancelled checks, and deletes paid A/P invoices. The user can run a Vendor List, Vendor Status report, Vendor Aged report, and an A/P Check Register. This package can be used either as a standalone A/P system or can be integrated with the Small Business Accounting Package.

**\$59.95**



# MICROTECH CONSULTANTS INC.

1906 Jerrold Avenue  
St. Paul, MN 55112

Dealer Inquiries Invited  
Author Submissions accepted  
OS-9 is a trademark of Microware



## Ordering Information

Add \$3.00 shipping & handling, MN residents add 6% sales tax.  
Visa, Mastercard, COD (add \$2.50), personal checks.

**(612) 633-6161**

```

120 FOR A = 449536 TO 449589
130 READ B : LPOKE A,B : NEXT A
140 FOR A = 63572 TO 63600
150 READ B : POKE A,B : NEXT A
160 CLEAR 200,32768 : NEW
170 DATA 204,1,25,183,255,156,14
2,32,0
180 DATA 16,142,40,0,238,129,239
,161
190 DATA 140,39,208,37,247,76,25
3,255
200 DATA 156,129,7,38,232,142,32
,0,238

```

```

210 DATA 136,80,239,129,140,39,4
8,37
220 DATA 246,189,248,123,206,0,2
4,255
230 DATA 255,156,53,230
240 DATA 52,102,182,254,4,129,80
,16,38
250 DATA 67,161,142,32,0,236,137
,0,160
260 DATA 237,129,140,46,96,37,24
5,141
270 DATA 12,53,230

```

## Adjusting Your Monitor

By Ken Ostrer

16K  
ECB

*Color Tester* lets you know if your color settings are adjusted properly. Colored bars are drawn on the screen and labeled as the color they are supposed to be. It is best to use this program with a color composite monitor or TV; with an RGB monitor, it tries to convince you that gray is red.

The listing: COLRTST

```

10 CLS:PRINT@8,"color tester";:
E=5:FORW=1TO8:FORX=5TO25:FORY=E

```

```

TO E+5:SET(Y,X,W):NEXTY,X:E=E+7:
PRINT@W+7,CHR$(PEEK(W+7+1024)+64
);:NEXTW:PRINT@16,"STER";:FORY=1
TO9:READA$(Y):A$(Y)=A$(Y)+" "+S
TRING$(3,Y-1+48):NEXTY
20 DATABLACK,GREEN,YELLOW,BLUE,R
ED,BUFF,CYAN,MAGENTA,ORANGE:Y=64
:FORQ=1TO9:Y=Y-1*ABS(Q/2=INT(Q/2
)):FORX=1TO LEN(A$(Q)):PRINT@Y+3
2*X,MID$(A$(Q),X,1):NEXTX:Y=Y+4
:NEXTQ
30 GOTO30

```

## Home Help

## Happy (Un)Birthday to You!

By J. T. Smiley

16K  
ECB

Chances are 364 times out of 365 that this isn't your birthday. But do you know how old you really are? Don't look so smug. *Birthday* tells you how old you are right down to the second. Try not to feel uncomfortable when running this program — 504,576,000 seconds old, for instance, is just a drop in the bucket. According to American average life expectancy, a person of that age would have approximately 1,892,160,000 seconds left to live.

The listing: BIRTHDAY

```

10 CLS:PRINT@8,"HAPPY BIRTHDAY'S
"
20 DIM M(12)
30 PRINT:PRINT:PRINT "ENTER TODA
Y'S DATE:"
40 PRINT "(MONTH, DAY, YEAR)"
50 INPUT M,D,Y:GOSUB 180:N=T
60 PRINT:PRINT "AND YOUR BIRTHDA
Y"
70 INPUT M,D,Y:GOSUB 180:B=T
80 K=N-B

```

```

90 PRINT:PRINT "YOU ARE ";K/365;
" YEARS OLD"
100 PRINT K" DAYS,"
110 PRINT K*24" HOURS,"
120 PRINT K*24*60" MINUTES AND,"
130 PRINT K*24*60*60" SECONDS OL
D!!!"
140 RESTORE: FOR I=1 TO 12: READ
D$:NEXT
150 LET X=B-7*(INT(B/7))
160 FOR Z=1 TO X:READ D$: NEXT
170 PRINT "ALSO, ":PRINT "YOU WE
RE BORN ON A ";D$;"DAY!":END
180 RESTORE :T=0
190 X=Y-1901:A=INT(X/4)
200 T=T+A+(365*X)
210 FOR I=0 TO M-1:READ M(I)
220 IF Y/4=INT(Y/4) THEN M(2)=29
230 T=T+M(I): NEXT I
240 T=T+D: RETURN
250 DATA 0,31,28,31,30,31
260 DATA 30,31,31,30,31,30
270 DATA TUES,WEDNES,THURS,FRI,S
ATUR,SUN,MON

```



# <<< GIMMESOFT >>>



A new generation of Color Computer products

## MULTI-LABEL III

(CoCo III only)

An easy to use, versatile label creating program including many new CoCo III features. Even if you already own a label program, this one's a must for the 3!

(See July '87 review) Disk..... \$16.95

## Custom Palette Designer

(CoCo III only)

Easily alter the contents of any palette without having to remember numbers or colors! Once configured, all sixteen palettes can be saved to disk as a single subroutine which may then be used in a basic program.

(See Aug. '87 review) Disk..... \$14.95

## CoCo Max III

(CoCo III only)

INTRODUCING the next generation:

More resolution! / More power! / More color!

Built in animation! / More speed! / More tools!

More type styles! / Amazing color sequencing!!!

Complete package..... \$79.95

## MPI-CoCo Locking Plate

(CoCo III only)

Protects your CoCo III and Multi Pak Interface from destroying each other! Installs in seconds. MPI 26-3124 & CoCo III 26-3334 only. Just..... \$9.95

## FKEYS III

(CoCo I/II/III)

A user friendly, user programmable function key utility that creates up to 20 function keys. Other features include an EDITOR, DOS mods, and DISABLE. Comes with an enhanced CoCo III version and it's EPROMable. (See April '87 review) Disk (latest version)..... \$19.95

## SIXDRIVE

(CoCo I/II/III)

This machine language utility modifies DECB 1.0, 1.1, FKEYS III, or ADOS to allow the use of 3 double-sided drives (or 2 D/S drives and J&R's RAMDISKS) as 6 single-sided drives without ANY hardware mods. Includes 2 selectable drive assignments and it's EPROMable.

Disk..... \$16.95

With purchase of FKEYS III..... \$12.95

With purchase of any JramR..... \$ 9.95

## JramR 512K Upgrade

(CoCo III only)

#1010 JramR bare board, connectors, and software..... \$39.95

#1014 JramR assembled and tested with software, without memory chips..... \$49.95

#1012 JramR assembled and tested with software, 512K memory..... \$99.95

(See June '87 review)

## PYRAMIX

(CoCo III only)

This 100% machine language arcade game was written exclusively to take advantage of your CoCo 3. The colors are brilliant, the graphics are sharp, and the action is hot! You'll enjoy hopping Kubix around the pyramid as he changes the colors of the blocks, but you'll have to avoid Kaderf, Smack, Smuck, and the Death Square!

Disk..... \$19.95

## CHAMPION

(CoCo I/II/III)

Become a superhero in your fight to rid the world of the evil forces of Mr. Bigg in this action adventure. The combat is hot and heavy and requires a fast joystick! The graphics and sound effects are sensational! Defend the innocent and defeat the villainous; be a true Champion!

(See May '87 review) Disk..... \$19.95

## Kung-Fu Dude

(CoCo I/II/III)

This is the long-awaited response to the huge demand for a Kung-Fu program for the CoCo. The graphics and sound effects are spectacular! The action and animation will please even the most die-hard arcade enthusiast. Destroy your opponents and evade obstacles as you grow even closer to your ultimate objective!

Disk..... \$24.95

## White Fire of Eternity

(CoCo I/II/III)

Enter the age of monsters, magic, and adventure. Here you will search for the legendary power of White Fire throughout the Forbidden Wood and dark caverns of the Mount. Discover what adventuring on the CoCo is all about!

(See Dec. '86 review) Disk..... \$19.95

## Winter Specials

### UTILITY PACKAGE

FKEYS III, MULTI-LABEL III, Custom Palette Designer, and SIXDRIVE. **Save over \$25!** All 4 for... \$42.50

### GRAND SLAM DEAL

FKEYS III, MULTI-LABEL III, Custom Palette Designer, SIXDRIVE, JramR #1012, CoCo Max III, PYRAMIX, Kung-Fu Dude, Champion, White Fire of Eternity, and MPI-COCO Locking Plate. **Save over \$80!**

Total regular price \$343.45 - Grand Slam price.... \$260

## Pricing Guarantee

If any of our products above are currently advertised in the Rainbow for a lower price we will match that price! Please note that only prices for THE EXACT SAME PRODUCT apply. We are dedicated to providing Top-of-the-Line products, quality service, and the lowest prices.

Technical assistance: 7pm to 9pm

Orders: 9am to 9pm Eastern time

On-line orders and up to date

Information: Delphi's CoCo Slg

GIMMESOFT

P.O. Box 421

Perry Hall, MD 21128

301-256-7558 or 301-256-2953

Add \$2.50 for shipping and handling

Add \$2.00 for COD's

MD residents add 5% sales tax

VISA/MC/Check/Money Order/COD

# Improve Your Typing Skills

By Brent Dingle

4K

*Typ*er is a short program designed to improve your keyboarding skills. When you run the program, you are asked for the skill level you want to start with; however, this level goes up or down depending on how well you do.

A model of your keyboard, complete with letters and numbers, appears on your screen. Each letter or number has a black box above it. Watch the screen carefully! If one of the black boxes turns red, you must press the appropriate key, and do it fast. It will stay red only a very short time, and the time gets shorter as the levels get higher. If you press the correct key in time, a beep sounds and 10 points are added to your score. If you miss, five points are subtracted. But don't despair, your score will never drop below zero!

As you press more correct keys, letters will begin disappearing from the screen, but their boxes will remain. If the box above the missing letter turns red, you still must press the letter, or lose five points. The letters will return if you have difficulty.

The listing: TYPER

```
5 DIM L$(36), L(36), M$(500), J(36)
: B$=CHR$(128)
10 CLS: INPUT "DIFFICULTY PLEASE.
    (0- EASY, 10- ALMOST
    IMPOSSIBLE) "; DF: PRINT: PRINT "PRESS ANY KEY TO BEGIN."
15 A$=INKEY$: IFA$="" THEN 15
20 FOR T=1 TO 36: READ L$(T), L(T)
: NEXT T
30 CLS3: FOR T=1 TO 36: PRINT@L(T), B$
: : PRINT@L(T)+32, L$(T); : NEXT T
50 PRINT@458, "SCORE : "; SC; : S=RN
D(36): L$=L$(S): L=L(S)
55 IF DF>8 AND S<11 THEN S=S+10:
```

```
L$=L$(S): L=L(S)
60 PRINT@L, CHR$(191);
70 FOR K=1 TO 100-DF*5: A$=INKEY$
: IF A$=L$ THEN 90 ELSE IF A$="^"
    THEN 150 ELSE NEXT K
75 SC=SC-5: IF SC<0 THEN SC=0
80 PRINT@L, B$; : M=M+1: M$(M)=L$: NM
=NM+1: IF NM>20 THEN DF=DF-1: NM=0
82 J(S)=J(S)-1: IF J(S)<-2 THEN P
RINT@L+32, L$;
85 GOTO 50
90 NM=NM-1: SOUND100, 1: SC=SC+10: P
RINT@L, B$;
92 J(S)=J(S)+1: IF J(S)>2 THEN PR
INT@L+32, CHR$(175); : J(S)=0
95 IF NM>-30 THEN 50 ELSE DF=DF+
1: NM=0: GOTO 50
100 DATA 1, 33, 2, 36, 3, 39, 4, 42, 5, 4
5, 6, 48, 7, 51, 8, 54, 9, 57, 0, 60
110 DATA Q, 129, W, 132, E, 135, R, 138
, T, 141, Y, 144, U, 147, I, 150, O, 153, P
, 156
120 DATA A, 226, S, 229, D, 232, F, 235
, G, 238, H, 241, J, 244, K, 247, L, 250
130 DATA Z, 323, X, 326, C, 329, V, 332
, B, 335, N, 338, M, 341
150 CLS: PRINT "YOU MISSED "; M; " T
IMES.": PRINT "YOU SCORED "; SC; " P
OINTS.": FOR X=1 TO 500: NEXT X: PRINT
HERE ARE THE LETTERS YOU MISSED.
(PRESS <SHIFT> AND <@> KEYS TO
STOP - IF NEEDED) "
160 FOR T=1 TO M: PRINT M$(T); " "
: : NEXT T
170 PRINT: INPUT "PLAY AGAIN"; Q$: I
F LEFT$(Q$, 1) = "Y" THEN RESTORE: R
UN ELSE END
```

## Business/Finance

### I Owe, I Owe

By Bill Bernico

16K  
ECB

This short, efficient program helps you calculate your monthly payments, whether for a new house, a car, a college loan or that 10,000 Mb mainframe you've been dreaming about.

All you have to do is answer the prompts, and the program will display the monthly payment amount. Press ENTER again at that point and the screen displays the payments broken down into three categories: interest amount each month, principal amount and total payment.

The listing: PAYMENTS

```
1 'PAYMENTS by Bill Bernico
2 CLS: INPUT "AMOUNT BORROWED"; A: I
NPUT "MONTHS TO PAY"; B: INPUT "INTE
REST RATE"; C: C=C*.01/12: E=(A*C*(
1+C)^B)/((1+C)^B-1): D=0: F=0: G=0:
PRINT "MONTHLY PAYMENT="; : H=INT(E
*100+.5)/100: PRIN H: GOSUB 7: CLS: P
RINT "MONTHLY PAYMENT WAS $"; H: G
OSUB 8: FOR J=1 TO B
3 IF J/11=INT(J/11) THEN GOSUB 7: CLS
: PRINT "MONTHLY PAYMENT WAS $"; H
```

# Telewriter-64™

## the Color Computer Word Processor

- **3 display formats: 51/64/85 columns × 24 lines**
- **True lower case characters**
- **User-friendly full-screen editor**
- **Right justification**
- **Easy hyphenation**
- **Drives any printer**
- **Embedded format and control codes**
- **Runs in 16K, 32K, or 64K**
- **Menu-driven disk and cassette I/O**
- **No hardware modifications required**

### THE ORIGINAL

Simply stated, Telewriter is the most powerful word processor you can buy for the TRS-80 Color Computer. The original Telewriter has received rave reviews in every major Color Computer and TRS-80 magazine, as well as enthusiastic praise from thousands of satisfied owners. And rightly so.

The standard Color Computer display of 32 characters by 16 lines without lower case is simply inadequate for serious word processing. The checkerboard letters and tiny lines give you no feel for how your writing looks or reads. Telewriter gives the Color Computer a 51 column by 24 line screen display with *true lower case characters*. So a Telewriter screen looks like a printed page, with a good chunk of text on screen at one time. In fact, more on screen text than you'd get with Apple II, Atari, TI, Vic or TRS-80 Model III.

On top of that, the sophisticated Telewriter full-screen editor is so simple to use, it makes writing fun. With single-letter mnemonic commands, and menu-driven I/O and formatting, Telewriter surpasses all others for user friendliness and pure power.

Telewriter's chain printing feature means that the size of your text is never limited by the amount of memory you have, and Telewriter's advanced cassette handler gives you a powerful word processor without the major additional cost of a disk.

...one of the best programs for the Color Computer I have seen...

— Color Computer News, Jan. 1982

### TELEWRITER-64

But now we've added more power to Telewriter. Not just bells and whistles, but major features that give you total control over your writing. We call this new supercharged version Telewriter-64. For two reasons.

### 64K COMPATIBLE

Telewriter-64 runs fully in any Color Computer — 16K, 32K, or 64K, with or without Extended Basic, with disk or cassette or both. It automatically configures itself to take optimum advantage of all available memory. That means that when you upgrade your memory, the Telewriter-64 text buffer grows accordingly. In a 64K cassette based system, for example, you get about 40K of memory to store text. So you don't need disk or FLEX to put all your 64K to work immediately.

### 64 COLUMNS (AND 85!)

Besides the original 51 column screen, Telewriter-64 now gives you 2 additional high-density displays: 64 × 24 and 85 × 24!! Both high density modes provide all the standard Telewriter editing capabilities, and you can switch instantly to any of the 3 formats with a single control key command.

The 51 × 24 display is clear and crisp on the screen. The two high density modes are more crowded and less easily readable, but they are perfect for showing you the exact layout of your printed page, *all on the screen at one time*. Compare this with cumbersome "windows" that show you only fragments at a time and don't even allow editing.

### RIGHT JUSTIFICATION & HYPHENATION

One outstanding advantage of the full-width screen display is that you can now set the screen width to match the width of your printed page, so that "what you see is what you get." This makes exact alignment of columns possible and it makes hyphenation simple.

Since short lines are the reason for the large spaces often found in standard right justified text, and since hyphenation is the most effective way to eliminate short lines, Telewriter-64 can now promise you some of the best looking right justification you can get on the Color Computer.

### FEATURES & SPECIFICATIONS:

**Printing and formatting:** Drives any printer (LPV11/VIII, DMP-100/200, Epson, Okidata, Centronics, NEC, C. Itoh, Smith-Corona, Terminus, etc).

Embedded control codes give full dynamic access to intelligent printer features like: underlining, subscript, superscript, variable font and type size, dot graphics, etc.

Dynamic (embedded) format controls for: top, bottom, and left margins; line length, lines per page, line spacing, new page, change page numbering, conditional new page, enable/disable justification.

Menu-driven control of these parameters, as well as: pause at page bottom, page numbering, baud rate (so you can run your printer at top speed), and Epson font. "Typewriter" feature sends typed lines directly to your printer, and Direct mode sends control codes right from the keyboard. Special Epson driver simplifies use with MX-80.

Supports single and multi-line headers and automatic centering. Print or save all or any section of the text buffer. Chain print any number of files from cassette or disk.

**File and I/O Features:** ASCII format files — create and edit BASIC, Assembly, Pascal, and C programs, Smart Terminal files (for uploading or downloading), even text files from other word processors. Compatible with spelling checkers (like Spell 'n Fix).

Cassette verify command for sure saves. Cassette auto-retry means you type a load command only once no matter where you are in the tape.

Read in, save, partial save, and append files with disk and/or cassette. For disk: print directory with free space to screen or printer, kill and rename files, set default drive. Easily customized to the number of drives in the system.

**Editing features:** Fast, full-screen editor with wordwrap, block copy, block move, block delete, line delete, global search and replace (or delete), wild card search, fast auto-repeat cursor, fast scrolling, cursor up, down, right, left, begin line, end line, top of text, bottom of text; page forward, page backward, align text, tabs, choice of buff or green background, complete error protection, line counter, word counter, space left, current file name, default drive in effect, set line length on screen.

Insert or delete text anywhere on the screen without changing "modes." This fast "free-form" editor provides maximum ease of use. Everything you do appears immediately on the screen in front of you. Commands require only a single key or a single key plus CLEAR.

...truly a state of the art word processor...  
outstanding in every respect.

— The RAINBOW, Jan. 1982

### PROFESSIONAL WORD PROCESSING

You can no longer afford to be without the power and efficiency word processing brings to everything you write. The TRS-80 Color Computer is the lowest priced micro with the capability for serious word processing. And only Telewriter-64 fully unleashes that capability.

Telewriter-64 costs \$49.95 on cassette, \$59.95 on disk, and comes complete with over 70 pages of well-written documentation. (The step-by-step tutorial will have your writing with Telewriter-64 in a matter of minutes.)

To order, send check or money order to:

**Cognitec**  
704 Nob Street  
Del Mar, CA 92014

Or check your local software store. If you have questions, or would like to order by Visa or Mastercard, call us at (619) 755-1258 (weekdays, 8AM-4PM PST). Dealer inquiries invited. (Add \$2 for shipping. Californians add 6% state tax.)

**Available at Radio Shack**  
via express order

**Coming Soon**  
**Telewriter-128**  
for the Color Computer 3



```

## ###,###.##";D;G;F:PRINTSTRING
$(32,"-");:PRINT"RUN THIS PROGRA
M AGAIN (Y/N)?";
6 A$=INKEY$:IFA$="Y"THENRUNELSEI
FA$="N"THENCLS:ENDELSE6
7 PRINT@484,"HIT ANY KEY TO CONT
INUE";:EXEC44539:RETURN
8 PRINT" mo. princpl    interest
prncpl #      owed      payment
payment";STRING$(32,45);:RETURN

```

# A Glossary of Computer Terms

By Lee Veal

**T**his glossary is intended as an aid to help bridge the gap between normal English and "computerese." All too often, "computer people" have been perceived as belonging to some kind of priesthood that spouts a litany of "secret words" and incantations to appease some unknown being behind the computer-room door. But we are not a priesthood, we're simply folks. And computers are not gods, but tools. If you learn to speak the lingo, you'll find computers very friendly and helpful.

## A

**ASCII** (ask-ee) an acronym that stands for "American Standard Code for Information Interchange." It's a standard eight-bit information code used by most microcomputers and data terminals. Many systems use only seven of the eight bits, providing a total of 128 possible characters, including upper- and lowercase letters, punctuation, numbers, spacing, and machine or control commands.

**Adventure** a game that allows interaction between computer and player, usually a Dungeons & Dragons type of game involving a quest.

**assembly** a low-level programming language. (See **formats**, **external**)

**auto-answer/auto-dial** modem features that take some of the tedium and bother out of a

*Lee Veal lives in Rowlett, Texas, and is employed by Texas Software Support Subdivision of Garland, Texas, where he oversees installation, implementation and maintenance of system software for Garland's NAS/6650.*

computer user's daily routine. Modems equipped with "auto-answer" automatically "pick up" the phone when it "hears" the phone ringing. The "auto-dial" feature allows the automatic dialing of phone numbers by the modem. A program can send all the necessary codes and numbers to the modem that will instruct it to dial the number. (See **hand-shaking routine**)

**auto baud detect** a modem feature that automatically detects the speed at which data is being received from a sending modem. This feature is present only on modems that support more than one speed. (See **Baud** and **BPS**)

## B

**BBS** See **bulletin board system**

**BASIC** (Beginner's All-purpose Symbolic Instruction Code) an easy-to-use language that is likely the world's most popular programming language. Today, we have dialects ("versions") of BASIC for each computer. The CoCo has several versions of BASIC: Color BASIC, Extended Color BASIC, CoCo 3 BASIC or "Super" Extended Color BASIC and BASIC09. BASIC is easy to learn, and many dialects are so flexible that some programmers never find it necessary to learn other programming languages.

**BASIC interpreter** a collection of routines whose job it is to edit, enter and run a BASIC program. (See **formats**, **internal**)

**Baud** and **BPS** (Bits Per Second) the rate at which bits (binary digits) are sent down a line. The terms "baud" and "bits per second" are nearly synonymous. The most common baud rates for home computers are 300 and 1200. The most common baud rates for commercial use are 2400, 4800, and 9600. At 300 baud a bit is transmitted every 1/300th of a second, which translates to about 25 to 30 bytes per

second. At 9600 baud a bit is transmitted every 1/9600th of a second, and that translates to about 800 to 960 bytes per second.

**bit** See **byte**

**bug** any mechanical, electrical or electronic defect that interferes with the operation of the computer. A defect in a program's coding is also referred to as a "bug." There are some who would say that there are no "bugs" in programs, only "undocumented features." Oh, well, a rose by any other name. . .

**bulletin board system (BBS)** an online "message board" computer users can "sign onto" using a modem and communications software, which is generally formed by computer clubs and monitored by a SysOp. It is similar to an information network, but works on a smaller scale.

**burn** the process of programming a ROM chip. The process is called "burning the chip" or "blowing the chip." There are two types of programmable ROM chips readily available: PROMs (Programmable Read-Only Memory) and EPROMs (Erasable Programmable Read-Only Memory). The reason for burning code into ROM is to prevent users from accidentally or intentionally changing the canned code. Plus, it provides a very convenient and inexpensive way to supply a computer user with a lot of useful software without the need for a disk drive or cassette recorder.

**byte** the basic unit of computer memory. In "computerese," a byte is the smallest addressable piece of information in a computer's memory. A byte is composed of eight binary digits (bits). A value from 0 to 255 can be stored in one byte. These values may be interpreted as letters, or as part of a number; it all depends on how a program defines and uses data. A notation called "hexadecimal" is often used to express the values (alphabetic or numeric) of a byte's contents. And, yes, someone many years ago determined that half of a byte was a "nybble." Even though the term "nybble"

appeared in a few computer textbooks, it never really caught on. (No teeth, I guess.)

## C

**C** a programming language. (See **formats**, **external**)

**CPU** (Central-Processing Unit) extracts and executes machine language instructions that reside in ROM or RAM. The speed at which the CPU does its work is called the processor clock speed, and it is usually measured in megahertz (MHz).

**Centronics** a printing standard quite prevalent in the computer industry. Many computers come standard with Centronics-compatible printer ports. This standard has been adopted almost universally in the computer industry. The Centronics standard entails, among other things, an eight-bit parallel data transfer from the computer to the printer. The cable that links the two devices is a 34-wire cable, so many other signals are being passed between the two devices. However, the main feature of the Centronics standard is the eight-bit parallel data transfer. (See **parallel**)

**COBOL** a high-level programming language. (See **formats**, **external**)

**CoCo** short for Tandy Color Computer.

**commands** instructions to the computer, e.g., LIST, DIR, LOAD, RUN, SKIPF, PRINT, etc.

**compiler** a special program that converts programs written in languages such as COBOL or PASCAL to an executable form. Among other things, a compiler checks your source programs for language syntax errors. Incidentally, correcting all of your program's syntax errors is not a guarantee that your program will work. The logic of your program determines that. (See **formats**, **internal**)

**Composite video** a signal that includes both the actual video information and the synchronizing pulses. This is the type of signal used to drive most monochrome monitors and many color monitors; it's very similar to a broadcast TV signal, but the CoCo's output does not meet broadcast standards.

**CompuServe** See **information network**.

**cursor** a pointer or marker on a computer's video screen that marks where the next character will be placed when a key is pressed by the user. A cursor can appear in many forms: solid block, underscore, wedge, or just about any other shape. A cursor can blink or it can be a steady display. On some of the new graphics generation programs, the cursor may be replaced by arrows that point to icons. (See **icon**)

## D

**daisy wheel printer** See **printer**

**Delphi** See **information network**

**directory** a "table of contents" of the programs/files on a disk.

**disk** See **diskette**

**disk drive controller** a hardware device that routes and translates commands from a machine language input/output (I/O) routine to an actual disk drive unit.

**disk drive** a specialized device that reads and writes data to a disk and requires a very sophisticated routine to control its operation. Under the direction of a controller, a disk drive arranges disk data into sectors and tracks. The number of tracks per disk, number of sectors per track, and number of bytes per sector and track vary from system to system. (See **SSDD**, **transfer rate**, **TPI**)

**diskette** a type of storage medium that consists of a magnetically coated diskette, or disk, housed in an envelope. The coating is similar to the coating used on standard recording tapes, which have been around for years. The disk has several distinguishing characteristics. The actual recording medium (the part inside the envelope) has a hole in the center to accommodate the disk drive hub and at least one small timing hole.

*Editor's Note:* A disk drive spins the diskette at about 300 RPMs. Hard to believe, isn't it? (For more detailed information, see William Barden's "Delving Into the CoCo Disk" on Page 180 of this issue.)

**dot-matrix printer** See **printer**

**download** to receive files from another computer via modem or a hard-wired connection.

## E

**EPROM** Erasable Programmable Read-Only Memory. (See **burn**)

## F

**file** another word for "program," or part of a program, stored on disk or cassette.

**floppy disk** See **diskette**

**formats, external** the formats in which the program appears to the programmer. If a programmer uses BASIC, the external format looks like BASIC. The same is true for any other programming language. The term "external format" is synonymous with "programming language." Programming languages fall into one of three levels: low, intermediate and high.

*Low-level* languages are very close to the internals of the machine for which it is designed, and are generally referred to as assembly languages. Assembly languages are very detailed languages, and, therefore, much harder to master. Generally speaking, assembly languages do not transport from one system to another very easily since they are so closely linked to the architecture of the host machine. Trying to transfer an assembly language program from one computer to another would

be like trying to use gasoline in a diesel engine — it just won't work! Some similarities do exist among the different computers' assembly languages, but transportability is not their strong suit.

*Intermediate-level* languages are often referred to as program generators. At this level, specifications that define the input, processing and output to be done must be provided by you, the user. *dBASE III* is an example of this type of "programming" language. Actually, many database managers probably fall into this category.

*High-level* languages are distinguished by their transportability, standardization and ease of use. These languages are far removed from the internal architecture of the host computer. Some popular high-level programming languages include COBOL (Common Business Oriented Language), FORTRAN (FORMula TRANslation), PASCAL and FORTH.

The only language I know of that seems to fall into both the low- and high-level categories is C. C has facilities that allow the programmer to access the machine-related information, if necessary. It can be very far removed from the host machine, too. C's language syntax can be very detailed or very general.

The relative performance (slowest to fastest) of programming languages is hard to gauge because of many variable factors. Generally, the friendlier the language, the slower it is. If a programmer codes only a few lines to produce a long list of formula iterations, chances are the language is relying on canned routines to do a lot of the work. The programming time is reduced, but the run time is probably increased.

**formats, internal** the formats in which the program appears to the computer: tokenized (slowest), intermediate and machine language (fastest).

*Tokenized* is the form in which BASIC programs are held in a computer's RAM (Random Access Memory). In the hierarchy of internal formats, this is the simplest, but also the most removed from the actual machine language and, therefore, the slowest. The process of tokenizing what is "human-readable" is usually performed by routines in ROM (part of the BASIC interpreter). For instance, a PRINT command would be reduced to a one-character code followed by a literal (the stuff in quotes) or the variable names whose values are to be printed. While tokenizing may seem to be an unnecessary step, it is done in the interest of speed and memory economy. It would take longer for the BASIC interpreter to decipher the word PRINT than it would to decipher a one-character code. Also, it would take more space in your computer's memory to store PRINT than it would the corresponding character code.

It is very easy to misunderstand this process because all the programmer ever sees on the screen is nicely formatted BASIC statements, just as they were entered. That is merely an illusion, another function of the text editor. While the text editor tokenizes the BASIC statements you enter, it also detokenizes them back to "human-readable" form, as when you call up a list.

*Intermediate code* is similar in some ways to tokenized code. Intermediate code still requires a run-time interpreter, but interpreting

intermediate code is much faster than interpreting straight tokenized code, resulting in faster run times.

A compiler is used to convert your source program to intermediate code. Some software vendors refer to intermediate as i-code or p-code.

**Machine language code**, or **object code** is the fastest and most concise of all internal formats. Like intermediate, its code, too, must be created by a compiler. The source code (usually human-readable languages such as COBOL, PASCAL, BASIC, C, FORTH and Assembler) is input to the compiler and converted to the corresponding machine language code. Some high-level language compilers produce machine language code and others produce intermediate code.

**formatting** preparing a disk to be written to, establishing tracks and sectors.

**FORTH** a high-level programming language. (See **formats, external**)

**FORTRAN** a high-level programming language. (See **formats, external**)

## H

**hand-shaking** a routine used to determine if contact has been established between two communication points, such as computers connected by modems.

**hard disk drive** inflexible and permanently mounted drives within the computer (or its own housing), which have many characteristics in common with disk drives on a mainframe. The capacity for this type of drive is measured in megabytes (a megabyte, or Mb, is one million bytes). Their capacities range from 5Mb to 30Mb in 5Mb increments. These drives transfer data to the CPU much faster than any regular disk drive. The disk platters contained within the unit are coated with essentially the same type of coating used on floppy disks, magnetic tapes and other magnetic storage media.

**hardware** the mechanical part of a computer system: the computer itself and all its peripherals — disk drives, cassette recorder, printer, modem and monitor, etc. — anything that is not software.

**Hertz** one cycle per second. The cycle can be anything ranging from a power plant generation cycle to a radio station broadcast frequency to a CPU processor rate.

Heinrich R. Hertz, a German physicist invented a generator that produced current flow in one direction only. Another type of generator caused electric current to flow alternately in both directions. One is called direct current (DC); the other is called alternating current (AC). Most homes in the U.S. receive electrical power from a power plant that generates alternating current. The rate at which the current changes directions is measured in hertz. The electric current flowing through a standard light bulb in your home changes directions 60 times every second (that's 60 Hz). The appliances in your home, such as microwaves, TVs, washers, dryers, etc.,

should all have a plate bradded to them that tells you, among other things, that that piece of equipment operates at 60 Hz.

AM radio stations broadcast in the kilohertz (kHz) range (kilo means thousand). FM radio stations broadcast their signals in the megahertz range (mega means million). That's a million cycles per second.

A CPU's speed is measured in MHz. That means that if a CPU's speed is listed as 4.7 MHz, then four million seven hundred-thousand CPU cycles occur in one second.

**hexadecimal** the base 16 numbering system, which is used to express many computer-related values. Our base 10 numbering system ranges from 0 through 9, but Hex ranges from 0 through 15. Since we do not have single-digit numbers to represent the numbers 10 through 15, the letters A through F are used to depict these digits. Hex is a shorthand form of binary; therefore, the use of Hex is preferable to using long strings of zeros and ones as in binary.

## I

**icon** a picture on a menu bar depicting an object or procedure that can be selected with a mouse or joystick.

**information network** a computer network that services many users, nationwide or even worldwide. At the heart of the network there is usually a complex of computers that stores information on a broad spectrum of topics, covering just about everything from human sexuality to movie reviews. Some of them even have a "CB" channel so that users can dial into online CB conversations. They also have Special Interest Groups (SIGs) for just about anything you could imagine. Programs can be uploaded to and downloaded from them. The most well-known information networks are Delphi (see Page 122), CompuServe and The Source. A user needs a modem, a telephone, communications software and a subscription.

**Input/Output** commonly called I/O, a general term for equipment used to communicate with a computer. It can also refer to the act of transferring data to or from a computer. (See **program**)

## J

**joystick** an input device which, when attached to the computer system, can be polled to determine the stick's position. Joysticks have for many years been used with computer games. Recently, however, many "legitimate" applications have been implemented that make use of them for input to business-related programs. (See **mouse**)

## K

**K** a somewhat arcane symbol that simply means 1,000. In "computerese," however, it means 1,024. Therefore, a 64K computer actually has 65,536 bytes of memory, not 64,000.

**kermit** communications protocol for uploading and downloading.

## L

**leased line** telephone lines that are for data communications only.

**laser printer** See **printer**

**letter-quality** printed text that looks as if it were produced on a typewriter. NLQ (Near Letter-Quality) usually refers to output produced by dot matrix printers having very high dot resolution. Daisy wheel printers are usually referred to as being letter-quality. (See **printer**)

## M

**machine language (ML)** See **formats, internal**

**memory** a computer's actual internal storage. All mathematical operations are performed with data that is held in memory. Data stored on disk must be brought into a computer's memory before it can be manipulated in any way. Generally, microcomputer memory is contained in chips called dynamic RAMs. The term "dynamic" means that the memory chips must have a constant source of power. When the micro is turned off, the power to the dynamic RAMs is eliminated, and all data in that memory is lost. Static RAMs are available, but they are more expensive than dynamic RAMs. (See **RAM**)

**modem** a device that converts a computer's digital signals to audio signals. A modem is attached between a computer system and a telephone line. A modem **modulates** (converts to audio) and **demodulates** (converts to digital) signals. If a computer user needs to communicate with another computer system across town or across the nation, a modem is essential.

Here is a simple explanation of what is going on when data is being transmitted down a telephone line: The sending computer sends a "start bit" down the line, which tells the receiving modem that more bits are about to be sent. Then the sender transmits each data bit contained in the byte that needs to be transmitted. The last data bit is followed by a "stop bit." Sometimes the sender transmits two "stop bits" instead of one. A bit called a "parity bit" may also be used. Both the sender and receiver must know what format is being used — otherwise, chaos reigns supreme. The number of bits sent for each byte of data varies from 10 to 12 bits (1 start bit, 7 or 8 data bits, possibly 1 parity bit, and 1 or 2 stop bits).

**motherboard** the main printed circuit board in a computer, the board from which all other "life" in the computer springs.

**mouse** a high-precision input device that provides a way to move a pointer (cursor) around on a computer's screen. The device usually consists of a roller ball encased in a housing that contains the necessary circuitry to indicate the ball's position. The mouse may also have one or two push buttons. When pressed ("clicked"), these buttons may indicate to the program in memory that a certain function needs to be performed. If a computer can input data from an analog joystick, then

a mouse will probably work, too. The "moving" and "clicking" functions associated with the mouse cannot be done unless the program resident in memory is designed to accept input from a mouse. A mouse is not a magic input device; it must be supported by the computer system as well as the resident program. If your computer and program are not designed to accept input from a mouse, then it will be quite useless.

## O

**online database** See **information network**

**OS-9** a multiuser, multitasking operating system designed to allow greater flexibility for the user. An operating system is a group of programs (software) which allows the user to communicate more easily with the computer and its associated peripherals. OS-9 allows more than one person to use a single computer at the same time. It also allows more than one process (program) to run at the same time. The major difference between OS-9 Level I and OS-9 Level II is in memory support. Level I is designed to operate on 64K systems while Level II, through the use of memory management techniques, can utilize much more memory. An example would be Level II running on a 512K CoCo 3.

## P

**parallel** a method of data transfer. Parallel transfer implies that more than one bit at a time is transferred. The most common width used in parallel transfers on micros is eight bits. That is, a data path eight bits wide is used to transfer data from one device to another. (See **serial**, **transfer rate**)

**PASCAL** a programming language. (See **formats**, **external**)

**pixel** a picture element of your screen. A computer's video display is broken down into a specific number of pixels, which are points on a video screen that can be controlled by the computer to be either off or on. The resolution of a computer's video output is expressed in pixels. If a computer is said to have a video resolution of 320 by 200, then it has 320 horizontal pixels and 200 vertical pixels, and the entire screen has 64,000 pixels that can be used to build graphics displays.

**port** circuitry within a device that is designed to handle some type of data or signal transfer.

**printer** a device that turns video output into printed output. There are basically three types of printers: daisy wheel, dot matrix and laser.

A **daisy wheel** printer is characterized by its ability to produce letter-quality output. The name "daisy wheel" comes from the print wheel's resemblance to a daisy. Each of the 100 to 124 "petals" on the daisy has a printable

character on the end of it. When the computer sends the printer an 'x', the printer spins the daisy wheel until the 'x' is positioned in front of the print hammer. The hammer then fires, slamming the "petal" against the printer's roller, thereby effecting a transfer of ink from the ribbon to the paper in the form of an 'x'.

The **dot-matrix** printer is characterized by the somewhat "computer-looking" appearance of its text. Printing is accomplished by the controlled firing of a column of tiny wires. As the print head travels across the page, the wires are fired, thereby pressing their tips against the ribbon and paper. Each firing produces only part of a character; rolling the paper up while a line is being printed illustrates this fact. Most dot-matrix printers have a nine-pin configuration although some have only seven or eight, and many newer models have 18 or 24 pins. Using more pins puts the dots closer together and increases resolution.

**Laser printers** are fairly new, but work on a similar principle. Instead of firing pins, however, they create an image by firing a laser beam at a light-sensitive drum or belt; this image is then transferred to paper as it would be in a copier. Laser printer text and graphics, with a typical resolution of 300 dots per inch, approaches the quality of that produced by more expensive typesetting systems; this has given rise to the newest computer trend of desktop publishing.

**program** a computerized set of instructions, or the act of writing one. The act of programming is the process in which a "programmer" writes instructions that will ultimately cause a computer to execute a predetermined cycle that produces a product or performs a particular function. There are two major aspects to a program: its source (input) and object (output).

A **source** program is a programmer's input to a compiler and is written in a language that lends itself to modification. Source programs are written in symbolic form. This symbolic form lends itself well to modifications that must be made to the program. Writing in a symbolic language (such as COBOL, PASCAL, etc.) frees the programmer to think about how to solve a problem rather than how to make the program communicate with the computer.

An **object** program is the output produced by a compiler after a source program has been compiled. The object is considerably more compact and concise than the source program. This form of the program is usually in machine language, and it is this version of the program that actually runs on the computer. All data and instructions have been completely resolved as to their location in memory.

## R

**RAM** (Random Access Memory) a type of computer memory that may contain data, tokenized BASIC code, various types of intermediate code or actual machine language. Programs or data may be loaded from disk, tape or keyboard into RAM. The contents of RAM can be modified, whereas the contents of ROM cannot.

**RGB video** the red, green and blue video signals in an RGB system that are kept separate; the synchronizing pulses are usually separate from the video signals, as well (as in the case in the CoCo 3). RGB video provides much better quality than composite color systems because none of the detail information is lost in transmission.

**ROM** (Read-Only Memory) a type of memory that contains canned routines provided by a computer manufacturer, a third-party software vendor, or a user who has "burned" his or her own ROMs. Some examples of the types of routines in ROM are BASIC language interpreters; peripheral device drivers; complex mathematical routines; utility commands, such as directory displays, file copying, deleting, renaming functions, disk initialization and graphics commands (CIRCLE, LINE, PAINT, DRAW, etc.); memory; and machine diagnostics. (See **burn**)

**routine** or **subroutine** specialized sequences of instructions within a program that perform a specific function.

People use routines daily and so do computers. Neither can function without them. For instance, "getting ready for work" is a routine, and shaving, showering and dressing are all subroutines within the whole process. It is very similar in a computer program. A program may have a routine to write a payroll check, which is supported by several subroutines that do things like calculate gross pay, Social Security deduction and withholding, and determine if insurance is to be deducted this pay period, etc.

**RS-232** a Recommended Standard for data communications. Basically, it has to do with pin or wire function designations within a 25-pin cable. Manufacturers of equipment that use the RS-232C standard are not compelled to adhere to the standard to the nth degree. It is for this reason that it is wise to purchase data communications equipment from a source that is knowledgeable about your computer and modem.

## S

**SSSD, SSDD, DSDD** the recording tolerances for a specific disk and/or drive. These initials represent several terms: SSSD, Single Sided, Single Density — used on some early Apple computers; SSDD, Single Sided, Double Density — used on the CoCo, Commodore and Atari; DSDD, Double Sided, Double Density — used by IBM PC/XTs, PC/ATs, and clones.

"Sided" indicates the number of sides that a disk manufacturer guarantees to be usable. However, it has been my experience that many brands of SSDD disks work just fine for DSDD operations. I have heard and read several other testimonials bearing witness to the fact that, in most cases, SSDD disks will work in a DSDD drive.

"Density" refers to the distance between the bits of data on the disk. The coating on a DD disk is good enough to tolerate a much closer

fit. Depending on their manufacture date, disks marked "SD" may not have a high enough quality coating to tolerate DD recording. (See **TPI**)

**sector** the smallest addressable and transferable unit of data on a disk.

**Serial** a method of data transfer. Serial data transfer implies a sequential data transfer one bit at a time. Modems transfer data serially down a telephone line. Many printers accept data from a computer serially, too. (See **transfer rate**)

**SIG** Special Interest Group (See **information network**)

**software** programs stored on disk, cassette, ROM chips, etc.

**standards** conventions formed by a committee or by a manufacturer who has a clear market edge on a product — everyone else simply must fall in line. Standards are not laws, but most computer manufacturers generally don't muddy the water by crossing up their systems. And if a manufacturer wants to sell to a wide consumer base, it will not usually deviate too far from the standard.

**stepping rate** the time expressed in milliseconds (thousandths of a second) for how long it takes to move a floppy disk drive's access mechanism from one track to an adjacent one. The lower the number, the faster the stepping

rate. The most common stepping rates are 6, 12, 20 and 30 ms.

**SysOp** someone who sets up and monitors a BBS.

**T**

**TPI** a density designation of Tracks Per Inch. For disk drives it indicates the distance from one track to the next. For disks it indicates the density tolerance. A disk marked as 48 TPI is intended for use on a 40-track drive. A disk marked as 96 TPI is intended for use on an 80-track drive. A 96 TPI disk could be used on a 40-track drive, as long as other drive and sector characteristics were compatible.

**third-party** products purchased from someone other than your computer's manufacturer. If you have an Epson printer attached to your CoCo, then your printer is a third-party piece of hardware. If you run a copy of *Telewriter* on your CoCo, then you are running third-party software.

**tokenized** the process by which high-level languages are made understandable to the computer. (See **formats**, **internal**)

**track** areas organized to hold data on a disk, arranged in concentric circles.

**transfer rate** the speed at which data is transferred from the CPU to a disk drive or any

other peripheral device. Speeds vary depending on many factors, but the primary factor is the simultaneity — that is, how many bits are sent at a time. An eight-lane highway allows more cars to arrive at their destination in an hour than does a one-lane highway.

**U**

**upload** to send files to another computer via modem or hard-wired connection.

**V**


**voice-grade line** standard telephone lines that may also be used for data communications.

**X**

**Xmodem** a communications protocol for uploading and downloading.

**Y**


**Ymodem** a communications protocol for uploading and downloading.



## Valkyrie



**Tomb of T'ien**  
Legend and history, it is often hard to distinguish the two. Until recently, you thought the tale of the great Emperor T'ien was a myth, but ever since the sacred shrine of your village was stolen by a winged dragon, you have decided that there might be some truth to the old stories. Armed with a dull knife (probably good for nothing), you were chosen to retrieve the shrine and discover the secrets of the Tomb of T'ien.  
100% ML Graphics Adventure ... \$19.95



**Mr. Corey**  
Place: Island in the Pacific.  
Time: 10 minutes into the future.  
As a member of Athena, a top secret organization for the preservation of human kind, you were sent to spy on the most villainous man alive, Mr. Corey. Unfortunately, you were discovered during a routine transmission and placed in a room with a nuclear time bomb. If you die, humanity dies with you.  
100% ML Graphics Adventure ... \$19.95

**Order to:** **VALKYRIE Software**  
P.O. Box 2120  
Monroe, NY 10950  
Check: M.O. & C.O.D.  
also accepted or call  
(914) 783-0191

For 64K, CoCo 1, 2 or 3  
Please add \$2 for shipping  
NY residents add 6% sales tax.

Please specify tape or disk

# PROGRAMS FOR PEOPLE

**CoCo CHECKBOOK**

More than a checkbook maintenance program. Handles budgeting, cash and teller machine transactions and automatic bank payments. Customizable with up to 64 expense accounts of your own choosing. Reconciles your checkbook with your bank statements; summarizes transactions by account, month or YTD, and permits searches on every field. Up to 1,500 transactions on a single disk system. An easy to use menu driven program \$25.00 plus \$2.50 shipping and handling. See review in December 1987, Rainbow Magazine.

**CoCo ADDRESS BOOK**

A mailing list manager, a personal phone book and an address book all in one program. The address book will store, sort, retrieve or print mail labels, either the whole file or one at a time, for friends, family or acquaintances. A year round help but especially helpful during holiday seasons. You can search the file on the last name, city, state/province, zip code, telephone area code or remarks. Up to 100 name/file and 78 files/disk. An easy to use menu driven program. A printer is recommended but not required. \$20.00 plus \$2.50 shipping and handling.

**MASTER DISK VERSION 2.1**

A computerized catalog of program names and disk names. Each entry in the catalog has the program name, extension and a 9 character disk name. To find that special program look it up in the alphabetized listing on the screen or a printout or have your CoCo search for it by name. Program names can be loaded by the disk full or entered 1 at a time. Up to 250 program names per file and up to 18 files per disk. An easy to use menu driven program. A printer is optional. \$15.00 plus \$2.50 shipping and handling. See review in January 1988 Rainbow Magazine.

ALL PROGRAMS REQUIRE 32K CoCo 1, 2 or 3 and 1 DISK DRIVE

**SEND CHECK OR MONEY ORDER TO:**  
**BOB'S SOFTWARE**  
P.O. BOX 391 CLEVELAND, OHIO 44107



# Know What I Mean?

By Fred B. Scerbo  
Rainbow Contributing Editor

*Editor's Note: If you have an idea for the "Wishing Well," submit it to Fred c/o THE RAINBOW. Remember, keep your ideas specific, and don't forget this is BASIC. All programs resulting from your wishes are for your use, but remain the property of the author.*

**W**hile I sat there all confused. All by myself. Soon after I knew.

Does anything make sense yet? Of course not. I just started this month's column with three sentence fragments. None of them form a complete thought by themselves, but with a little rewording, all of them could be made to make perfect sense.

You would be amazed at the number of students who have difficulty recognizing sentences and sentence fragments — sometimes even my students have trouble distinguishing them. (I often find compositions full of fragments; however, this usually indicates the students have not proofread their work.)

With the fragment problem in mind, I designed this month's program, *Sentence Fragments*. It is the combination of a number of requests from parents and a few tips from some of my fellow instructors.

*Fred Scerbo is a special needs instructor for the North Adams Public Schools in North Adams, Massachusetts. He holds a master's in education and has published some of the first software available for the Color Computer through his software firm, Illustrated Memory Banks.*

## Optional Speech

The most frequent request I receive is for programs to work with the Tandy Speech/Sound Pak. A number of CoCo users who own the Pak are quite upset about the lack of serious software for it. Therefore, in the past year I have tried to make as many of my programs as possible able to use the Pak. Besides, it gives you one more opportunity to show your friends what your CoCo is capable of doing. *Sentence Fragments* permits speech, but does not need it to operate. In fact, you may prefer not to have it talk. The voice can get on your nerves after a while. Still, it makes a nice option for younger students just learning to read.

## The Program

Written in Extended Color BASIC, this program should easily fit into a 16K machine. However, if you add your own data, you may need to do a PCLEAR1 in order to have enough free memory. Right now, with 50 short examples, the program has only a few bytes to spare without the PCLEAR command.

In a nutshell, the program presents a statement and asks the user whether it is a complete sentence or a sentence fragment. The user responds by pressing C for Complete Sentence or S for Sentence Fragment.

The screen then indicates whether the response is correct or incorrect. If the response is correct, the screen can be advanced to the next example by pressing ENTER.

If the statement is a complete sentence, then the program will simply show the next statement. However, if the statement is only a sentence fragment, the screen will give an example of

how the fragment can be changed into a complete sentence and make a complete thought. This is probably the program's best feature. Students often cannot tell what is missing from a sentence fragment. Therefore, this feature helps to reinforce a better understanding of sentence closure.

## Running the Program

When you run the program, a familiar title screen appears. Press T for Talking or N for No Talking. The rest of the program is self-explanatory. Pressing the @ key shows your score. You may return to where you left off by pressing C for Continue.

After the last problem has been presented and answered, the scorecard appears. You may repeat the program by pressing Y for Yes or stop by pressing N for No. Each time the program is run, the material is presented in a different order.

## Meeting Your Needs

You may put your own samples into DATA statements and resave the program in order to have different versions or levels of this material. The program will hold a maximum of 50 problem statements. To add your own data, first type DEL1000-4999 and press ENTER to dump the present data. The last DATA line should always be 5000 DATA END,END,END.

Data is entered simply. First, you present the statement. Next, indicate whether it is a complete sentence (C) or a sentence fragment (S). The third piece of data in a line is the conclusion to a statement if it is a fragment or an "OK" if the statement is a complete sentence (no ending is needed to make it a complete thought).

The format should look like this:

1000 DATA statement,C or  
S,conclusion or OK

Here is an example of a complete sentence:

1000 DATA I AM VERY HAPPY,C,OK

Data entry for a fragment would look like this:

1000 DATA SINCE IT STARTED  
RAINING,S,I HAVE BEEN SAD

Notice that you do not use periods at the end of the first statement. This is done to prevent giving away any clues or making it too difficult to tack something onto the end of a fragment. Question marks may be used, however.

Be sure to use quotes to surround any data that may have commas in it. Check Line 1300 for an example. Save your own data with different filenames. In time, you may have a very large library of custom software.

## Conclusion

I would like to give a special thanks to fellow teacher Nancy Horsefall for coming up with the sample data for this program. Nancy is using this program with her own students now. In fact, it was partly her idea to use some of the lyrics and song titles you see in the data. That's part of what makes the program so much fun. Thanks, too, to all of you who keep sending your ideas. That's what makes this column possible. □

✓	45	.....	30	1070	.....	216
	150	.....	78	1210	.....	84
	270	.....	197	1330	.....	172
	360	.....	133	END	.....	101
	440	.....	139			


The listing: SENTENCE

```
1 REM *****
2 REM * RECOGNIZING COMPLETE *
3 REM * SENTENCES & FRAGMENTS*
4 REM * BY FRED B.SCERBO *
5 REM * 60 HARDING AVE. *
6 REM * NORTH ADAMS,MA 01247 *
7 REM * COPYRIGHT (C) 1987 *
8 REM *****
```

```
9 CLEAR2000
10 CLS0:FORI=1TO64:PRINTCHR$(172);:NEXT
15 FORI=1TO192:READA:PRINTCHR$(A+128);:NEXT
20 DATA94,92,92,88,53,60,60,53,60,56,59,48,58,60,61,60,56,62,60,53,50,53,53,60,60,53,60,56,,94,92,92
25 DATA90,,,52,60,61,53,56,,58,57,58,,53,,48,62,48,53,52,55,53,,53,56,,,90,,
30 DATA94,92,92,,52,60,60,52,60,56,56,,56,,52,,48,60,60,52,48,52,52,60,60,52,60,56,,92,92,93
35 DATA90,,94,92,93,85,92,92,93,
```

## Sculptor

40 times faster than other  
4th. generation languages.



Easy to learn.

80% Reduction in development time.

Reliable proven software - in use by over

30,000 programmers in 34 countries worldwide.

Works with MS-DOS, Unix, Xenix, VMS, OS9, QNX and more.

100% Portable to over 90 machines - Micros to Mainframes.

**OS9 LEVEL II SPECIAL \$295**

**FHL**

Frank Hogg Laboratory, Inc.

770 James St. - Syracuse, NY 13203 - 315/474-7856 TELEX 646740 - Since 1976

## WIN YOUR STATE LOTTO WITH YOUR COMPUTER!

"The home computer is the most powerful tool ever held by man" (or woman for that matter)!

Are you still wasting money with random guesswork?

This amazing program will analyze the past winning lotto numbers and produce a powerful probability study on easy to read charts in just seconds. With single key presses from a menu you'll see trends, patterns, odd/even, sum totals, number frequency and more on either your screen or printer. Includes automatic number wheeling, instant updating and a built-in tutorial to get you started fast and easy!

**CHECKS & CHARGE CARDS ACCEPTED  
WITH NO SURCHARGE.**

All orders shipped same day  
(except personal checks).

APPLE & IBM Compatibles ..... \$24.95

Macintosh (requires M/S Basic) ..... \$29.95

Commodore, Atari & Radio Shack ..... \$21.95

Back-Up Copies - \$3.00

Please add \$2.00 for shipping and handling.

Phone credit given with orders.

(513) 233-2200

**SOFT-BYTE**

P.O. Box 5701, Forest Park  
Dayton, Ohio 45405



```

85,92,92,93,85,92,94,93,85,92,92
,85,82,,90,92,92,94,92,88,,,85
40 DATA90,80,91,83,87,85,83,83,8
7,85,,81,83,85,,90,85,85,92,92,8
5,84,82,90,,,90,,,,,85
45 DATA90,,90,84,83,85,,,85,85,8
3,83,87,85,80,80,85,85,83,83,85,
,84,90,,,90,,83,83,83,87
50 FORI=1TO64:PRINTCHR$(163);:NE
XT
55 PRINT@357," RECOGNIZING COMPL
ETE ";:PRINT@389," SENTENCES &
FRAGMENTS ";:PRINT@421," (T)ALKI
NG OR (N)OT ? ";
60 PRINT@453," BY FRED B.SCERB
O ";
65 PRINT@485," COPYRIGHT (C) 19
87 ";
70 X$=INKEY$:IFX$="T"THEN90
75 IFX$="N"THEN85
80 GOTO70
85 NT=1:GOTO150
90 CLS0
95 XX=&HFF00:YY=&HFF7E
100 POKEXX+1,52:POKEXX+3,63
105 POKEXX+35,60:GOTO150
110 IFNT=1THENRETURN
115 FORII=1TOLEN(AA$)
120 IF PEEK(YY)AND 128=0 THEN120
125 POKEYY,ASC(MID$(AA$,II,1))
130 NEXTII
135 IFPEEK(YY)AND128=0THEN135
140 POKEYY,13
145 RETURN
150 DIM AO(51),A$(51),B$(51),C$(
51),N(51)
155 CLS0:PRINT@264," PLEASE STAN
D BY ";
160 SW=28:KZ=RND(-TIMER)
165 FORJ=1TO51
170 READ A$(J),B$(J),C$(J):IF A$
(J)="END" THEN180
175 NEXTJ
180 J=J-1
185 FORI=1 TO J
190 AO(I)=RND(J)
195 IFN(AO(I))=1THEN190
200 N(AO(I))=1:NEXTI
205 FOR Y=1TO1000:NEXTY
210 CLS
215 FOR P=1TOJ
220 IF P>J THEN RUN
225 CLS:PRINT" EXAMPLE NUMBER"
;P"."
230 PRINT
235 AA$=" IS THE FOLLOWING A C
OMLETE SENTENCE OR A SENTEN
CE FRAGMENT ?":PRINTAA$

```

```

:GOSUB110:PRINT
240 FORHH=1TO2000:NEXT
245 JK$=A$(AO(P)):IF RIGHT$(JK$,
1)="? "THEN255
250 JK$=JK$+"."
255 GOSUB260:GOTO285
260 IF LEN(JK$)<=SW THEN 280
265 FOR T= SW TO 0STEP-1:IF MID$
(JK$,T,1)=" "THEN275
270 NEXT T:GOTO280
275 L$=LEFT$(JK$,T):PRINT" ";L
$:AA$=L$:GOSUB110:JK$=RIGHT$(JK$
,(LEN(JK$))-T):GOTO260
280 PRINT" ";JK$:AA$=JK$:GOSUB
110:RETURN
285 PRINT
290 PRINT" C)OMLETE SENTEN
CE":PRINT" OR"
295 PRINT" S)ENTENCE FRAGME
NT"
300 AA$="PRESS C FOR COMPLETE SE
NTENCE OR S FOR SENTENCE FRAGMEN
T":GOSUB110
305 G$=INKEY$:IF G$=""THEN305
310 IF G$="C"THEN330
315 IF G$="S"THEN330
320 IF G$="@ "THEN425
325 GOTO305
330 IF G$=B$(AO(P))THEN 345
335 GOTO355
340 IF C(F(G))<>AO(P) THEN355
345 PRINT:AA$=" YOU ARE CORREC
T!":PRINTAA$:GOSUB110
350 CR=CR+1:GOTO375
355 PRINT:AA$=" WRONG! THIS ST
ATEMENT IS A":PRINTAA$:GOSUB110
360 IF B$(AO(P))="S" THEN AA$="
SENTENCE FRAGMENT.":PRINTA
A$:GOSUB110
365 IF B$(AO(P))="C" THEN AA$="
COMPLETE SENTENCE.":PRINTAA
$:GOSUB110
370 IR=IR+1
375 IFB$(AO(P))="C"THEN405
380 X$=INKEY$:IFX$<>CHR$(13)THEN
380
385 CLS:PRINT:JK$="IN ORDER TO B
E A COMPLETE SENTENCE, THIS STAT
EMENT COULD BE READ AS FOLLOWS:"
:GOSUB260:PRINT:FORH=1TO2500:NEX
TH
390 JK$=A$(AO(P))+ " "+C$(AO(P)):
GOSUB260:PRINT:FORH=1TO2000:NEXT
H
395 JK$="THIS EXPRESSES A COMPLE
TE THOUGHT.":GOSUB260:FORH=1TO20
00:NEXTH
400 PRINT:AA$=" <<PRESS ENTER T

```

```

O CONTINUE.>>":PRINTAA$:GOSUB110
405 X$=INKEY$:IFX$=CHR$(13)THEN4
20
410 IFX$="@ "THEN P=P+1:GOTO425
415 GOTO405
420 NEXTP
425 CLS:PRINT:PRINT:PRINT
430 PQ=CR+IR:IF PQ=0THEN PQ=1
435 PRINT"      NUMBER CORRECT = "
CR
440 PRINT
445 PRINT"      NUMBER WRONG  = "
IR
450 PRINT:PRINT"      STUDENT SCOR
E = ";INT(CR*100/PQ);"%"
455 PRINT:PRINT"      ANOTHER TRY
(Y/N/C)";
460 W$=INKEY$:IF W$=""THEN460
465 IF W$="C" THEN 220
470 IF W$="Y" THEN RUN
475 IF W$="N" THEN CLS:END
480 GOTO460
990 REM ENTER DATA AT LINE 1000
1000 DATA THEY THREW A PARTY ON
SUNDAY,C,OK
1010 DATA AS THEY WERE LEAVING T
HE PARTY,S," , IT STARTED TO RAIN
.
1020 DATA THE CHILDREN RACED TO
THE CAR,C,OK
1030 DATA SITTING ON A PILLOW,S,
WAS A BIG BLACK SLEEPING CAT.
1040 DATA THE ROCKET SHOT ACROSS
THE SKY,C,OK
1050 DATA HER BROTHER WHO LIVED
IN KANSAS,S,WAS PLANNING TO VISI
T HER IN THE SPRING.
1060 DATA HARVEY CRIED,C,OK
1070 DATA THE SUN ALMOST HIDDEN
BY THE CLOUDS,S,TRIED TO SHOW IT
S FACE ALL DAY LONG.
1080 DATA "AS THEY LEFT, SHE SLI
PPED ON THE ICE",C,OK
1090 DATA THE FIRE ENGINE SCREAM
ING DOWN THE STREET,S,WOKE UP TH
E SLEEPING BABY.
1100 DATA THE OLD CAR SPUTTERED
TO A HALT,C,OK
1110 DATA AFTER THE LONG PARTY,S
,WE ALL DECIDED TO GO HOME
1120 DATA "AFTER THE FOOTBALL GA
ME, THEY WENT OUT TO DINNER",C,O
K
1130 DATA WITH ALL HIS SUITCASES
PACKED,S," , HE LEFT TOWN IN A H
URRY."
1140 DATA HE WANTED TO JOIN OUR
CAMERA CLUB,C,OK

```

```

1150 DATA WHERE WERE YOU STANDIN
G?,C,OK
1160 DATA PLEASE CARRY THIS UMBR
ELLA FOR ME,C,OK
1170 DATA THE GIRLS WERE WEARING
BLUE JEANS,C,OK
1180 DATA "WITHOUT LOOKING, JIMM
Y STARTED FORWARD",C,OK
1190 DATA THE UNHAPPY OLD MAN SA
T ALONE UNTIL DARK,C,OK
1200 DATA I SHALL STAY HERE?,C,O
K
1210 DATA WHAT IS THE DIFFERENCE
BETWEEN PAINT AND SHELLAC?,C,OK
1220 DATA THREE BOYS STUCK THEIR
HEADS OUT OF THE WATER,C,OK
1230 DATA THE LITTLE DOG STOOD O
BEDIENTLY BY HIS MASTER,C,OK
1240 DATA MAY I DRIVE THE CAR?,C
,OK
1250 DATA THE MEETING WAS HELD I
N LOS ANGELES,C,OK
1260 DATA THE BRIGHT SUNLIGHT SH
INING THROUGH THE WINDOW,S,BLIND
ED ME AS I GOT UP FROM BED.
1270 DATA THE WAY THE GIANT LIFT
ED THE WHOLE TREE,S,AMAZED THE L

```

## THE SOFTWARE HOUSE

A DIVISION OF DATAMATCH, INC.

DS/DD  
PROGRAMMERS  
DISKS



WOW!

10 FOR \$ 5.95  
50 FOR \$28.95  
100 FOR \$49.95

W/SLEEVES, LABELS, W.P. TABS

MADE IN USA! CERTIFIED ERROR FREE.

5 YEAR WARRANTY

FLIPPY DISKS 10/\$8.95

FACTORY PUNCHED - USE BOTH SIDES

### PRINTER RIBBONS

EPSON MX/RX/FX 70/80	\$5.00 Ea.	6/\$28.00
RED, GREEN, BROWN, BLUE	\$6.00 Ea.	4/\$22.00
GEMINI 10/10X/SG10	\$2.00 Ea.	DOZ/\$22.00
GEM/OKI COLORS	\$3.00 Ea.	4/\$10.00
OKIDATA 80/82/92/93	\$2.00 Ea.	DOZ/\$22.00
C.I.TOH.NEC 8023, APPLE		
DMP/IMAGEWRITER	\$6.00 Ea.	6/\$34.00
RED, GREEN, BROWN, BLUE	\$6.50 Ea.	4/\$25.00

ALL ITEMS 100% GUARANTEED

Add \$2.50 S/H in U.S.A. - Canada Add \$3.50 + \$1.00/LB

Michigan Residents Add 4% Sales Tax

Send Check/Money Order Payable to:

**THE SOFTWARE HOUSE**

9020 HEMINGWAY, REDFORD, MI 48239

(313) 937-3442



Send Card Number & Exp. Date

Min. Charge Order \$20.00



# Still pounding away on that old keyboard?

Give it, and yourself, a break! Subscribe to RAINBOW ON TAPE or RAINBOW ON DISK today! Every month, these convenient services bring as many as two dozen ready-to-run programs right to you. Using the current issue of THE RAINBOW as documentation, all you have to do is load and run them. Just a one-year subscription gives you more than 230 new programs!



## RAINBOW ON TAPE For No-Fuss Fun

The typing time you save is time that you can spend enjoying your CoCo! Back issues of RAINBOW ON TAPE are available beginning with the April 1982 issue, so there's no need to miss out on any of our great offerings. A single copy of RAINBOW ON TAPE is \$10 within the United States; U.S. \$12 in all other countries. The annual subscription rate for RAINBOW ON TAPE is \$80 within the U.S.; U.S. \$90 in Canada; and U.S. \$105 for all other countries. U.S. currency only, please. In order to hold down costs, we do not bill.\*

## RAINBOW ON DISK Offers OS-9 Programs

In addition to all the programs offered on tape, part of one side of the disk is formatted for the OS-9 operating system program. That means you can now get all the OS-9 programs from the magazine — programs that cannot be put on tape. And, with the introduction of the CoCo 3, OS-9 programs will become more and more prevalent. Back issues of RAINBOW ON DISK are available beginning with October 1986. Subscriptions to RAINBOW ON DISK are \$99 a year in the U.S. Canadian rate is U.S. \$115. All other countries, U.S. \$130. Single copy rate is \$12 in the U.S.; U.S. \$14 in Canada; and U.S. \$16 in all other countries.\*

### Look for our order envelope between pages 66 and 67

RAINBOW ON TAPE and RAINBOW ON DISK are not stand-alone products, but are intended as adjuncts and complements to the magazine. You will need the magazine for loading and operating instructions.

\* Kentucky residents add 5% sales tax. Please allow 6 to 8 weeks for first copy.

**To order by phone (credit card orders only), call (800) 847-0309, 8 a.m. to 5 p.m.**

**All other inquiries call (502) 228-4492.**

Please note: While group purchases of RAINBOW ON TAPE and RAINBOW ON DISK are permitted (and multiple subscriptions are even discounted, if purchased in one order from a club), no license to make copies is conveyed or implied. Yes, your group may even purchase a subscription to our disk/tape services, but such purchase in no way authorizes that any copies be made of that original disk/tape. Specifically, this means that the original disk/tape itself may be kept in a club library for use by members. However, a group purchase does not entitle club members, individually or as a group, to copy that disk/tape. Unauthorized copying of any copyright product is strictly illegal. The copyright (right to make copies) is in no way conveyed in the purchase transaction.

**Now  
Available  
On Delphi**

For your convenience, these products can also be ordered via the Delphi Information Network in our Shopping Service area of THE RAINBOW's Color Computer SIG (Special Interest Group).

Programs from our past issues are also available for immediate download in the RAINBOW ON TAPE database area in THE RAINBOW's Color Computer SIG on Delphi. There is a \$3.50 per program surcharge.

LITTLE CHILDREN.

1280 DATA TO PUT OUT THE FIRE,S,  
YOU SHOULD SMOTHER IT.

1290 DATA AS THE PRESIDENT BOARD  
ED THE PLANE,S,THE CAMERA FOLLOW  
ED HIS EVERY MOVE.

1300 DATA JUST IN CASE YOU DIDN'  
T KNOW,S," , TODAY IS MY BIRTHDAY  
."

1310 DATA COMING THROUGH THE TUN  
NEL AT 80 MPH,S,WAS THE BRIGHT N  
EW TRAIN

1320 DATA ALL THE IMPORTANT PEOP  
LE COMING TO DINNER,S,WILL EXPEC  
T TO BE TREATED PROPERLY.

1330 DATA HAVING TOO MUCH MONEY,  
S,IS THE LEAST OF MY PROBLEMS!

1340 DATA THE ROOM ALMOST FILLED  
WITH SMOKE,C,OK

1350 DATA WHEN THE OLD MAN DIED,  
S,HE WAS ALL ALONE.

1360 DATA AS I WAS ON MY WAY TO  
THE STATE CAPITOL,S,I HEARD THE  
NEWS.

1370 DATA SOMETHING IN THE WAY S  
HE MOVES,S,ATTRACTS ME LIKE NO O

THEIR LOVER

1380 DATA YOU GIVE LOVE A BAD NA  
ME,C,OK

1390 DATA EVERYTIME YOU GO AWAY,  
S," , YOU TAKE AWAY A PART OF ME.  
"

1400 DATA 'WANTED DEAD OR ALIVE'  
,S,IS THE BEST SONG I KNOW!

1410 DATA EVERYBODY HAVE FUN TONI  
GHT,C,OK

1420 DATA I WISH THEY ALL COULD  
BE CALIFORNIA GIRLS,C,OK

1430 DATA 'LIVING ON A PRAYER',S  
,IS ANOTHER SONG BY BON JOVI!

1440 DATA LET ME BE THE ONE,C,OK

1450 DATA SINCE YOU'VE BEEN GONE  
,S," , THERE'S SOMETHING I WANT T  
O SAY."

1460 DATA DON'T DREAM IT'S OVER,  
C,OK


1470 DATA HERE I GO AGAIN,C,OK

1480 DATA I SHOULD HAVE KNOWN BE  
TTER,C,OK

1490 DATA HAVE IT YOUR WAY,C,OK

5000 DATA END,END,END






# CY-BURNET-ICS

SOFTWARE FOR KIDS

3 x 4



**—Dual Program Specials—**

- TIME/MONEY ..... \$39.95
- ADDITION/SUBTRACTION ..... \$39.95
- MULTIPLICATION/  
BEAT THE COMPUTER ..... \$21.95

supports CoCo 1, 2, & 3  
specify cass/disk/Network II  
school P.O.s welcome  
add \$2.00 shipping and handling  
Network orders add \$10.00 per disk  
Write for Free Catalog

## CYBURNETICS

3 x 8 = 24

5705 CHESSWOOD DR.  
KNOXVILLE, TN 37912  
615-688-4865

3 x 5 = 15

# E.Z. FRIENDLY

## Leonardo's Pencil

(Reviewed in Oct. 87 RAINBOW) The graphic programmer's dream! Makes programming sensational-looking graphics as easy as moving a joystick! Converts precision drawings into "DRAW" commands which can be stand-alone BASIC programs or merged into other programs. Also includes "DEMO" and "PAINT" programs. Requires a spring-centered joystick or touch-pad. 64k ECB

tape \$10.95 disk \$12.95

### ? ENIGMA?

Transform your computer into an ultra-secret code machine capable of enciphering and deciphering in over 12 million virtually unbreakable codes! (not simple substitution codes). Print hard copy or store & retrieve coded data on tape or disk. Only the person who has the password can read it! 64k ECB

tape or disk \$8.50

### RACEWAY

Give quick answers to math problems and your race car will zoom to the finish line! Super graphics & sound. Select addition, subtraction, multiplication, or division—four speed levels from "beginner" to "very fast". Ages 6-10. 64k ECB

tape or disk \$7.50

(Add \$1.50 postage & handling to all orders.  
NY residents add state sales tax.)

**E.Z. FRIENDLY SOFTWARE**  
HUTTON & ORCHARD STS.  
RHINECLIFF, NY 12574  
(914) 876-3935



# The Kolar Progression

By Joseph Kolar  
Rainbow Contributing Editor

**W**hat good are copious dollops of programming expertise if the spark of creativity is missing? To me, it is better to be a beginner with a creative and open mind than an expert programmer locked into a box of mediocrity.

This tutorial is addressed to the beginner who brings to CoColand an unstructured personal perspective that has room for inspiration. The goal should always be to create something new. This open-ended, inquiring perspective means all the difference in the world to the newcomer. In fact, it makes the difference between feverish, late-night sessions at the keyboard to create a special vision or a dusty tombstone of a CoCo relegated to an obscure corner of a musty closet cemetery.

The beginner is still king. Unlike the tired experts (myself included) who ultimately wind up with repetitious mediocrities, the novice possesses a fresh outlook and is willing and eager to wander down untrodden pathways.

The beginner's unvoiced creed is, "All avenues are worth investigating. All lanes and byways are attractive prospects. No alley is presumed to be dead-ended."

All beginners are urged to experiment on their own. They need not master all programming techniques, and can always refer to manuals and old issues of *THE RAINBOW*. There is no rule engraved in concrete that stipulates they must memorize everything.

*Florida-based Joseph Kolar is a veteran writer and programmer who specializes in introducing beginners to the powers of the Color Computer.*

You never know where you will end up when you pursue a hot idea. Today we continue on a variation of a theme — developing an idea.

Fire up your CoCo. Key in Listing 1 and run. The five exhibits are odd, but that is the whole idea — to be unique. This display contains our raw material. From this mess we must create something original.

This tutorial was created because I wanted to prepare a small, impromptu graphics program to check out a screen dump program. Using *DRAW*, the first thing that came to mind was *U10R10D10L10* — a box. Not exactly awe-inspiring, but just what a jaded programmer's mind would suggest.

After some mental jogging, I decided to use *URDL*, *DRAW* directions, repeat them a few times and use ascending length values (10, 20, 30 and 40) and then descending values (30, 20 and 10). The plan was to use undulating values and see what happened.

Look at Line 20. It wasn't planned, but it happened. It is the oblong shape, top-center of the display. Continuing the same sequence gets us nowhere because the pattern repeats. Check it out for yourself.

Line 10 sets up the blackboard area. What kind of shape would appear if I used the *EFGH* directions, repeated twice, with ascending lengths 10, 20, 30 and 40 repeated? The boring, rambling design in the upper-left corner was determined by Line 21.

Back to the drawing board! I tried *FGHEDLUR* directions, repeated twice with the familiar undulating values, and produced the exhibit in the lower-right corner of the blackboard. It is formu-

lated in Line 22 — interesting, but suggesting nothing!

Line 23 creates the curious effect in the upper-right region of the display. Study Line 23 and you will note that *DRULEFGH*, repeated twice, was used with our undulating value scheme. This exhibit seems more intriguing. There is space in the lower-left area of the blackboard; Line 24 displayed the pattern there.

Looking at the set of five exhibits evoked a "So what?" from me. I was aware that I used distorted and disguised box and diamond shapes; e.g., *EFGH* with any single value, repeated four times makes a diamond. *RDLU* are the hallmarks of a square or box shape.

If you can't imagine it, key in:

```
25 DRAW"BM20,20E10F10G10H10"
26 DRAW"BM230,10R10D10L10U10"
```

and run. Truly, we are laboring on a variation of a theme. Type *DEL25-26* and press *ENTER*.

Careful study of the two bottom exhibits carefully gave me a sense of *deja vu*. Inadvertently, both figures are identical except for a 90-degree rotation. Clang, clang, clang went the CoCo alarm in my head. 90-degree rotation? Shades of the *DRAW*, *A* option. Recall that it allows rotation around a point. The urge to experiment is too overpowering to resist.

Type *LIST* and press *ENTER*. We shall use Line 22. In order to make a loop around Line 22, we have to make room by renumbering the listing.

Key in *RENUM 10,5,10* and then call up the listing. Line 22 is redesignated as Line 40. Mask lines 20, 30, 50 and 60

with REM statements. Run. Move the design to center stage by changing the locating values; type 128, 96 and press ENTER, then run.

Edit Line 40 to insert A=X; after the first quote mark, and add these lines:

```
39 FOR X = 0 TO 3
41 NEXT X
```

and run. No matter how mundane a design may be, if it is attractively centered, it emits a special aura.

The design looks a little congested. No S size value was used, and CoCo reverted to the default size, S4. Edit Line 40 again, and after the first quote, insert either S6 or S7. Run. Caution: Values of numbers that are not multiples of 4 are seldom used in graphics displays, as they are likely to distort a carefully worked-out design.

Save our work as "ODDSENDS". Type NEW and press ENTER to clear CoCo's memory.

Key in this mini-program:

```
10 PMODE4,1:PCLS:SCREEN1,0
20 DRAW~S16BM90,100 BDN19BU
USER2FD3NCLD2 BR4U6R3FD2GLN
L2F2 BR5U6HL2R2
30 GOTO 30
```

Run, and notice the height of the space between the bottom of the characters and the underline.

In Line 20, change 16 to 14 and run.

Size S15 makes the distortion even more pronounced. In a long word, these distortions are carried from letter to letter so that the word looks like a drunken sailor, wobbling upward or downward.

If I am not mistaken, S16 makes a fine enlargement of S8. Again, multiples of 4, like S4, S8, S12, etc., are OK.

Use other sizes warily! Type in NEW and press ENTER to clear memory.

Key in Listing 2 from Line 0 to Line 60, and also Line 500.

We are going to make four exhibits in our pseudo-art color show. To activate each exhibit press keys 1 through 4. If you press any other key, except SHIFT or BREAK, you will return to Exhibit 1.

Now, Line 30 only calls Exhibit 1. Using a basic octagon shape (ERFDGLHU repeated three times) and lines 10 through 40, undulating, make a nice symmetrical design. Wouldn't you guessimate that you would need four repeats to create the four-leaved goody? Do you see why you need only three repeats?

Key in lines 70 through 110. This one is a mixed bag of directions. EHFGDLU, repeated seven times in our undulating 10 to 40 to 10 value progression is Exhibit 2. Run and press 2. This dud suggests nothing!

Key in lines 120 through 160. Into string B\$ we pack HGFERDLU, repeated three times, in our by now familiar value progression. Line 130 gives us a double dose on the screen when we run and press 3.

To demonstrate that this is an exact, replicating design, we unmask Line 140 and key in C2, yellow, and obliterate our hard work. Easy come, easy go!

Key in the rest of the program. Line 170 packs into B\$ the same scoop as in Exhibit 1, (lines 40 and 50). After keying in lines 170 and 180, run the program. Key in Line 190 and run again.

Note that Line 190 is in size S6. It has to be recentered, but this is not perfect, as you will spot upon careful inspection. Look at the vertical pairs of lines. Horizontal 53 makes the left pair wider than the right pair. Horizontal 54 makes

the right pair wider than the left pair. This is the distortion factor we have to learn to live with.

As an aside, try masking Line 180 and enter 60 GOTO 160. Run and press 1. If you want to restore Exhibit 4, unmask Line 180 and type 60 GOTO 60.

We might as well color some of the inner blades green.

Key in lines 200 and 210. A dot of color is located within the borders of the area we propose to color. Run. Key in Line 220; we paint the located area green. Run.

Key in lines 230 and 240 and run. Ditto for lines 250 and 260, and then for Line 270. Key in Line 280 and run — the central box is colored. To accent the blades, key in lines 290 and 300 and run.

In order, key in and run lines 310, 320 and 330. To outline our work of art in green, key in Line 340 and run.

Key in lines 341, 342 and 350 and follow instructions. Note: If you didn't mask Line 180, but used 60 GOTO 170, Line 30 will call this last exhibit with either 1 or 4.

If you want to save this tutorial, mask Line 140 and save it as "ZIGZAG".

The best part about creating these and similar designs is that, in all eternity, you may be the very first pioneer to create such a unique design.

We haven't explored any of the innumerable possibilities of using this simple, undulating progression of square and diamond themes. You can use the techniques demonstrated in this tutorial to create I don't know what.

Since I dreamed up this system, I think I'll call it the "Kolar Progression." If I know me, I will worry this topic to death in a following tutorial.

You can have a lot of fun making up viable designs with DRAW, PSET and PAINT commands. You can while away

## LOWEST PRICES EVER FOR COCO 3 PRODUCTS!

### TURBO RAM BOARD

512K BOARD

OK BOARD

**\$79.95 \$29.95**

Includes RAM Board Utilities



- ☐ Fast 120 nsec RAM Chips
- ☐ Easy-to-Follow Instructions
- ☐ No Soldering

### RAM BOARD UTILITIES

All 3 for only **\$19.95**

- ☐ RAM Disk for RSDOS\*
- ☐ Print Spooler\*
- ☐ Sophisticated Memory Test Program

**PAL UPGRADE — ONLY \$7.95**

for your gray or white MULTI-PACK (26-3024)

#### Shipping & Handling:

Within the U.S. & Canada: add \$3.00  
Outside the U.S. & Canada: add \$5.00  
COD Orders: add \$2.00  
(Calif. Residents: add 6% sales tax)  
(VISA or MC orders accepted)



Send Check or Money Order to:

Performance Peripherals  
11432 Pena Way  
Mira Loma, CA 91752  
Or Call (714) 681-3007

☛ 30 DAY MONEY-BACK GUARANTEE PLUS FULL 1 YEAR WARRANTY!

### COCO 3 UTILITIES

**\$14.95 each**

- ☐ Disk Duplicator\*
- ☐ 640x640 Joystick Driver\*
- ☐ Coco Max 2 to Coco 3 Patch Routines\*

All 3 for only \$39.95!

**PYRAMIX Arcade Game\*—\$19.95**

\*Products developed by Color Venture

**New! \$99.95**

No-Halt DMC Floppy Disk  
Controller for your Coco1, 2, or 3  
(not currently certified)

the hours of your CoCo apprenticeship and become versed in creating interesting, if not spectacular, designs and shapes. You are encouraged to take the Kolar Progression to its very limits and bend it to your will.

The beginner need not have logged in a zillion hours at the keyboard to

understand how to make unique and satisfying graphics. You should aim to play with CoCo and drive it nuts in an effort to make that "something special" that reflects your personality.

After all, you can be a hack, copying listings the rest of your computer life, or you can be an enterprising computer

Picasso, creating original artwork.

I think I know what your reply must be. Remember that every graphic you create, no matter how simple or complex, is honest-to-goodness art. Why not work up something neat to make Picasso turn over in his grave with envy? □

#### Listing 1: ODDSENDS


```
Ø '<ODDSENDS>
1 CLEAR 5ØØ
1Ø PMODE4,1:SCREEN1,Ø:PCLS
2Ø DRAW"BM13Ø,35U1ØR2ØD3ØL4ØU3ØR
2ØD1ØL2ØU3ØR4ØD3ØL2Ø"
21 DRAW"BM122,75 E1ØF2ØG3ØH4ØR1Ø
D2ØL3ØU4ØE1ØF2ØG3ØH4ØR1ØD2ØL3ØU4
Ø"
```

```
22 DRAW"BM19Ø,135F1ØG2ØH3ØE4ØD3Ø
L2ØU1ØR2ØF3ØG4ØH3ØE2ØD1ØL2ØU3ØR4
Ø"
23 DRAW"BM2ØØ,9ØD1ØR2ØU3ØL4ØE3ØF
2ØG1ØH2ØD3ØR4ØU3ØL2ØE1ØF2ØG3ØH4Ø
"
24 DRAW"BM5Ø,14Ø E1ØF2ØG3ØH4ØR3Ø
D2ØL1ØU2ØE3ØF4ØG3ØH2ØR1ØD2ØL3ØU4
Ø"
3Ø GOTO3Ø
```

#### Listing 2: ZIGZAG

```
Ø '<ZIGZAG>
1Ø CLEAR5ØØ
2Ø PMODE3,1:PCLS2:SCREEN1,Ø
3Ø A$=INKEY$:IF A$="" GOTO 3Ø EL
SEON VAL(A$) GOTO 4Ø, 7Ø, 12Ø, 1
7Ø
4Ø DRAW"BM78,56 E1ØR2ØF3ØD4ØG3ØL
2ØH1ØU2ØE3ØR4ØF3ØD2ØG1ØL2ØH3ØU4Ø
"
5Ø DRAW"E3ØR2ØF1ØD2ØG3ØL4ØH3ØU2Ø
"
6Ø GOTO6Ø
7Ø DRAW"BM148,86 E1ØH2ØF3ØG4ØR3Ø
D2ØL1ØU2ØE3ØH4ØF3ØG2ØR1ØD2ØL3ØU4
Ø"
8Ø DRAW"E3ØH2ØF1ØG2ØR3ØD4ØL3ØU2Ø
E1ØH2ØF3ØG4ØR3ØD2ØL1ØU2Ø"
9Ø DRAW"E3ØH4ØF3ØG2ØR1ØD2ØL3ØU4Ø
"
1ØØ DRAW"E3ØH2ØF1ØG2ØR3ØD4ØL3ØU2
ØE1ØH2ØF3ØG4ØR3ØD2ØL1ØU2Ø"
11Ø GOTO11Ø
12Ø B$="H1ØG2ØF3ØE4ØR3ØD2ØL1ØU2Ø
H3ØG4ØF3ØE2ØR1ØD2ØL3ØU4ØH3ØG2ØF1
ØE2ØR3ØD4ØL3ØU2Ø"
13Ø DRAW"BM88,96"+B$+B$
14Ø 'DRAW"C2"+B$+B$ 'DRAWS OVER D
ISPLAY 3
15Ø '***ADD ONE DIRECTION AT A
TIME TO B$ AND <RUN> TO SEE THE
DESIGN EXPAND AND ROTATE. IT
MAY BE NECESSARY TO ADJUST <BM>
16Ø GOTO16Ø
17Ø B$="E1ØR2ØF3ØD4ØG3ØL2ØH1ØU2Ø
E3ØR4ØF3ØD2ØG1ØL2ØH3ØU4ØE3ØR2ØF1
ØD2ØG3ØL4ØH3ØU2Ø"
18Ø DRAW"BM78,56"+B$
```

```
19Ø DRAW"BM54,36S6"+B$
2ØØ '**** USE <PSET(X,Y,C)> TO
LOCATE AREAS TO PAINT.
21Ø PSET(1ØØ,5Ø,1)
22Ø PAINT(1ØØ,5Ø),1,4
23Ø PSET (1ØØ,14Ø,1)
24Ø PAINT(1ØØ,14Ø),1,4
25Ø PSET(15Ø,5Ø,1)
26Ø PAINT(15Ø,5Ø),1,4
27Ø PAINT(15Ø,14Ø),1,4 'LOCATION
DEDUCED FROM OTHER THREE AREAS
28Ø PAINT(128,96),1,4 'MIGHT AS
WELL GET THE CENTER AREA
29Ø PSET(128,75,1)
3ØØ PAINT(128,75),1,4
31Ø PAINT(128,117),1,4 'DEDUCED
BY SUBTRACTING 96-75 AND ADDING
THE RESULT TO 96 TO GET VERTICAL
VALUE.
32Ø PAINT(1Ø7,96),1,4 ' DEDUCTED
21 FROM 128 TO GET HORIZ. VALUE
AND VERT. VALUE FIGURES TO BE IN
MIDDLE.
33Ø PAINT(149,96),1,4 'THESE
VALUES FOLLOW FROM REASONING.
34Ø PAINT(Ø,Ø),1,4 'BLOCK OUT
BORDER SMOOTHLY IN ONE DIRECTION
(DOWN) AS APPOSED TO (2Ø,2Ø)
WHICH GIVES A SPLIT UP; THEN
DOWN PAINT JOB.
341 '***SUBSTITUTE (2Ø,2Ø) IN
<34Ø> TO SEE AWKWARD PAINT JOB.
342 '***TEMPORARILY CHANGE THE
PMODE TO <4> IN LINE <2Ø> TO SEE
FOUR <PSET> POINTS.
35Ø '*****NOW IS A GOOD TIME TO
DELETE THE FOUR <PSET> LINES AT
<21Ø>, <23Ø>, <25Ø>, <29Ø>
5ØØ GOTO5ØØ
```



# HOW DO YOU GIVE A RAINBOW?

**It's simple — Give a RAINBOW gift certificate . . .**

Let a gift subscription to THE RAINBOW carry the premier Color Computer magazine right to your friends' doorsteps. THE RAINBOW is the information source for the Tandy Color Computer.

Each month, your friends will enjoy the intelligent programs, reviews and articles written exclusively for their CoCo.

First, your gift will be announced in a handsome card. Then, all year 'round, they'll remember you and your thoughtfulness when they get each edition of THE RAINBOW — more than 200 pages loaded with as many as 24 programs, 15 regular columns and lots of helpful hints and tips.

Generosity benefits the giver, too. There'll be no more tracking down borrowed copies of THE RAINBOW. Your collection will be safe at home.

Give a RAINBOW gift certificate and let your friends in on the fun. THE RAINBOW is the perfect companion for the Color Computer!

**Get your order to us by January 25 and we'll begin your friends' subscriptions with the March issue of RAINBOW.**

**Please begin a one-year (12 issues) gift subscription to THE RAINBOW for:**

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

**From:**

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

☐ My payment is enclosed.

Bill to: ☐ VISA ☐ MasterCard ☐ American Express

Acct. # \_\_\_\_\_ Exp. date \_\_\_\_\_

Signature \_\_\_\_\_

Mail to:

**Rainbow Gift Certificate, The Falsoft Building, P.O. Box 385, Prospect, KY 40059**

For credit card orders call (800) 847-0309, 8 a.m. to 5 p.m. EST.

All other inquiries call (502) 228-4492.

Subscriptions to THE RAINBOW are \$31 in the United States; U.S. \$38 in Canada. The surface rate to other countries is U.S. \$68; the air rate, U.S. \$103. Kentucky residents add 5% sales tax. U.S. currency only, please. All subscriptions begin with the current issue. Please allow 6 to 8 weeks for delivery. In order to hold down non-editorial costs, we do not bill.



# Appointment Calendar

By William J. Holdorf

**C**alculating calendar dates has fascinated me for years. Most of the computer-generated calendars I have found, however, were restricted to a certain group of years or just gave a monthly screen output for a set year. That is, until I came across one calendar calculation I really liked.

I found the calendar calculation in a program in *Sky and Telescope*, July 1985. According to its author, Robert S. Harrington, U.S. Naval Observatory, Washington, D.C., the calendar calculation was derived from a FORTRAN routine that does the same thing on an IBM 4341. From all appearances, it truly represents a perpetual calendar.

Since I am what you might call an amateur, my knowledge is limited concerning the computer and all its capabilities. However, having bought a Color Computer with Extended Disk BASIC and the DMP-130 printer, I thought the calendar calculation routine would be a good program to start with. As printed, the program is intended for use with the DMP-130. You will need to alter the control codes if you are using another printer.

Since I have a Color Computer, I feel any program I write should have some color in it — even if most activity is done within the computer and output is to a printer, as is the case with this calendar program. With that in mind, I have used CLS along with a variety of screen colors, as the screen changes for input or instruction data. This keeps the color coming no matter what is being done.

The core of the calendar calculation is in lines 1870 through 2110. Everything else is just editing input and

output. Since I am not a professional mathematician, I can't completely explain what goes on within the calendar calculation routine. I'll leave that to the professionals who understand. All I know is it works beautifully.

The program prints out three calendars per 8½-by-11 page. Each page has the current month at the top-center, the previous month on the top-left, and at the top-right, the next month. After the three calendars are printed, there are three lines available for special-event dates chosen by the user such as bill payments, holidays, meeting dates, birthdays, etc. The remainder of the calendar page is graduated by three lines showing days of the month split in two columns from 1 through 31. This allows handwritten notes or appointment dates. The program automatically moves to the next page and begins with the next sequence of three months until 12 pages have been printed.

This yearly appointment calendar makes it easy to plan activities for an entire year. Also, any future year can be set up, as well.

As the program is initiated, a year is requested. Full year figures must be entered. Since the basic core for the calendar calculation is a perpetual calendar, actually any year — past, present or future — can be used.

Once the year has been entered, press ENTER, and the screen displays instructions (lines 1220 to 1520) for any special event you might want for each calendar page of the year. Each calendar page can handle 12 special events. Only 19 characters can be entered for each special event. The screen shows the month number and the event number above a line of dashes.

As events are entered, the characters are placed directly above each dash so there is no mistake in entering more

than 19 characters. You can reverse a character or the whole line by using the left arrow. If more than 19 characters are entered, the program erases the data and prints out an error message. You can return to the input area without disturbing the month number or special event count by pressing ENTER. As each event is entered into array SPD\$, the data is erased from the screen by GOSUB 1450. The event count increases, and the screen is ready for the next entry. As you enter the 12th event, the program advances to the next month and the event count starts over.

In case you do not want to use all 12 event allocations for a particular calendar month, after entering the last event you want for the month, enter END and the program will advance to the next month number and the event count will start over. If you do not want to enter any event data or you do not want to continue with the remainder of the year, enter SKIP, and the screen will change to the next set of instructions.

Once all event data has been entered or skipped, the screen displays instructions to get the printer ready. Line up the top of the first page with the printer head. The program allows two blank lines before beginning to print on the third line. If not lined up properly, the page count might be off and the program will advance to the next page incorrectly.

When the paper is lined up, press ENTER, and the computer reads in all data needed for calendar calculations. The screen changes to a reminder that the program is beginning to calculate each of the three calendars for the first page. There is a brief pause before the output begins.

Since there are three different calendars for each page, I have used two loops to control all calculations for each month. The loop in Line 1760 controls the 12 pages. The loop in Line 1770 controls the three-month variation on each page.

Conditions as to what month is calculated are controlled by IF statements in lines 1780 to 1820. As each IF statement is read, month and year changes are made. The program then branches (GOSUB 1850) to begin entering, in array

*William Holdorf lives in Albuquerque, New Mexico. He is a retired business manager and has recently begun learning about the computer.*

CAL\$, the name of the calendar month and titles for the days of the week. This is followed by the calendar calculation routine (lines 1870 to 2110), as indexed by IND.

Six lines for weeks are allowed for each month, even though not all will contain a full week of dates; it depends on the month/year being calculated. Some months with 31 days require six lines to complete the calendar.

Another variation is the page for January, which requires December of the previous year. Line 1780 conditions the data accordingly. Also, another month/year change occurs when the last page, December, is reached. The next month is January of the following year, and Line 1820 conditions the data followed by END after calendar page output. For all other months, the calculations are controlled by lines 1790 to 1810, representing the three months' variation on each page that are all within the same year.

As the calculation data for each week of the three months is completed, array index IND is increased by one before returning to the month/year control (lines 1780 to 1820). After the third month has been completed for a page, the data in calendar array CAL\$ is ready to be printed. This is initiated by GOSUB 2130 in Line 1810 or, if it is the last page month of the year, Line 1820.

With Line 2130, the output to the printer begins. Since I have used condensed characters for the previous and next months, and elongated characters for the present page month, the TAB cannot be used when changing character styles back and forth on the same print line. Instead, I had to use more elaborate print head controls (lines 2290 and 2340) in order to position each calendar line correctly. This will vary with each printer, and the program will have to be revised according to the user's printer. The program is designed for the DMP-130.

I begin each page printout with the year (lines 2150 to 2180). Since the elongation of the year is only one character style change on the same line, I can use the TAB 2150 to position the year. Next it is followed by a block graphics border (lines 2190 to 2220).

The output of the calendar lines from array CAL\$ is controlled by the loop in lines 2240 to 2370. The condensed character style is first initiated in Line 2230 before entering the loop, since the first and third calendar lines will be in that style. Once in the loop, the last calendar line (next month), will be in


condensed style and ready for the previous month on return of the carriage and line feed. Each output from array CAL\$ is indexed by UU (lines 2260 and 2320) and the loop control I on the basis of eight increments. The index is returned to zero after completing each full page line. Each calendar will always contain data for eight lines as it was entered. That is, name of month, (first line), name of days of the week, (second line), and six lines for calendar weekly dates.

Once all three calendars have been printed, a block graphics border is again printed (lines 2390 to 2410). Next, the index control, IND, used to enter calendar calculations to array CAL\$, is restored in Line 2430. This sets the array/index for the input of the next page of three calendars.

After the block graphics border, the

loop in lines 2460 to 2520 will print three lines of any special event dates in array SPD\$. In order to determine if there are any, Line 2470 tests the first index of the month of the array for a blank, using page month number (MZ) and loop number (SE) as the first array index. If the first index is blank, there are none in the entire array for that month, and the program will advance four blank lines and skip the loop routine by branching to Line 2530.

The reason for the four lines when there are no special event dates in array SPD\$ is that the block graphics border printout must be on the fourth line after the calendar output in order to keep the page count correct. When the array SPD\$ has data and the special event dates are printed, only three lines are used, but a carriage/line feed (2510) is always executed after the last special



event is printed. That puts the page in the proper line position for printing a line using the block graphics character, CHR\$(241), on the fourth line in both situations.

Once the block graphics line is printed (Line 2540), the remainder of the month page is printed with monthly dates from 1 to 31 on every third line, split in two columns, using loop 2560 to 2610. Each line has two dates. The loop number is used for the first date (Line 2580) and the loop number plus 16 (Line 2600) is used for the second date. After each date, a line is printed using block graphics characters, CHR\$(241). When

the second date count reaches 32, no more dates are printed and the program branches to Line 2630. At Line 2640, two PRINTs move the paper to the end of the page, followed by RETURN, and the program is back to one of the five conditions that control the three-month calculations, lines 1780 to 1820. When the last page is printed, the RETURN will go to Line 1820 where the program is ended.

There are many editing possibilities using the core calendar calculations. One variation is to print six months along the left side of computer paper, using dots across the page to separate

each month and using two pages for the year. This allows random notes to be written opposite each month.

I hope this program brings as much enjoyment and interest to the user as it has to me. Now that you can have a computer-generated, full-year appointment calendar, there should be no excuse for missing important dates during the year. In fact, you can start planning years ahead.

(Questions or comments may be directed to the author at 3501 Atrisco NW, #3-05, Albuquerque, NM 87120. Please enclose an SASE when writing for a reply.) □

✓	1200 .....136	2090 .....229
	1350 .....186	2340 .....10
	1550 .....86	2500 .....147
	1700 .....128	END .....169
	1870 .....103	

#### The listing: CALENDAR

```


1000 CLS4
1010 CLEAR 2000
1020 IND=1:INPUT INDEX
1030 UU=0:OUTPUT INDEX
1040 DIM C$(42),D$(31),E(12):ARR
AYS FOR CALENDAR CALCULATIONS
1045 DIM M$(12):ARRAY TO HOLD MO
NTH NAMES
1050 DIM CAL$(288):ARRAY TO HOLD
3 CALENDARS
1060 DIM SPD$(12,12):ARRAY FOR S
PECIAL EVENTS
1070 PRINT@37," APPOINTMENT CALE
NDAR ";
1080 PRINT@174," BY ";
1090 PRINT@233," BILL HOLDORF ";
1100 PRINT@300," 1-4-86 ";
1110 FOR X=1 TO 2000:NEXT X
1120 CLS3
1130 PRINT@37," APPOINTMENT CALE
NDAR ";
1140 PRINT@105," FOR ANY YEAR ";
1150 PRINT@196," INPUT FULL YR F
IGURES ";
1160 PRINT@228," FOR BC USE MINU
S SIGN ";
1170 PRINT@260," E.G. 1986,1000
,10,-50 ";
1180 PRINT@320:PRINT@328,"WHAT Y
EAR":INPUT Y

```

```

1190 PRINT@387," WHEN READY FOR
INPUT OF ";
1200 PRINT@419," SPECIAL DATES F
OR EACH ";
1210 PRINT@448:PRINT@452,"MONTH-
--PRESS <ENTER>":INPUT AN$
1220 CLS8
1230 PRINT@34," 12 SPECIAL EVENT
S PER MO. ";
1240 PRINT@66," 19 SPACES EA.SPE
CIAL EVENT ";
1250 PRINT@131," START WITH DATE
AND ADD ";
1260 PRINT@163," NAME OF SPECIAL
EVENT ";
1270 PRINT@230,"      EXAMPLES
";
1280 PRINT@262," 10-HARRY JOHN SO
N-BD ";
1290 PRINT@294," 25-CHRISTMAS
";
1300 PRINT@326," 30-CLUB PICNIC
";
1310 REM----INPUT SPECIAL EVENTS
FOR ALL MONTHS
1320 FOR MON1=1 TO 12
1330 GOSUB 1450
1340 FOR SE=1 TO 12
1350 PRINT@389," MONTH:":PRINT
USING"##";MON1:PRINT"      S.E.
#":PRINT USING"##";SE:PRINT" "
;
1360 PRINT@421,:INPUT AN$
1370 IF LEN(AN$)>19 THEN GOTO 14
80
1380 IF AN$="END"THEN 1430:IF SP
ECIAL EVENTS LESS THAN 12 GO TO
NEXT MONTH
1390 IF AN$="SKIP" THEN 1530:TO
SKIP ALL OR REMAINDER OF MONTHS
1400 SPD$(MON1,SE)=AN$

```



Making the **MicroWorld** of  
CoCo's AFFORDABLE.....

CoCo II	\$ 87
CoCo III	\$115
Drive 0	\$175
Drive 0 (NEW)	\$199
CM-8 Monitor	\$248
Deluxe Joystick	\$ 24
Joysticks (pair)	\$ 13
Mouse	\$40
MultiPak	\$75
Disk storage box (50)	\$ 8.50
CCR-81 Cass. Rec.	\$42

Disks (SS)	\$7.50/box
Disks (DS)	\$8.00/box
*Includes free library case	
DMP-106 Limited Quantities	\$145
DMP-130A (120 CPS)	\$225
DMP-440	\$545
Tandy 1000 EX	\$429
Tandy 1000 SX	\$625
Tandy 1000 HX	\$535
Tandy 1000 TX	\$885
VM-4 Monitor	\$ 99
CM-5 Monitor	\$225
CM-11 Monitor	\$325

CoCo 3 512K Upgrade	\$130
MultiPak Upgrade (26-3024)	\$ 12
MultiPak Upgrade (26-3124)	\$ 12
OS-9 Level 2	\$ 63.95

Minimum Order \$15.00

\* Please Note - Our ads are submitted early, so prices are subject to change!!! We appreciate your cooperation & understanding in this matter.

Method of Payment:  
MC, Visa, Am.Ex. - Sorry, No Citiline!  
Certified Check or Money Order.  
Personal Checks - Allow 1 week to clear!

**FREE PRICE LIST AVAILABLE**

**20 % OFF ALL TANDY SOFTWARE  
MIN. 15% OFF ALL TANDY HARDWARE**

- \* Full TANDY                    ==> CALL <==  
  Warranty                    In Pa:  
\* 100% TANDY                215 863-8911  
  PRODUCTS                In N.J.:  
\* FREE UPS Shipping        201 735-6138  
  †on orders over \$50.00  
  under \$50 add \$2.00



COMPUTER CENTER

**MicroWorld**

230 Moorestown Road, Wind Gap, PA 18091

Laneco Plaza, Clinton, N.J. 08809

**ALL PRICES INCLUDE SHIPPING †!!!**  
(In Continental US)

**100% TANDY EQUIPMENT WITH FULL  
RADIO SHACK WARRANTY**

```

1410 GOSUB 1450
1420 NEXT SE
1430 NEXT MON1
1440 GOTO 1530
1450 PRINT@416
1460 PRINT@448,"          -----
-----"
1470 RETURN
1480 PRINT@417,"DATA OVER 19--PR
ESS <ENTER>";
1490 INPUT AN2$
1500 GOSUB 1450
1510 GOTO 1360
1520 REM----END SPECIAL EVENTS
1530 CLS5
1540 PRINT@261," INPUT DATA COMP
LETED ";
1550 PRINT@387," MOVE PAPER TO F
IRST LINE ";
1560 PRINT@451," WHEN READY PRES
S <ENTER> ";
1570 AN$=INKEY$:IF AN$="" THEN 1
570
1580 FOR I=1 TO 31
1590 READ D$(I)
1600 NEXT I
1610 FOR I=1 TO 12
1620 READ E(I)
1630 NEXT I
1640 FOR I=1 TO 12
1650 READ M$(I)
1660 NEXT I
1670 DATA " 1"," 2"," 3"," 4
"," 5"," 6"," 7"," 8"," 9",
" 10"," 11"," 12"," 13"," 14","
15"," 16"," 17"," 18"," 19"," 20
"," 21"," 22"," 23"," 24"," 25",
" 26"," 27"," 28"," 29"," 30","
31"
1680 DATA 31,28,31,30,31,30,31,3
1,30,31,30,31
1690 DATA "          JANUARY","
FEBRUARY","          MARCH","
APRIL","          MAY",
"          JUNE","          JULY",
"          AUGUST","          SEPTEMB
ER"
1700 DATA "          OCTOBER","
NOVEMBER","          DECEMBER"
1710 CLS6
1720 PRINT@258," CALENDAR CALCUL
ATIONS AND ";
1730 PRINT@358," OUTPUT TO PRINT
ER ";
1740 REM----BEGINNING CALENDAR R
OUTINE
1750 REM----BEGINNING 3 MONTH CA
LENDAR CONTROL
1760 FOR MZ=1 TO 12
1770 FOR CAL=1 TO 3
1780 IF CAL=1 AND MZ=1 THEN MZ=1
2:Y=Y-1:GOSUB 1850:MZ=1:Y=Y+1:NE
XT CAL
1790 IF CAL=1 AND MZ=>2 THEN MZ=
MZ-1:GOSUB 1850:MZ=MZ+1:NEXT CAL
1800 IF CAL=2 AND MZ=>1 THEN GOS
UB 1850:NEXT CAL
1810 IF CAL=3 AND MZ=<11 THEN MZ
=MZ+1:GOSUB 1850:MZ=MZ-1:GOSUB 2
130:NEXT MZ
1820 IF CAL=3 AND MZ=12 THEN MZ=
1:Y=Y+1:GOSUB 1850:MZ=12:Y=Y-1:G
OSUB 2130:END
1830 REM----END 3 MONTH CALENDAR
CONTROL
1840 REM----BEGINNING CALENDAR C
ALCULATION ROUTINE
1850 CAL$(IND)=M$(MZ):IND=IND+1'
NAME OF MONTH
1860 CAL$(IND)=" SU MO TU WE TH
FR SA":IND=IND+1
1870 J=367*Y-INT(7*(Y+INT((MZ+9)
/12))/4)+INT(275*MZ/9)+1721031
1880 K=0
1890 IF MZ<2 THEN K=-1
1900 J=J-INT(3*(INT((Y+K)/100)+1
)/4)
1910 K=E(MZ)
1920 IF MZ<>2 THEN 1990
1930 W=INT(Y-100*INT(Y/100))
1940 X=INT(Y-4*INT(Y/4))
1950 Z=INT(Y-400*INT(Y/400))
1960 IF X<>0 THEN 1990
1970 IF W=0 AND Z<>0 THEN 1990
1980 K=29
1990 X=J-7*INT(J/7)
2000 FOR I=1 TO 42
2010 C$(I)=" "
2020 NEXT I
2030 FOR I=1 TO K
2040 C$(I+X)=D$(I)
2050 NEXT I
2060 FOR I=1 TO 6
2070 J=7*I
2080 REM----WEEKLY DATES INPUTED
TO ARRAY
2090 CAL$(IND)=C$(J-6)+C$(J-5)+C
$(J-4)+C$(J-3)+C$(J-2)+C$(J-1)+C
$(J):IND=IND+1
2100 NEXT I
2110 RETURN
2120 REM----END CALENDAR ROUTINE
2130 REM----OUTPUT TO PRINTER
2140 PRINT#-2:PRINT#-2
2150 PRINT#-2,TAB(35);
2160 PRINT#-2,CHR$(27)CHR$(14);'

```

```

START ELONGATION
217Ø PRINT#-2,Y
218Ø PRINT#-2,CHR$(27)CHR$(15);'
END ELONGATION
219Ø FOR I=1 TO 4Ø
22ØØ PRINT#-2,CHR$(253)CHR$(251)
;
221Ø NEXT I
222Ø PRINT#-2
223Ø PRINT#-2,CHR$(27)CHR$(2Ø);'
CONDENSED
224Ø FOR I=1 TO 8
225Ø PRINT#-2,CAL$(I+UU);
226Ø UU=UU+8
227Ø PRINT#-2,CHR$(27)CHR$(19);'
STANDARD
228Ø PRINT#-2,CHR$(27)CHR$(14);'
START ELONGATION
229Ø PRINT#-2,CHR$(27);CHR$(16);
CHR$(Ø);CHR$(11Ø);
23ØØ PRINT#-2,CAL$(I+UU);
231Ø PRINT#-2,CHR$(27)CHR$(15);'
END ELONGATION
232Ø UU=UU+8
233Ø PRINT#-2,CHR$(27)CHR$(2Ø);'
CONDENSED
234Ø PRINT#-2,CHR$(27);CHR$(16);
CHR$(3);CHR$(45);
235Ø PRINT#-2,CAL$(I+UU)
236Ø UU=Ø
237Ø NEXT I
238Ø PRINT#-2,CHR$(27)CHR$(19);'
STANDARD
239Ø FOR G=1 TO 4Ø
24ØØ PRINT#-2,CHR$(252);CHR$(254
);
241Ø NEXT G

```

```

242Ø PRINT#-2
243Ø IND=1
244Ø REM----END CALENDAR OUTPUT
245Ø REM----OUTPUT MONTHLY SPECI
AL EVENTS
246Ø FOR SE=1 TO 9 STEP 4
247Ø IF SPD$(MZ,SE)=" "THEN PRIN
T#-2:PRINT#-2:PRINT#-2:PRINT#-2:
GOTO 253Ø
248Ø PRINT#-2,SPD$(MZ,SE);
249Ø PRINT#-2,TAB(2Ø);SPD$(MZ,SE
+1);
25ØØ PRINT#-2,TAB(4Ø);SPD$(MZ,SE
+2);
251Ø PRINT#-2,TAB(6Ø);SPD$(MZ,SE
+3)
252Ø NEXT SE
253Ø REM----END SPECIAL EVENTS
254Ø PRINT#-2,STRING$(8Ø,(CHR$(2
41)))
255Ø REM----BEGINNING DATE/LINES
OUTPUT
256Ø FOR DT=1 TO 16
257Ø PRINT#-2:PRINT#-2
258Ø PRINT#-2,USING"###";DT;:PRIN
T#-2,STRING$(37,(CHR$(241)));
259Ø IF DT+16=32 THEN 263Ø
26ØØ PRINT#-2,TAB(4Ø);:PRINT#-2,
USING"###";DT+16;:PRINT#-2,STRING
$(37,(CHR$(241)))
261Ø NEXT DT
262Ø REM----END DATE/LINE OUTPUT
263Ø REM----MOVE TO END OF PAGE
264Ø PRINT#-2:PRINT#-2
265Ø RETURN'READY FOR NEXT PAGE
AND NEXT 3 MONTHS

```

## PRINTERS!

<b>NEW!</b> Okidata 192+ (Par. or Ser.)	\$370
<b>NEW!</b> Okidata 193 (Parallel)	\$540
<b>NEW!</b> Okidata 193+ (Serial)	\$610
Okimate 20 Color Printer	\$135
Fujitsu 2100 (80 col.)	\$410
Fujitsu 2200 (132 col.)	\$520
Toshiba 321 (Par. or Ser.)	\$510
Qume Letterpro 20 (Letter Qual.)	\$445
Silver Reed 420 (Daisy Wheel)	\$240
Silver Reed 600 (Daisy Wheel)	\$575

(Add \$10 Shipping for Printers)

## ACCESSORIES!

Taxan 12" Green Monitor	\$125
Taxan 12" Amber Monitor	\$135
Table Top Printer Stand w/Slot (80 col.)	\$30
Table Top Printer Stand w/Slot (132 col.)	\$45
Stand w/Diskette Storage (80 col.)	\$47
Stand w/Diskette Storage (132 col.)	\$57
Other Printers, Monitors, and Accessories for CoCo and IBM upon request.	
\$15 off interface with purchase of printer.	
Find your cheapest published price and we'll beat it!!!	

## DISK DRIVE SYSTEMS!

### ALL 1/2 HEIGHT DOUBLE SIDED

Drive 0 (addressed as 2 drives!)	\$235
Drive 0,1 (addressed as 4 drives!)	\$350

All above complete with HDS controller, cable, & drive in case with power supply

Bare Double Sided Drives	\$109
Dual 1/2 Height Case w/Power Supply	\$49
Double Sided Adapter	\$25
HDS Controller, RS ROM & Instructions	\$99
25 CDC DS/DD Diskettes	\$32 & \$3 s/h

We use the HDS controller exclusively. Can use 2 different DOS ROM's. Shipping Costs: \$5/drive or power supply. \$10 max.

Co Co Serial Cables 15 ft.—\$10. Co Co/RS-232 Cables 15 ft.—\$20. Other cables on request. (Add \$300 shipping)

## CLOSEOUT\* \$29.95

### SP-2 INTERFACE for EPSON PRINTERS:

- 300-19,200 BAUD rates
- Fits inside printer — No AC Plugs
- Optional external switch (\$500 extra) frees parallel port for use with other computers

\*While Supplies Last

### SP-3 INTERFACE for MOST OTHER PRINTERS:

- 300-19,200 BAUD rates
- External to printer — No AC Plugs
- Built in modem/printer switch—no need for Y-cables or plugging/unplugging cables

**CNR ENGINEERING**  
P.O. Box 293  
Raritan, NJ 08869  
(201) 722-1055

# Finding the Right Person for the Job

*Use this management program to minimize personnel costs*

By Larry M. Paroubek

Anyone who has been in business for any length of time realizes that, above all else, employees tend to make or break a company. We often hear phrases such as, "They're a dime a dozen," or, "Anyone is replaceable" — but what is the real cost, in both money and time, of finding and keeping good employees?

*Job Description* was created as a management tool to help in minimizing the various costs involved in hiring, training and, in many cases, firing personnel.

After the title screen runs, you are asked if you want the speed-up poke or not; if you have any difficulties with the poke, press N. The poke does not make a substantial difference in the program's operating speed.

You will then be asked to enter the title of the job you are creating the description for. Just type in the title. Whenever you are asked for input in the program, just type in an appropriate response. When dollar amounts are mentioned, type in just the whole number amounts (no dollar signs or decimal points). When hours are requested, enter whole numbers (no decimal points or fractional amounts).

Next, you are asked for the number of primary responsibilities the job demands; just press a number. Then type in short descriptions of the responsibilities, pressing ENTER after each. Then you are prompted to rate the responsibilities on a scale of 1 to 9 (9 being high), in order to establish priorities.

Most positions have no more than five primary responsibilities. If you have a great many more than that, perhaps you are overloading the employee or are listing secondary aspects of the prime responsibilities. I have intentionally left printer wrap-arounds out of this program — your responses should be short and specific.

You will be asked to define the personality type you feel is necessary for the position. Introverts and extroverts do not cover the spectrum of personal-

*Larry Paroubek is an Atlantic City, New Jersey, CoCoist who works in personnel administration and acts as a management consultant with M.I.S. Systems.*



ity types, but, as generalizations, they do help in defining the position's needs. Note that we all tend toward one personality type or the other. Being introverted is not bad — positions that warrant little supervision or positions such as in research and development need a more introspective, introverted type of personality. Customer service and sales positions tend toward a more extroverted type of personality.

Three examples of more specific types of personalities (utilizing Carl Jung's personality breakdowns) are presented. Read the specifics on each and press the number that corresponds to what you feel is the primary personality requirement for the position offered (Thinker, Sensor, Intuit or Feeler). Then list your second and third choices. Though we are a combination of all of the above, we tend more toward one type than another. And each position needs a slightly different type of personality.

Next you are asked to list five primary duties of the position and to estimate the number of hours it will take to accomplish each duty on a weekly basis. Notice there is a "trap" that tells us when we have made the position "undoable." It is undoable if you have 90 hours of work to accomplish in 40 hours. With such things, we have to be realistic. If all we create is frustration, the employee will not be with us for very long!

Input to whom the employee will be directly reporting. Notice there is only one choice. An employee should be directly subordinate to only one person. The employee will avoid conflicting requirements and the supervisor will know exactly what is going on with the individual. (We all can remember when Father said "no" to something — so we went to ask Mother!)



gested that no more than eight to 10

people be directly subordinate to any one individual. Often, as in the case of retail management when the manager is also required to sell, it is best to have even less employees directly subordinate. If there are not enough hours in the day to allot time to each task and individual, the job will not get done!

***"Putting a person who doesn't 'fit' into a position is much like trying to hammer a nail with a saw!"***

Determine the salary range and whether or not it is flexible. Flexibility of salary is often a primary requirement to the most qualified individuals.

After you answer yes or no to the question of flexibility, the program is printed out. Be sure to have your printer on and ready. If you have any specific printer codes for your printer, they go in lines 1000 through 1030.

The space left open for printer codes is there for you to develop your own format for the printout. Since there are a variety of printers set at various baud rates, it is best that you utilize your own special codes. If you developed notes before running the program, entering the data is much easier, and your presentation will be much more organized.

#### **Outline of Management Success**

To maximize use of the printout, you should consider these factors:

A) Did you search out as much information as possible from as many sources as possible so that you have a concise and well-formulated job description?

- Did you review the responsibilities of the person who formerly held the position, how well he or she accomplished the task, in what aspects he or she lacked the ability to perform the job and why, and, most importantly, what type of person (personality) he or she is?
- Did you discuss with the supervisor exactly what the position requires?
- If you have hired before for the position and the individual was not well-suited for it, how did you learn from your mistakes?
- When you were listing requirements, did you put too much of your own biased thoughts and personality into each requirement, or did you really try to maintain an objective viewpoint?
- Did you fully research all possible aspects of the position?

B) Did you review the company itself from both a reputation standpoint and from a company-needs, stage of development standpoint?

- All companies are in some stage of development. Because of their organizational development, they have different needs at different stages.

**Start-up:** To survive, a company at this stage must have strong leadership and people with a high degree of flexibility.

**Development:** The company begins to define its operating mores, structure and roles of its employees. Product development and sales are emphasized. Crises are created because of individual loss of autonomy.

**Consolidation:** A period in which the organization considers its gains and losses. It looks into further development while consolidating its present position. This period needs strong direction.

**Plateau:** Little or no change is evident. Perhaps no new ideas or proposals are generated, or skills are not available. If alternate strategies are not developed, the company may lose its edge in the market.

**Expansion:** The company expands



-JOB DESCRIPTION-

POSITION : COPY EDITOR

REPORTS TO : MANAGING EDITOR

SALARY RANGE : FLEXIBLE

STAFF SIZE : 2 PERSONS

PARTICULAR DUTIES :

EDIT SUBMISSIONS AND HAVE TYPESET  
20 HRS./WK.

PROOFREAD EACH ARTICLE BEFORE PASTE-UP  
10 HRS./WK.

WRITE INHOUSE COPY (ADS, HEADLINES, ETC.)  
5 HRS./WK.

ANSWER CORRESPONDENCE/CALLS  
5 HRS./WK.

PROOFREAD ARTICLES AFTER PASTE-UP  
10 HRS./WK.

\* Job, as listed, is undoable at 50 hours per week total

POSITIONAL RESPONSIBILITIES :

HIGH -> EDIT/WRITE COPY FOR EACH ISSUE

HIGH -> DIRECT COPY THROUGH ALL STAGES OF PRODUCTION

HIGH -> ENSURE ACCURACY AND STYLE CONFORMITY OF EACH ARTICLE

MEDIUM -> ASSIST MANAGING EDITOR WITH PRODUCTION TASKS

We are looking for someone that is most happy working alone and does not need a social environment in which to work.

1. We want a person that enjoys tackling problems with logic is strong on analysis, a methodical worker and good at research. Will be good with facts and figures; and, analysis.
2. We want someone that enjoys playing with ideas and theories, can see the overview, is creative and imaginative. Good with long-term planning, lateral thinking and is intuitive.
3. We want someone that is good at getting things done, enjoys routine work, has common sense, works hard and is practical. Good at initiating projects, negotiating, converts ideas/action.

with development, introduction or modification of products, etc., or by acquisition. Direction, leadership and new ideas are beneficial.

*Declining:* Rising costs, outdated products, etc., cause the company to decline. Flexibility, direction and firing

excess personnel are imperative or the company will be forced out of business.


• Attracting the highest quality applicants is imperative. A company's reputation will often determine the quality of its applicants for various positions. The better the reputation, the higher

their quality. If the reputation is not so good, perhaps higher salaries or additional benefits may bring quality applicants to your company. Of course, having a good reputation at the present is not a guarantee for the future.

Keeping all these factors in mind and using them to your best advantage will help you build the best possible job description on your expectations for the position you want to fill. It seems no matter how good our systems for hiring are, we tend to do no better than about 50 percent in our success-to-failure ratios. Anything that increases the percentage of successes will be beneficial in time, money and satisfaction.

Of course, realizing what you and your company actually need in a certain position is only a beginning. Interviewing, training/developing, motivational factors, etc., all play their roles. Creating job descriptions only helps you see what you need. You have to create your own paths. Putting a person who doesn't "fit" into a position is much like trying to hammer nails with a saw! Your success ratios won't be very good, there's too much effort involved and it's hard on the saw.

(Questions or comments may be directed to the author at 42 South Windsor, Atlantic City, NJ 08401. Please enclose an SASE when requesting a reply.)



*Editor's Note: This program is written on the Korean CoCo 3. Pokes are used that allow true lowercase letters, but many of the older CoCos do not allow this. For 16K CoCos with Extended Color BASIC, type PCLEAR2 before running the program to eliminate difficulties. For the older CoCo's, eliminate POKE 65314,40 and POKE65314,48 in the following lines: 170, 280, 330, 500, 560, 910, 920, 1500, 1630, 1650. Line 1650 contains two of these pokes.*

✓	170	.....60	1280	.....184
	280	.....138	1380	.....230
	360	.....77	1530	.....219
	550	.....207	END	.....139
	1120	.....132		

```
100 CLS:TITLE$="-CREATING JOB DE
SCRIPTION-":PRINT@2,TITLE$
110 PRINT@96," WHAT IS THE JOB T
ITLE":PRINT:INPUT TT$
150 CLS:PRINT@2,TITLE$
160 PRINT@129,"Overview the posi
tion and input the number of res
ponsibilities of the position."
:PRINT@264,"<MAXIMUM OF NINE>":P
RINT@384," Think of responsibili
ty items that must be handled
on a daily, weekly or mont
hly basis. -positional-";
170 POKE65314,48:IS=INKEY$:IFI$=
```

The listing: JOB DESC

```
1 ' JOB-DESC
2 ' LARRY M. PAROUBEK
3 ' COPYRIGHT (C) 1986
4 ' ALL RIGHTS RESERVED
10 CLS:GOSUB1600
20 CLEAR1000
```

```

""THEN170 ELSE IF VAL(I$)<1 OR V
AL(I$)>9 THEN170
180 RESPONSIBLE=VAL(I$)
190 FORX=1 TO RE:CLS:PRINT@2,TIT
LE$:PRINT:PRINT:PRINT" LIST RESP
ONSIBILITIES          -BE SPECI
FIC!-":PRINT:PRINT:LINEINPUTA$(X
):NEXTX
200 FORX=1 TO RE:CLS:PRINT@34,"R
ATE RESPONSIBILITIES 1 -9":PRINT
@66,"9 IS HIGH, 1 IS LOW":PRINT@
256,"* ";A$(X)
210 PRINT@420,"<INPUT 1 - 9>"
220 I$=INKEY$:IFI$=""THEN220 ELS
EIF VAL(I$)<1 OR VAL(I$)>9 THENP
RINT@352," OFF SCALE - TRY AGAIN
...":GOTO220 ELSE230
230 A(X)=VAL(I$):NEXTX
250 CLS:PRINT@1,"WHAT TYPE OF PE
RSONALITY DO YOU FEEL YOU NEED?"
260 PRINT@128,"1. INTROVERT - MO
ST HAPPY BY          THEMSELVES, DOING
THEIR OWN          THING...
270 PRINT@256,"2. EXTROVERT - IN
TERACTION WITH OTHERS GIVES THEI
R LIFE MEANING."
280 PRINT@420,"<INPUT 1 OR 2>":P
OKE65314,48

```

```

290 I$=INKEY$:IFI$=""THEN290ELSE
IF VAL(I$)<1 OR VAL(I$)>2THEN290
ELSE PERSON=VAL(I$)
300 CLS:PRINT@1,"RATING INDIVIDU
AL'S STRENGTH        -WHERE DO YOU NE
ED THE STRENGTH-"
310 PRINT@96,"1. THINKER : Good
with facts andfigures, researchi
ng, analysis, accounting, etc.":
PRINT"2. SENSOR : Good at initia
ting projects, negotiating, con
verts ideas into action."
320 PRINT"3. INTUITOR : Good at
long-term planning, creative wri
ting,          lateral thinking, brai
nstorming.":PRINT"4. FEELER : G
ood at cementing relationships
, counseling,          public relati
ons.":PRINT@481,"<RATE MOST IMPO
RTANT FIRST>";
330 FORX=1 TO3:POKE65314,48
340 I$=INKEY$:IFI$=""THEN340 ELS
EIF VAL(I$)<1 OR VAL(I$)>4 THEN3
40 ELSE350
350 IF X=1 THEN N1=VAL(I$) ELSE
IFX=2 THEN N2=VAL(I$) ELSEIF X=3
THEN N3=VAL(I$)
360 IF X=1 THEN390 ELSEIFX=2THEN

```

## Still keeping the books the way Grandpa did?

### *Then you need CoCo-Accountant*

Tired of scrounging through old shoeboxes full of receipts, canceled checks and bills? Looking for an easy way to organize your finances when the tax man calls? Then you need **CoCo-Accountant**, the best-selling home and small business accounting program for the Color Computer. All you have to do is set up a chart of accounts and begin entering transactions. Checks, credit card expenses, income. In any order. **Just toss it in and CoCo-Accountant sorts it out.** No fuss, no muss, no mess.

When you're through, CoCo-Accountant will dazzle you with an array of reports that will answer the three basic questions we all ask about our finances: **Where did it come from? Where did it go? And what can I deduct from my taxes?**

Here's what it can do for you:

- ⇒ List and total expenses and income by **month**.
- ⇒ List and total expenses and income by **account**, for any month or the whole year.
- ⇒ List and total expenses or income by **payee or income source** for any month or the whole year.
- ⇒ Track, list and summarize **tax-deductible expenses**.
- ⇒ Track, list and summarize expenses subject to **sales tax**. Even calculates total sales tax you paid!
- ⇒ Produce a **printed spreadsheet** showing activity by month and account for the whole year!
- ⇒ **Balance your checkbook**, of course!
- ⇒ Sort entries by date and store files on tape or disk.
- ⇒ Up to 900 entries in a single file.
- ⇒ **Requires 64K CoCo or Coco 3.**



**Coco-Accountant is \$34.95 on tape or disk. Be sure to specify which you want when you order. We accept VISA and MasterCard. COD orders, add \$3.00. Send check or money order to the address below or call our toll-free order line. For information, call 301-521-4886.**

Federal Hill Software 8134 Scotts Level Rd. Baltimore, Md. 21208. Toll-free orders 800-628-2828 Ext. 850

```

370 ELSE380
370 IF N2=N1 THEN340 ELSE390
380 IF N3=N1 OR N3=N2 THEN340 EL
SE390
390 TYPE(X)=VAL(I$):FORY=1504 TO
1535:POKEY,255:NEXTY:IF X=1 THEN
PRINT@481,"<RATE SECOND MOST IM
PORTANT>"; ELSEIF X=2 THEN PRINT
@481,"<RATE THIRD MOST IMPORTANT
>";
400 NEXTX
450 CLS:PRINT@2,TITLE$:PRINT@72,
" JOB DUTIES":PRINT@416," LIST 5
MAJOR DUTIES THAT YOU FEEL T
HE POSITION ENTAILS.":PRINT@103
,"<maximum of 5>":FORX=1 TO5:PRI
NT@162,"NUMBER ";X:PRINT:LINEINP
UT DUTIES$(X):FORY=1248 TO1311:P
OKEY,143:NEXTY,X
460 CLS:PRINT@2,TITLE$:PRINT@64,
" ESTIMATE THE NUMBER OF HOURS
PER WEEK THAT THE PARTICULAR
DUTY SHOULD TAKE TO COMPLETE.
input -integers-":FORX=1 TO5:
PRINT@225,DUTIES$(X):PRINT:INPUT
DUTIES(X):FORY=1248 TO1311:POKE
Y,143:POKEY+64,143:NEXTY,X
470 TD=DU(1)+DU(2)+DU(3)+DU(4)+D
U(5)
500 CLS:PRINT@2,TITLE$:PRINT@100,
"REPORTING ARRANGEMENTS":PRINT@
132,"SHOULD REPORT TO WHOM?":PRI
NT:INPUT SUPER$:CLS:PRINT@2,TITL
E$:PRINT@98,"Is person managemen
t?":PRINT@134,"<Y>ES OR <N>O":PO
KE65314,48
510 I$=INKEY$:IFI$=""THEN510 ELS
EIFI$="Y"THEN520 ELSEIFI$="N"THE
N550 ELSE510
520 PRINT@320,"OVER HOW MANY PEO
PLE?":PRINT:INPUT MANAGE
550 CLS:PRINT@2,TITLE$:PRINT@102
,"SALARY RANGE":PRINT@130,"<EXAM
PLE : 25000 - 30000>":PRINT@194,
"INPUT FIRST NUMBER -> NO '$'":
PRINT:INPUTA:PRINT:PRINT" INPUT
SECOND NUMBER -> NO '$'":PRINT
:INPUTB
560 SALARY$="$"+STR$(A)+" -"+STR
$(B):PRINT@418,"FLEXIBLE ? : <Y>
ES OR <N>O":POKE65314,48
570 I$=INKEY$:IFI$=""THEN570 ELS
EIFI$="Y" THEN FLEX$="FLEXIBLE
- YES" ELSEIF I$="N" THEN FLEX$=
"FLEXIBLE - NO" ELSE570
900 CLS:P=PEEK(65314):IF P=4 OR
P=48 THEN920 ELSE910
910 PRINT@260,"please":CHR$(128)
;"prepare":CHR$(128);"printer":

```

```

POKE65314,48:FORX=1TO200:NEXTX:S
OUND1,1:GOTO900
920 FORX=1 TO12:SOUND160,1:NEXTX
:PRINT@260,"PRESS ANY KEY TO PRO
CEED":POKE65314,40:EXEC44539
1000 'LINES 1000 - 1030 IS SPACE
PROVIDED FOR YOUR OWN
PARTICULAR PRINTER CODES.
1010 'PROGRAM IS WRITTEN FOR
80 CHARACTER PER LINE
PRINTOUT...
1020 'USE THIS AREA FOR YOUR
PRINTER'S BAUD RATE...
1030 'USE THIS AREA FOR ANY
SPECIAL PRINTER CODES...
1100 CLS0:PRINT@426,"working":P
OKE65494,0:PRINT#-2,"
-JOB DESCRIPTION-"
1110 PRINT#-2:PRINT#-2," P
OSITION : ";TT$:PRINT#-2:PRINT#-
2," REPORTS TO : ";SUPER$:
PRINT#-2:PRINT#-2," SALARY
RANGE : ";SALARY$:PRINT#-2,"
";FLEX$
1120 IF MANAGE >0 THEN1130 ELSE1
140
1130 PRINT#-2:PRINT#-2," S
TAFF SIZE : ";MANAGE;" PERSONS"
1140 PRINT#-2:PRINT#-2," P
ARTICULAR DUTIES : "
1150 FORX=1 TO5:PRINT#-2,"
";DUTIES$(X):PRIN
T#-2," "
;DUTIES(X);" HRS./WK.":NEXTX
1160 IF TD>40 THEN PRINT#-2,"
* Job, as listed
, is undoable at ";TD;" hours pe
r week total" ELSE1170
1170 PRINT#-2:PRINT#-2," P
OSITIONAL RESPONSIBILITIES : ":X
=0
1180 X=X+1:IF X>RE THEN1210 ELSE
1190
1190 IF A(X) >7 THEN1200 ELSE118
0
1200 PRINT#-2," HIGH
-> ";A$(X):GOTO1180
1210 X=0
1220 X=X+1:IFX>RE THEN1250 ELSE1
230
1230 IF A(X) <=7 AND A(X) >4 THE
N1240 ELSE1220
1240 PRINT#-2," MEDIUM
-> ";A$(X):GOTO1220
1250 X=0
1260 X=X+1:IFX>RE THEN1290 ELSE1
270
1270 IF A(X) <=4 AND A(X)>0 THEN
1280 ELSE1260

```

```

1280 PRINT#-2,"                                LOW
-> "A$(X):GOTO1260
1290 X=0:PRINT#-2:IFPERSON=1 THE
N1300ELSE1310
1300 PRINT#-2,"                                We are loo
king for someone that is most ha
ppy working alone":PRINT#-2,"
and does not need a social e
nvironment in which to work.":PR
INT#-2:GOTO1320
1310 PRINT#-2,"                                We are loo
king for someone that is a peopl
e person":PRINT#-2,"                                whose
challenge is inter-action with o
ther people.":PRINT#-2
1320 X=X+1:IFX>3 THEN1500
1330 IF TYPE(X)=1 THEN1340 ELSE1
360
1340 PRINT#-2,"                                ";X:". We
want a person that enjoys tackli
ng problems with logic":PRINT#-2
,"                                is strong on analysis
, a methodical worker and good a
t research.":PRINT#-2,"
Will be good with facts and figu
res; and, analysis."
1350 PRINT#-2:GOTO1320
1360 IF TYPE(X)=2 THEN1370 ELSE1
390
1370 PRINT#-2,"                                ";X:". We
want someone that is good at get
ting things done,":PRINT#-2,"
enjoys routine work, has c
ommon sense, works hard and is p
ractical.":PRINT#-2,"                                Go
od at initiating projects, negot
iating, converts ideas/action.
1380 PRINT#-2:GOTO1320
1390 IF TYPE(X)=3 THEN1400 ELSE1
420
1400 PRINT#-2,"                                ";X:". We
want someone that enjoys playing
with ideas and theories,":PRINT
#-2,"                                can see the overvi
ew, is creative and imaginative.
":PRINT#-2,"                                Good with l
ong-term planning, lateral think
ing and is intuitive."
1410 PRINT#-2:GOTO1320
1420 IF TYPE(X)=4 THEN1430 ELSE1
320
1430 PRINT#-2,"                                ";X:". We
want someone that is good at cem
enting team relationships,":PRIN
T#-2,"                                counseling, arbit
rating, public relations and is
perceptive.":PRINT#-2,"
Enjoys social contact and can ea
sily talk with anyone."

```

```

1440 PRINT#-2:GOTO1320
1500 CLS:PRINT@65,"Do you wish t
o print another Job Descripti
on?";:PRINT@260,"<Y>es or <N>
o";:POKE65314,48
1510 I$=INKEY$:IFI$=""THEN1510 E
LSEIFI$="Y"THEN20 ELSEIFI$="N"TH
EN1520 ELSE1510
1520 CLS:PRINT@100,"Thank you fo
r using":PRINT@164,"Creating a":
PRINT@230,"JOB DESCRIPTION":PRIN
T@330,"by":PRINT@364,"Larry M. P
aroubek":POKE65314,48:FORX=1 TO8
:PLAY"T1602V15P16L8AP16L32AP32FP
32EDEP32CP32D":NEXTX:PLAY"T801L3
2CDEGBO2DFL1A"
1530 POKE65494,0:CLS:END
1600 CLS:FORX=1024 TO1055STEP2:P
OKEX,191:POKEX+1,175:POKEX+480,1
75:POKEX+481,191:NEXTX
1610 FORX=1056TO1472STEP64:POKEX
,175:POKEX+32,191:POKEX+31,175:P
OKEX+63,191:NEXTX
1620 PRINT@99,"CREATING A";:PRIN
T@200,"job description";:PRINT@
295,"BY";:PRINT@330,"LARRY M. PA
ROUBEK";:PRINT@362,"COPYRIGHT (C
) 1986";:PRINT@394,"ALL RIGHTS R
ESERVED";
1630 POKE65314,40
1640 PLAY"T302V12L8P4AP8AP8AL16D
FEL8V6P8AP8AP8AL16DFEO3V16L8P8AP
8AP8AL16DFEO1V10L8P8AP8AP8AL16DF
EP803V18L32AP32O2AP32O1AP16O3AP3
2O2AP32O1AP8L16DFO2V26L16EE-EE-E
E-EE-L8.E"
1650 PRINT@456,"speed poke? Y/N"
;:POKE65314,48:FORX=1 TO40:NEXTX
:PRINT@456,"SPEED POKE? Y/N";:PO
KE65314,48:FORX=1 TO80:NEXTX
1660 I$=INKEY$:IFI$=""THEN1650 E
LSEIFI$="Y"THEN SP=65495 ELSEIF
I$="N"THEN SP=65494 ELSE1650
1670 POKESP,0:FORX=1024 TO1151:P
OKEX,128:NEXTX:FORX=1152 TO1535:
A=RND(3)+176:POKEX,A:NEXTX
1680 POKE1220,10:POKE1221,15:POK
E1222,2:POKE1225,4:POKE1226,5:PO
KE1227,19:POKE1228,3:POKE1229,18
:POKE1230,9:POKE1231,16:POKE1232
,20:POKE1233,9:POKE1234,15:POKE1
235,14:POKE1236,19
1690 POKE1510,16:POKE1511,18:POK
E1512,5:POKE1513,19:POKE1514,19:
POKE1516,1:POKE1517,14:POKE1518,
25:POKE1520,11:POKE1521,5:POKE15
22,25:POKE1524,97:EXEC44539
1700 RETURN

```

Keep tax records in order

# Preparing for Uncle Sam

By Robert S. Schlottmann

Some of you, if you are like me, know very little about filling out income tax forms. And what's more, you don't *want* to know very much about it. Trying to fill out those IRS forms is about as exciting as sitting in the woods and watching a log rot.

Consequently, every year around tax time I used to gather all my cancelled checks, receipts and other pertinent information from the previous year and sort it all into categories. Then I figured the totals and entered them on the form my tax accountant sent me annually, and mailed it all to him. Two or three weeks later, he would send me the completed forms and I would sign them and send them to the IRS.


This system worked very well for me and saved me a lot of mental anguish. All I needed to know were the categories to use in sorting my records. However, three years ago, to make things even easier, I started using my Color Computer and *Tax Info* to keep the records. Now I merely enter any tax-relevant items at the end of each month and am prepared for tax time.

I can look at entries by date, name or account, and determine what each entry was for. I can look at my monthly utility bills (since I have an office in the home, I need to keep these records, too) and graph them on the screen or dump the graph to the printer. I can also very easily retrieve the records from previous years for comparison. When tax time comes, I simply tell the computer that I want a printout of all accounts, and all the individual entries with their totals are printed for each account. I then send the printout to my tax accountant. If I am ever questioned by the IRS, I will have detailed information about each entry that goes into every account total.

## The Programs

Four programs comprise *Tax Info*. *TAX.BAS*, shown in Listing 1, is a short BASIC program that sets up the title screen, loads in a machine language program, and asks you which year's data you want. *TAXINFO.XX*, Listing 2, is the main program, the one used for entering and retrieving data. To enter data, it uses a modification of a procedure

*Robert Schlottmann is a professor of psychology at Oklahoma State University. He uses his CoCo for word processing, communicating with a mainframe, and for scoring and interpreting psychological tests.*



developed by Henry Grace (*HOT CoCo*, October 1983) that creates DATA lines in your program for you.

SETUP.BAS, Listing 3, is a utility program that allows you to set up abbreviations for names, places, accounts and a number code (which I will explain later). *Tax Info* was designed to be used with REVFIELD.BIN, a machine language program developed by Ray Gauvreau (*THE RAINBOW*, August 1983) that provides inverse video (light characters on a dark screen). Ray's program also has other nice features not implemented by *Tax Info* that allow you to control printing speed and protect part of the screen from scrolling. You can avoid using REVFIELD.BIN altogether by deleting Line 110 in Listing 1, all POKE 32544+54 statements in Listing 2, and by changing all EXEC commands to CLS.

### System Requirements

The programs require at least 32K, a disk drive and Extended Color BASIC. Although a monitor is not required, it displays inverse video better than a TV. You also need an Epson-compatible printer.

To modify the printer control codes for other printers, you will need to change the following lines: 200 (UL\$ defines Gemini's and Epson's underline start code), 210 (NU\$ defines the underline stop code), and 220 (EE\$ defines the expanded, or large, print code). You will also have to provide your own screen dump routine (lines 1640 through 1730) for the bar graph.

Several screen dump programs for a variety of printers are available from past issues of *THE RAINBOW*, including one in the May 1985 issue that provides a full-page dump for the Gemini and Epson, but is painfully *slow*. The one included in *Tax Info* is no speed demon and produces a smaller graph, but it is several times faster. If you do not have an Epson-compatible printer, another alternative is to delete the screen dump routine altogether and simply replace it with a RETURN statement.

### Getting Set Up

First, load TAXINFO.XX and edit Line 240 to read 240 NA\$="???" where ??? is your name. Then save the program using BB in place of XX. In other words, if you are planning to enter records for the year 1988, use the last two digits as the extension (i.e., TAXINFO.BB). If you are entering records from 1987, use B7 as the extension. You should make a backup copy and keep a version of TAXINFO.XX as is, however, so you can repeat the process the following year when the new tax period begins.





### **The Complete Rainbow Guide to OS-9**

Authors Dale Puckett and Peter Dibble show how to take advantage of OS-9's multitasking and multiuser features. An easy-to-read, step-by-step guide packed with hints, tips, tutorials and free software in the form of program listings.

Book \$16.95, Disk Package \$31 (2 disks, book not included)

**SAVE 27%! Book and disks only \$36.95**



### **The Rainbow Introductory Guide to Statistics**

Dr. Michael Plog and Dr. Norman Stenzel give a solid introduction to the realm of statistical processes and thinking for both the beginner and the professional. (80-column printer required.)

Book \$6.95, Tape or Disk \$5.95,

**SAVE 31%! Book and tape or disk only \$8.95**

# Save up to 40% on our special discount

## A Holiday Gift Idea Welcome on Any



### **The First Rainbow Book of Adventures**

Contains 14 winning programs from our first Adventure contest. Includes *Sir Randolph of the Moors*, *Horror House*, *One Room*, *Dr. Avaloe* and more. Plus hints, tips on solving Adventures.

Book \$3.50, Tape \$3.50

**SAVE 29%! Book and tape only \$4.95**



### **The Second Rainbow Book of Adventures**

Featuring 24 of the most challenging Adventure games ever compiled. Meet the Beatles and battle the Blue Meanies, find a hidden fortune, or win the heart of a mysterious princess. *Ring Quest*, *Secret Agent Man*, *Dark Castle*, *Curse of Karos* and more!

Book \$13.95, Tape \$13.95

**SAVE 36%! Book and tape only \$17.95**



### The Rainbow Book of Simulations

20 award-winning entries from THE RAINBOW's first Simulations contest. You are a Civil War Commander, an air traffic controller, a civil defense coordinator, or a scientist on Mars . . . your wits are on the line. Book \$9.95, Tape \$9.95

**SAVE 40%! Book and tape only \$11.95**



### The Second Rainbow Book of Simulations

The 16 winners from our second Simulations contest. Fly through dense African jungle, bull your way down Wall Street, lead a bomb squad, or try your hand at Olympic events. Test your skills and talents. Book \$9.95, Tape \$9.95, Disk \$10.95

**SAVE 35%! Book and tape only \$12.95**

**SAVE 33%! Book and disk only \$13.95**

# packages!

## Rainbow Bookshelf!



### The Third Rainbow Book of Adventures

The excitement continues with 19 new Adventures. Discover backstage intrigue at the London Theatre, attempt a daring space rescue, or defeat evil in the year 2091 as a genetic android. *Evil Crypt*, *Spymaster*, *Time Machine*, *The Amulet*, and that's only the beginning! Book \$11.95, Tape \$9.95, Two-Disk Set \$14.95

**SAVE 27%! Book and tape only \$15.95**

**SAVE 37%! Book and disk only \$16.95**

Name \_\_\_\_\_  
Address \_\_\_\_\_  
City \_\_\_\_\_  
State \_\_\_\_\_ ZIP \_\_\_\_\_  
☐ Payment Enclosed, or ☐ Charge to:  
☐ VISA ☐ MasterCard ☐ American Express  
Account Number \_\_\_\_\_  
Card Expiration Date \_\_\_\_\_  
Signature \_\_\_\_\_

<input type="checkbox"/> The Rainbow Book of Simulations (first)	\$ 9.95
<input type="checkbox"/> Rainbow Simulations Tape(first)	\$ 9.95
<input type="checkbox"/> First Simulations Package	\$11.95
<input type="checkbox"/> The Second Rainbow Book of Simulations	\$ 9.95
<input type="checkbox"/> Second Rainbow Simulations Tape	\$ 9.95
<input type="checkbox"/> Second Rainbow Simulations Disk	\$10.95
<input type="checkbox"/> Second Simulations Package with Tape	\$12.95
<input type="checkbox"/> Second Simulations Package with Disk	\$13.95
<input type="checkbox"/> The Complete Rainbow Guide to OS-9	\$16.95 <del>\$18.95</del>
<input type="checkbox"/> Rainbow Guide to OS-9 Disk Set (2 disks)	\$31.00
<input type="checkbox"/> Rainbow Guide to OS-9 Package	\$36.95
<input type="checkbox"/> The Windows & Applications Disk for The Complete Rainbow Guide to OS-9 Level II, Vol. I	\$19.95
<input type="checkbox"/> The Rainbow Book of Adventures (first)	\$3.50 <del>\$7.95</del>
<input type="checkbox"/> Rainbow Adventures Tape (first)	\$3.50 <del>\$7.95</del>
<input type="checkbox"/> First Adventure Package	\$ 4.95
<input type="checkbox"/> The Second Rainbow Book of Adventures	\$13.95
<input type="checkbox"/> Second Rainbow Adventures Tape	\$13.95
<input type="checkbox"/> Second Adventure Package	\$17.95
<input type="checkbox"/> The Third Rainbow Book of Adventures	\$11.95
<input type="checkbox"/> Third Adventures Tape	\$ 9.95
<input type="checkbox"/> Third Adventures Disk Set (2 disks)	\$14.95
<input type="checkbox"/> Third Adventure Package with Tape	\$15.95
<input type="checkbox"/> Third Adventure Package with Disk	\$16.95
<input type="checkbox"/> Introductory Guide to Statistics	\$ 6.95
<input type="checkbox"/> Guide to Statistics Tape or Disk (indicate choice)	\$ 5.95
<input type="checkbox"/> Guide to Statistics Package (indicate choice of tape or disk)	\$8.95 <del>\$11.95</del>
Add \$1.50 per book Shipping and Handling in U.S.	
Outside U.S., add \$4 per book	
Kentucky residents add 5% sales tax	
(Allow 6 to 8 weeks for delivery)	
Total _____	

**Mail to: Rainbow Bookshelf, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. To order by phone (credit card orders only) call (800) 847-0309, 8 a.m. to 5 p.m. EST. For other inquiries call (502) 228-4492.**

Please note: The tapes and disks offered by The Rainbow Bookshelf are not stand-alone products. That is, they are intended to be an adjunct and complement to the books. Even if you buy the tape or disk, you will still need the appropriate book. OS-9® is a registered trademark of the Microware Systems Corporation.

Next, run SETUP. This program does not use the inverse video procedure since you will be accessing disk files often. After running SETUP a menu appears that provides you with the following options:

- 1 — Number codes
- 2 — Names
- 3 — Places
- 4 — Accounts
- 5 — Taxinfo

First, select Option 1, "Number codes," by pressing 1 and then ENTER. Number codes are used when making entries for which there is no check number. Another menu appears:

- 1 — Enter new info
- 2 — List entries
- 3 — Modify

To get set up, select Option 1, "Enter new info." You will be asked for a code

(respond with a number — a check number, for example). After you enter one, you will be asked for the full entry, "new entry." For example, I use the following entry codes: 000 for deposits, 001 for cash payment, 002 for travel, etc. When prompted for "new entry" I would enter "deposits," "cash payment" and "travel," etc.

Let me explain. When entering data in *Tax Info*, the first thing asked for is a number. I use the code number 000 to indicate that the entry refers to a deposit that I made to my account from earnings I received from my private practice or other sources (such as income received for this article). You should also use 000 to indicate deposits since it is the only number code that will also give you a total. This is helpful in getting a total for all deposits regardless of account category.

The code 001 tells me that I paid cash for something that is tax-deductible and

that I should look for evidence of this transaction among my cash receipts instead of searching for a cancelled check. The code 002 tells me that the following information pertains to travel (I'll explain more about this later). The code 003 tells me that the following information is for reporting interest income. The code 004 is for interest expense. The code 005 tells me that I paid for something with a charge card and there is no check number or cancelled check for that entry.

You should decide on your own number codes to use. The codes simply provide information on any entry for which you do not have a cancelled check. Note: The only requirement other than using 000 for deposits to your account is that the code number -1 be reserved to exit from the data entry routine. The code -1 tells the computer that no more entries are to follow.

After each code and the full entry are entered, the prompt "Again" will appear. You must respond by pressing either Y or N and then ENTER. If you press Y you can enter additional number codes. If you press N, your codes will be stored in a file called NUMBER.DAT and you will be returned to SETUP's main menu.

After returning to SETUP's main menu, select Option 2, "Names." At the next menu, press 1 to enter new information. Then you are prompted to enter a six-digit maximum code for any person, store, company or whatever. For example, if you write a check to John Smith, you may want to code it as JOHNS or something similar. The reason for the codes is that *Tax Info* uses CoCo's standard 32-by-16 display, and there is only so much that can be shown on one line. *Tax Info* stores these codes and the full entry in a file called NAMES.DAT that will probably become quite lengthy after a couple of years' use.

Option 3 in SETUP's menu, "Places," is for creating code names for cities or places you visited that involve tax-deductible travel expenses. Your codes will be stored in a file called PLACES.DAT. Option 4, "Accounts," is for creating codes for various accounts. Some of the codes I use are UTIL for utilities, BUSINC for business income, INTINC for interest income, etc. If you plan to deduct travel expenses, you must use BUS.PROF TRAVEL as the full entry for your travel code. Type it in exactly as I have indicated here. You can store a maximum of 40 such codes.

#### 1987 TAX INFORMATION

##### BILL WILLIAMS

1548	223	SCHRI	20.00	DOCS	CO-PAYMT FOR PHYSICAL
1581	329	WILBUR	10.00	DOCS	CO-PAYMT ANNUAL DENTAL FOR BILL
1713	809	SCHRI	5.23	DOCS	UNSETTLED INS FOR FLU - BILL
TOTAL FOR DOCTORS & DENTISTS IS-					\$35.23


1503	115	TAYLOR	13.97	MEDIC	PRESC FOR BILL
TOTAL FOR HOSPITALS IS-					\$13.97

1559	306	BOBC	500.00	DONATE	UNITED WAY
5	502	WSKY	50.00	DONATE	RADIO CONTRIBUTION
TOTAL FOR DONATIONS IS-					\$550.00

1496	103	SUSAN	130.00	DAYCAR	SALLY AND JOHN
1534	204	SUSAN	130.00	DAYCAR	SALLY AND JOHN DAYCARE
1557	303	SUSAN	130.00	DAYCAR	SALLY AND JOHN DAYCARE
1593	405	SUSAN	140.00	DAYCAR	SALLY AND JOHN W/INCREASE
1614	503	SUSAN	140.00	DAYCAR	SALLY AND JOHN DAYCARE
1647	603	SUSAN	140.00	DAYCAR	SALLY AND JOHN DAYCARE
1683	704	SUSAN	140.00	DAYCAR	SALLY AND JOHN DAYCARE
1705	803	SUSAN	140.00	DAYCAR	SALLY AND JOHN DAYCARE
1761	902	SUSAN	140.00	DAYCAR	SALLY AND JOHN DAYCARE
1803	1003	SUSAN	140.00	DAYCAR	SALLY AND JOHN DAYCARE
TOTAL FOR BIG BIRD DAYCARE IS-					\$1370.00

3	402	F-NAT	33.45	INTINC	SAVINGS
3	705	F-NAT	34.56	INTINC	SAVINGS
3	1007	F-NAT	37.23	INTINC	SAVINGS
TOTAL FOR INTEREST INCOME IS-					\$105.24

0	416	UMC	300.00	MISC	INCOME FOR SEMINAR
TOTAL FOR MISCELLANEOUS IS-					\$300.00



# TOM MIX COMPANIES

**FLIGHT 16\*** - This is the very finest flight simulation program on the market today. Flight 16 will work with all color computers. Flies very much like a Cessna 150. Is a full instrument aircraft with sound effects and out-the-window graphics. As a REAL bonus feature, you may design your own airports and flight areas.

**\$34.95**

**WORLDS OF FLIGHT\*** - A real-time flight simulation of a sophisticated ultra-light aircraft which generates panoramic 3-D views of ground features as you fly in any of nine different "worlds." The manual included explains the instrument panel, the basis of flight control, etc. For the serious simulation buff!

**\$30.95**

**P51 MUSTANG ATTACK/FLIGHT SIMULATION\*** - The ultimate video experience! For the first time ever, two CoCo's can be linked together via cable modem. (If playing via modem, both computers require a copy of the program.) Or play alone and sharpen your skills against a non-combatant computer drone.

**\$30.95**

**APPROACH CONTROL SIMULATION\*** - "Caught in a blinding snowstorm, two jet airliners are on a collision course. Hundreds of lives are at stake! A high-speed disaster is inevitable unless you act fast..." This and many other scenarios await you as the Air Traffic Controller. Experience firsthand challenges, frustrations and pressures felt by all Air Traffic Controllers!

**\$25.95**

**THE KING\*** - This is a color computer classic! Looks and plays like the popular arcade game. Contains the same four screens as the original: barrels, pins, jacks, and conveyors. Super graphics!

**\$25.95**

**TRAPFALL\*** - The "pitfalls" in this game are many. Try your way through the jungle collecting hidden treasures as you go.

**\$20.95**

**KATERPILLAR II\*** - The CoCo has needed a perfect centipede-type game since day one. You will throw all imitations aside when you see this.

**\$20.95**

**BUZZARD BAIT\*** - We've done it again. Outstanding high resolution graphics and sound make this "joust" type game a must for your software collection. One or two players.

**\$20.95**

**MS. MAZE\*** - Ms. Maze combines brilliant color, high resolution, detailed graphics and music to make it look and play like the arcade version. It is the closest thing to the arcade Pac games that we've seen for the CoCo! Arcade Aces — this one's for you!

**\$20.95**

**CUBER\*** - The hazards faced by Cuber are many! Help him change the colors of the pyramid while avoiding the many dangers always present.

**\$20.95**

**FANGMAN\*** - Based on the Dracula legend, you are Dracula, stalking, invading villagers. Several levels of difficulty and a Bonus Clock make it fun!

**\$20.95**

**DRAGON SLAYER\*** - Save the villagers of Pendor from Icarus, the bloodthirsty dragon! He lives in a cave way up in the mountains, which is a treasure chest full of gems and cashbags. Be on the lookout for enemies and barriers at all times! Ten levels with sixteen rooms per level; over 160 exciting screens.

**\$20.95**

**THE SAILOR MAN\*** - Avoid the punches of the Bigfat-badguy and the flying bottles thrown by the Oldguyseawoman to rescue Elsie and win her heart! One or two players. More great sound and graphics from the author of "The King!"

**\$25.95**

**GOLD FINDER\*** - Here's the quality you have come to expect from TOM MIX! While avoiding enemies, pick up all the pieces of gold along the way; then ride, the elevator to the top to solve each level. Sixty-nine levels. PLUS now you can create your own levels.

**\$20.95**

**DONUT DILEMMA\*** - Angry Angelo has raided Antonio's Donut Factory sending the entire complex into a frenzy! Donuts have come alive and all the machines are out of control. Hurry! Time is running out!

**\$20.95**

**NEUTROIDS\*** - Fast-paced action, super graphics and, above all else, sound from your CoCo like you've never heard before! Complete each grid quickly before the particle vault reaches the meltdown state!

**\$20.95**

**MONEYOPOLY\*** - Now you can play the popular board game on your color computer! Probably the most realistic computer board game simulation ever. Contains all the features of the original game. Two to four players.

**\$20.95**

**BATTLE STATIONS\*** - Here is another realistic and fun remake of a popular board game! Place your ships for battle and pit your skill, strategy and luck against the cunning logic of the computer.

**\$20.95**

## SPECIAL OFFER:

Order two, take \$5.00 off total  
Three or more, take \$8.00 off total

**WAREHOUSE MUTANTS\*** - Journey through the warehouse seeking out the invading mutants who are out to destroy you. Watch out! They will break out of their crates and push them at you in the hopes of crushing you!

**\$20.95**

**DRACONIAN\*** - Your mission is to destroy all of the enemy bases within each sector, rescue as many astronauts as possible and dock with the friendly base at the top of the sector. Your spaceship can move in eight different directions. An exciting program with outstanding graphics and sound!

**\$20.95**

**THE FROG\*** - Cross the busy highway to the safety of the median and rest a while before you set out across the swollen river teeming with hidden hazards. Super graphics and sound.

**\$20.95**

**THE MARTIAN CRYPT\*** - A graphic adventure with sound effects and over 30 screens of animated hi-res graphics! Man discovers that life once existed on Mars!

**\$20.95**

**VEGAS SLOTS - CoCo III Only** - Seven of the most popular slot machine games found in Vegas are yours for the price of one: MultiBars, Fruit MultiBars, Right-Left-Right, Lucky Dollar, Melons and Bars, Fruit and Bar 5. Designed to be as real as being there. One of the most outstanding programs we have ever offered.

**\$29.95**

**VIDEO CARDS & KENO - CoCo III Only** - Play Video Poker, Jokers Wild, Blackjack, and Keno. These games are so real you expect to see Wayne Newton walk by! Outstanding graphics and movement. Wanna Bet?

**\$29.95**

**VEGAS GAME PAK\*** - Now you can bring Las Vegas home with you! This package contains six different games: Video Keno, Video Poker, and Video Blackjack, plus three slot machine lookalikes, Bar 5, 3 Line, and Right/Left.

**\$24.95**

**elec\*TRON\*** - Patterned after the popular arcade game, there are four men on your team and four subgames to complete.

**\$20.95**

**THE WILD WEST - CoCo III Only** - The notorious desperado Black Bart has escaped from jail and is on his way to Dry Gulch to recover his hidden fortune. Can you capture him? Four voice music and sound effects and a vocabulary of over 100 words!

**\$20.95**

**WIZARD'S DEN\*** - Another of our outstanding graphic adventures! You must recover the Gem of Damocles, stolen by the Evil Wizard. His magic is strong and he can make you see things that don't exist!

**\$20.95**

**LUNCHTIME\*** - Your chef, Peter Pepper, is surrounded! Dodge pickles, hot dogs and eggs while building hamburgers. Fast paced action for either one or two players.

**\$19.95**

**BREWMASTER\*** - Move along the end of the bars serving beers to your thirsty customers, but watch out for falling glasses and rowdy customers!

**\$15.95**

**MAUI VICE\*** - Step into the shoes of Crock and Bubbs in this graphic adventure and gather evidence. A new story generated each time you play!

**\$20.95**

**CHAMBERS\*** - Loosely based on Cosmic Chasm, in each level you must destroy all of the evil creatures. In all there are 20 series of chambers with 20-35 interconnected rooms.

**\$15.95**

**FOURCUBE\*** - Fourcube is a 3-dimensional extension of standard tictactoe. Be the first to get four cells of your color in a straight line.

**\$15.95**

**QUIX\*** - Fashioned after a popular arcade game with a similar name, it is simply frustrating. Fill in the screen without the Quix's, sparklers or wicks touching you!

**\$19.95**

**CO CO CROSSWORDS\*** - Attention all crossword puzzle addicts! Now you can solve them on your color computer! Master set contains 27 puzzles with four levels of difficulty.

**\$19.95**

**GOLD RUNNER\*** - Travel the maze in your never-ending search for gold, but be careful! Clear the first screen and 32 more await you!

**\$15.95**

**TEACHERS DATABASE II\*** - Allows teachers to keep computerized files of students. • Up to 100 students, 24 items per student • Statistical analysis of scores • Grades can be weighed, averaged, percentaged • Test result graphs/grade distribution charts

**\$59.95**

**\$42.95**

More educational software available.

## TOM MIX SOFTWARE

P.O. Box 201  
Ada, Michigan 49301  
616/676-8172

- Specify tape or disk when ordering
- Add \$3.00 postage/handling
- MI residents add 4% sales tax



\* CoCo 1, 2, 3 compatible  
† Joystick required

Write for free catalog

These codes will be stored in a file called ACCOUNTS.DAT. Option 5, "Taxinfo," allows you to go straight from the SETUP menu to TAXINFO.

Should you need to modify any of your codes, select the appropriate option from SETUP's main menu (e.g., "Accounts," if an account code is to be changed), and then select Option 2, "List entries," from SETUP's second menu. Each entry you made previously was assigned a record number, and you need to list the entries to determine which record number you will need; these record numbers will be displayed with the listing. Press ENTER to scroll through the list. You will be returned to SETUP's first menu when you have reached the end of the scroll and press

ENTER again. Select the "Accounts" option again. Then select Option 3, "Modify," from SETUP's second menu in order to change the record. Enter the record number you want. You will be told to enter the new code and the full entry, and the change will be made and stored on disk.

### Running TAXINFO

With your disk in Drive 0, simply type RUN "TAX" and press ENTER. You will see a title screen displayed, which will disappear in a couple of seconds. You will then be asked to enter the year you want. Remember to enter the last two digits only (e.g., 87). As you will recall, you made some changes in TAX-INFO.XX and saved it as TAXINFO.88

(or 87, depending on the year you are working on). You will then be asked to wait while the program reads in your codes from the account category you just created using SETUP (if you did not run SETUP first and create at least one account code, you will get an IE Error).

Also, since SETUP stores all information as a direct access file, unnecessary spaces at the end of each string will be eliminated when *Tax Info* reads them in; this will make your later printouts look much nicer. After a few seconds, the main menu appears. Here are your options:

- 1 — Add
- 2 — Codes
- 3 — Number
- 4 — Date
- 5 — Name
- 6 — Account
- 7 — Bar Graph
- 8 — Search
- 9 — Load
- 10 — Setup

If you select Option 1, "Add," you will again be asked to wait, because BASIC will be moving the variable table into high memory to make room for DATA statements. It will also find the last line of the program, which is DATA-1 (the number -1 indicates the last data entry), and blank it out. The screen will then clear, and you will see at the top of the screen the statement "Space=212" indicating how many entries you will be able to make. If you need to make more than 212 entries, change the PCLEAR 4 to PCLEAR 1 in Line 20. Everything should work as usual except that you will get an OM Error if you try to select the Bar Graph option — that's the tradeoff for more memory. However, it will allow you to make 285 entries instead of only 212. I have not found a need for more than 212 entries per year, but someone with a more complicated situation might appreciate the extra memory.

You will also be asked to indicate the number for the entry. As mentioned earlier, this will usually be a check number, but it could be one of your code numbers. Next you will be asked for the date, which must be given as a four-digit number, such as 0106 for January 6, or 1017 for October 17, and so forth. Then you will be asked to enter a name. You should enter the code name for the person you paid (or who paid you, as the case may be). You will next be asked to indicate the amount (e.g., 65.34 for \$65.34) and then the account. Remember to enter your code for the account (e.g., DOCS for doctors and

# Plug-N-Go..

## MULTI-FONT PRINTER NX-1000 NEW



**star**  
micronics

The NX-1000 gives you plenty of print options for attractive printing. Four typestyles. Four pitch sizes, in standard and italics for a total of 32 NLQ modes. 1 year warranty. Nationwide depot service from Honeywell. 30 day online trial.

### SYSTEM INCLUDES:

- Star NX-1000 Printer
- Blue Streak 3 Interface (see opposite page)
- Software Support Trio (see below)

**\$249<sup>95</sup>**

+ \$10 Shipping and Insurance

**COMPLETE**

(Draft)  
ABCDEF abcdef 0123  
ABCDEF abcdef 0123  
(Course)  
ABCDEF abcdef 0123  
ABCDEF abcdef 0123  
(Sansserif)  
ABCDEF abcdef 0123  
ABCDEF abcdef 0123  
(Orator 1)  
ABCDEF ABCDEF 0123  
ABCDEF ABCDEF 0123  
(Orator 2)  
ABCDEF abcdef 0123  
ABCDEF abcdef 0123

Draft and various NLQ type styles

SPECS: 144 cps Draft, 36 cps NLQ, Italics Sub & Superscripts, Emphasized, Doublestrike, Proportional, Condensed, International, Downloadable Char., 4 built in fonts, Graphics 480-1920 dots/line, Forward or Reverse n/216" Line Feeds, Friction and Push Tractor, 4K Data Buffer, Hex Dump.

## Software Support Trio

### TYPE SELECTION/ TUTORIAL

Online instructional program that will select 24 special features of your printer or display methods to incorporate them into your programs.

### DRAYON'S WORD PROCESSOR 2.3

Create, save and print customized documents with full access to printer's special features.

### SUPER GEMPRINT

Will transfer a Pmode 0, 1, 2, 3, or 4 picture screen to printer 8"x11" hardcopy. Black/white, white/black or grey level shading for color.

### COLOUR SUPER GEMPRINT

Transfers color screens to Colour NX-1000. 8"x11" hardcopy in any two colors for Pmode 0, 2 or 4 and any 4 colors for Pmodes 1 & 3.

Software Trio **\$19<sup>95</sup>**

Software Trio w/Colour Super Gemprint **\$29<sup>95</sup>**

Price, availability and specifications subject to change without notice.

**DAYTON ASSOCIATES** of W.R. HALL, INC.

7201 CLAIRCREST, BLDG. D

DAYTON, OHIO 45424

OHIO RESIDENTS ADD 6% SALES TAX • C.O.D. ADD \$2.00

**PERSONAL SERVICE**

**(513) 236-1454**

Visa & MasterCard  
within the continental U.S.

dentists). Next, you will be asked for a comment. This can be anything you like; I usually enter some explanation of what the entry was for. The comment should not exceed 32 characters. Lastly, you will be asked whether you want to make changes. If you select Y you will be given the opportunity to start over on that entry.

If you forget what your code is while you are entering numbers, names, places, or accounts, just enter the word CODES. You will be presented with a Codes menu that asks you which code you want. If you select "Names," your codes and the full entries will appear on the screen. At the bottom of the screen, you will be asked to make your selection now that your memory has been refreshed. You can do the same thing for number codes, accounts and places.

After you have made all your entries, simply type -1 when you are asked to input a number and the last DATA line will once again be DATA-1. You will be prompted to enter a two-digit number for year, and your changes will be saved to disk. You then will be returned to the main menu.

If you select Option 2, "Codes," from the main menu, you will be presented with the Codes menu as mentioned above. It can be accessed either from the main menu or from within the Add routine.

Selecting Option 3, "Number," from the main menu allows you to search for a specific check by number. It is the only way to list your comments for the entry, other than getting a hard copy on the printer. If you select one of your number codes instead of a check number, all entries with similar numbers will be listed. If you used 000, as I suggested earlier, to indicate deposits into your account, you will also get a total.

Selecting Option 4, "Date," will allow you to list all entries within a time period. It will ask you for a beginning date and an ending date, and all entries with dates between the two will be listed. Remember that the format for entering dates is a four-digit number indicating month and day (e.g., 0721 for July 21).

Option 5, "Name," allows you to list all entries by name. If you want to see how much you paid your physician, Dr. Kuttum, simply enter your code for his name exactly. You will be asked whether money was received from or paid to him. After that, all entries and the total will be listed.

Option 6, "Account," lets you get a listing of all entries by type of account

and gives you a total. It also lets you print the results to your printer or to the screen. When the program asks for the account, enter your code for the account you want. You may also enter ALL, and all of your entries for the year will be printed, either to the screen or to the printer, for each account. This is the routine you would use at tax time when you need all of your information to forward to your tax accountant.


Incidentally, the printer routine assumes you will be printing at 600 baud. If you want to print at a faster rate, simply type POKE 150,x, where x is 7 for 4800 baud or 1 for 9600 baud, before you run the program. And your serial-to-parallel interface, if you have one, should be set accordingly. If you have

the results printed to the screen instead of to the printer, each entry will be listed for the first account, a total will be given, and after a couple of seconds the screen will clear for the next account, and so on.


The "Bar Graph" option, Option 7, allows you to see graphically any payment that is made monthly. For example, if you want to see a plot of your monthly electricity bill, enter the code name for your electrical company. The program will not produce a graph of entries by account, only by name. If you enter the name of a company or person that you pay on pay periods other than a monthly basis, the label on the X axis, "month," will be inappropriate. Since the graph is intended only for bills paid

# ...For the CoCo!

## MULTI-FONT PRINTER NX-1000 RAINBOW



Select print mode, typeface and print pitch all from the front control panel



Single sheet feed possible without removing sprocket paper

**star**  
MICRONICS



All the features, performance and dependability of the NX-1000 plus online access to 7 color printing and graphics. Black, blue, red, yellow, green, violet, and orange.

### SYSTEM INCLUDES:

- Star NX-1000 Colour Printer
- Blue Streak 3 Freedom Interface (see below)
- Software Trio (see opposite page)
- Colour Super Gemprint

**\$329<sup>95</sup>**

+ \$10 Shipping and Insurance

**COMPLETE**

## Blue Streak 3 Freedom Interface



### Introduce your CoCo to the World's Best Printers

This 3rd generation Blue Streak gives all CoCos transparent access to parallel printers and opens an additional serial port with the flick of a switch. Break loose from the speed constricting serial ports of those custom manufactured printers and run up to 9600 baud. Easily connected, one year warranty, 30 day online trial.

**\$49<sup>95</sup>**

+ \$2 Shipping

Powered Version add \$5.00

Price, availability and specifications subject to change without notice.

**DAYTON ASSOCIATES of W.R. HALL, INC.**

7201 CLAIRESREST, BLDG. D

DAYTON, OHIO 45424

OHIO RESIDENTS ADD 6% SALES TAX • C.O.D. ADD \$2.00

**PERSONAL SERVICE**

**(513) 236-1454**

Visa & MasterCard  
within the continental U.S.

monthly, it will plot only 12 entries *without going completely off the graph*. Also, entries greater than \$300 will result in an "Entry Too Large" message.

To proceed, press ENTER. You will be asked if you want a screen dump of the graph. If so, simply press Y. If the printer is not turned on, you will be prompted to turn it on.

Option 8, "Search," enables you to find the line numbers where certain strings are located. You can use BASIC's editing commands to make changes or correct errors. Note, however, that the Search routine assumes that DATA lines begin in Line 10001. If you renumber the program, it will not work properly.

Option 9, "Load," allows you to reexamine data from previous years. Since I have been using the program for three years, I sometimes enter 84 or 85 to review the data from those years for comparison.

The last option, Option 10, "Setup," allows you to go directly to the SETUP program. This is useful if you have just entered new data and created new codes. You probably will want to store the new data and codes using SETUP so you can recall them at a later date.

#### Travel

If you deduct travel expenses, *Tax Info* will let you record your trips. After selecting "Add" from the main menu, you will be asked to enter a number. Simply enter your code number for travel. Then, when asked for the name, enter the code for the place you visited. When asked for the amount, enter miles driven. When asked for the account, use your code for travel. Remember, in setting things up, you must use BUS/PROF TRAVEL as the full entry for your travel code. Type it in exactly as I have it. Do not use periods or change the way in which it is presented here.

When I enter comments, I try to squeeze in odometer readings from before and after the trip as well as a very brief explanation of what the trip was for. Remember that the comments should not exceed 32 characters in length.

#### Starting a New Year

When you want to start over with a new year, simply run the TAX.BAS program. Enter XX for the year. Then, after you have entered data, save it (Option 8) with the appropriate two-digit number for the year. Another way of starting a new year is to edit TAX-INFO.B7 (or 86) directly. Delete all entries from Line 10001 on (unless you renumber the program, all entries start at this line). If you edit the program directly, make absolutely certain that you enter a new Line 10001 that has DATA-1. This must always be the very last line of the program. The second method of starting a new year would be useful if you somehow deleted TAX-INFO.XX from the disk.

If you have 40 or nearly 40 accounts, it is possible you may get an OM Error. To avoid this possibility, try to make your accounts (the full names) as short as possible.

If you press BREAK while running *Tax Info* and then start the program over, you will get some strange results when printing out all the information. More specifically, the printout will say 19DA TAX INFORMATION instead of using the proper two-digit number for year. This is because the program gets the year by peeking two locations to get the first two characters of the extension of the last file loaded (see Line 30). By breaking and reentering, the last file loaded will be the ACCOUNTS.DAT file, and the first two characters of the

extension will be DA instead of the year.

If you break from the program, you will see only IN 240 (or whatever line number was involved) instead of the usual message BREAK IN 240. REV-FIELD is responsible for this, and otherwise does no harm.

If you list the directory, you will notice that *Tax Info* takes up nine granules of space whether entries have been made or not. The reason is that the program moves the variable table into high memory the first time it is run, making room for your DATA statements. Entries are simply made into the space that has already been created.

#### Things to Remember

At the risk of sounding repetitious, there are several things you need to remember:

1. Use 000 as your code number for deposits.
2. Use -1 as your code number to exit from "Add."
3. Use BUS/PROF TRAVEL as your full entry for your travel code.
4. While making entries in the "Add" routine, type the word CODES if you need to review your codes for number, name, place or account.
5. While in the "Accounts" routine, if you are asked what account you want, you may enter ALL to get a listing of all entries by account category.
6. Save your entries immediately after exiting the "Add" routine to make sure you do not forget.
7. The "Load" and "Setup" options in the *Tax Info* main menu are destructive and will wipe out your

## Check Account Information System

Manage your checking account(s) with **CAIS**. Keep track of deposits, checks, ATM withdrawals and other account transactions. Define up to 36 categories to monitor expenses. Set up automatic transactions for such items as direct deposits or pre-authorized deductions. Balance your account(s) in minutes! Other features include multi-drive capability, display and print options, history purge and more.

Requires 1 disk drive  
Printer is optional  
CoCo 3 compatible



After Five Software  
P.O. Box 210975  
Columbia, SC 29221-0975  
(803) 788-5995

Send check or M.O. for  
\$34.95 plus \$3.00 S/H.  
COD orders: add \$1.00.  
(SC res. add 5% sales tax)

**Special new year's offer! Order before February 1, 1988 for only \$24.95.**

entries if you have not saved them.  
8. You must have at least one entry in ACCOUNTS.DAT before running TAX.BAS or you will get an IE Error.

9. If the program bombs, you may type GOTO 270 to return to the main menu without losing any entered data that has not yet been saved.

(Questions or comments regarding this program may be directed to the author at 223 S. Edna St., Stillwater, OK 74075. Please enclose an SASE when requesting a reply.) □

*Editor's Note: The program REVFIELD.BIN, from August 1983, will be included on this month's RAINBOW ON TAPE and RAINBOW ON DISK. To transfer the file from tape to disk, first enter CLEAR 200,32543, then enter CLOADM"REVFIELD". Then type SAVEM"REVFIELD.BIN",&H7F20,&H7FDF,&H7F20.*

#### Listing 1: TAX.BAS

```
10 CLS
20 FOR X=1 TO 68
30 READ Y:POKE 1024+Y,128
40 NEXT X
50 FOR X=1 TO 7:READ Y:POKE 1024+Y,139:NEXT
60 FOR X=1 TO 7:READY:POKE 1024+Y,141:NEXT:POKE 1132,142:POKE 1225,142:POKE 1165,135:POKE 1258,135
70 PRINT@332,"(C) 1985";:PRINT@390,"ROBERT S. SCHLOTTMANN";:PRINT@424,"223 S. EDNA ST.";:PRINT@454,"STILLWATER, OK 74075";
80 FOR I=1 TO 800:NEXT I
100 CLEAR 200,32543
110 LOADM"REVFIELD/BIN":EXEC
120 PRINT@266,"ENTER YEAR":PRINT@295,"(LAST 2 DIGITS)"
130 INPUT A$
140 B$="TAXINFO"+CHR$(47)+A$
150 LOAD B$,R
160 DATA 97,98,99,101,102,103,105,124,125,126,109,111,113,117,119,120,121,123
```


```
170 DATA 130,133,135,138,140,143,145,146,149,151,155,158,162,165,166,167,171,175,177,179,181,183,184,187,190
180 DATA 194,197,199,202,204,207,209,212,213,215,219,222,226,229,231,233,237,239,241,245,247,251,252,253,254
190 DATA 137,170,178,203,211,236,244
200 DATA 106,114,139,147,172,180,205
```

✓	140	.....	223	1390	.....	147
	350	.....	126	1560	.....	62
	570	.....	104	1800	.....	176
	840	.....	79	2040	.....	29
	1020	.....	74	2375	.....	136
	1190	.....	216	END	.....	28

#### Listing 2: TAXINFO.XX

```
10 POKE 27,118:POKE 28,00
20 EXEC:CLEAR 1000:PCLEAR4:DIMC$(80)
30 EX$=CHR$(PEEK(2388))+CHR$(PEEK(2389))
40 OPEN"D",#1,"ACCOUNTS/DAT",32:RN=0
50 FIELD#1,10 AS A$, 22 AS B$
```

## DMC "No Halt" Disk Controller



### Unleash your CoCo's potential!

Our new Dual Mode Controller (DMC) implements a new "no halt" mode of operation so it can read from or write to disk all by itself. The 6809 is freed to process other tasks and respond to interrupts. This is how OS-9 was meant to run! But the Radio Shack "halt" mode of operation is also retained to maintain full compatibility with existing non-OS-9 software.

**Free!** Disk caching software included can speed up OS-9 disk accesses.



**SARDIS  
TECHNOLOGIES**

2261 East 11th Ave., Vancouver, B.C., Canada V5N 1Z7

### Other DMC features:

- works with original CoCo, CoCo 2, or CoCo 3 (Multi-Pak required)
- no adjustments — all-digital data separator and write precompensation
- gold plated card-edge connectors for reliability
- ROM socket takes 24 pin or 28 pin chip; dual DOS capability
- Radio Shack DOS 1.1 ROM installed
- 8K bytes cache memory on board (32K optional)
- D.P. Johnson's SDISK package (specially modified for DMC) is included at no charge (\$30 value)
- aluminum case
- fully assembled and tested; 120 day limited warranty

**To order:** DMC controller with RSDOS 1.1 and SDISK (specify OS-9 Level I or II) \$149.50 plus \$5 S/H (\$12 overseas). Add \$16 for 32K RAM option. Terms (prices in \$US); check, money order, VISA, U.S.A. orders shipped via UPS from WA state.

(Also ask about our ST-2900 6809 based expandable single board computer)

(604) 255-4485 (Pacific Time)

### Did you know?

...that all the older floppy disk controllers for the CoCo completely tie up (and even halt) the 6809 processor during disk reads and writes? No wonder your keyboard is constantly "losing" characters! Or that your serial port often gives you garbage.



# WE'RE BRINGING THE COCO

## RAINBOW'S BROADENING ITS SPECTRUM

THE RAINBOW and the Delphi Information Utility have joined together to allow CoCo owners all over the world to connect with one another!

Delphi is a full-service information utility. It offers everything from up-to-the-minute news stories from The Associated Press to electronic mail services. But, *best of all*, it now has **a special forum for Color Computer owners, and it's operated by the people who bring you THE RAINBOW each month.**

The CoCo Special Interest Group (SIG) features a variety of services, including an open forum where you can send and receive messages from Color Computer owners all over the world. It also has several databases to which you can upload your favorite programs and from which you can download programs written by other CoCo enthusiasts. Some of these databases are BASIC programming, OS-9 and home applications.

When setting up your account with Delphi, if you do not have a credit card or prefer not to use it, Delphi requires that you send \$25 to give your account a positive balance. This will be refunded after your first free hour if you choose to no longer use the system or it will be applied to future connect charges. If you do not maintain a positive balance, you will be charged \$3.50 each month for direct billing.

## PEEK INTO THE RAINBOW

The CoCo SIG's conference feature allows you to meet electronically with other members of the CoCo Community. You can join conferences with notables such as Dale Puckett, Cray Augsburg, Marty Goodman, Don Hutchison, Jim Reed, Lonnie Falk and others — on a regular basis. Conference schedules will appear in THE RAINBOW each month. Be sure to check online announcements for changes and additions.

## THE OTHER SIDE OF THE RAINBOW

**On Delphi, you also are able to buy RAINBOW ON TAPE** — order a whole set, or download an individual program immediately. You can also renew your RAINBOW subscription, make a fast and easy order for software or hardware from a multitude of vendors, or inquire about products on the CoCo SIG.

We also have a number of **programs that you can download** and use, just for the cost of the time you spend transferring them. There'll also be **corrections for RAINBOW articles**, helpful hints and many other useful features.

## FREE LIFETIME MEMBERSHIP

**THE RAINBOW is offering subscribers a free lifetime subscription to Delphi** — a \$24.95 value — and a free hour of connect time — a \$7.20 value at either 300, 1200 or 2400 Baud — so you can sample Delphi and the RAINBOW CoCo SIG. That's right. Your subscription to THE RAINBOW entitles you to this \$32.15 value as a **free bonus!**

**If you're not a RAINBOW subscriber**, just enter your order when you sign on with Delphi and you'll get the same great deal! For our \$31 subscription fee, you'll get the finest Color Computer magazine ever, a free lifetime subscription to Delphi and a free hour of connect time.

## SAVE EVEN MORE


Want to save even more? While you're online you can order, for only \$29.95, a deluxe package which includes the Delphi membership, the *Delphi Handbook and Command Card* (\$21.95) and a total of three hours of connect time (\$21.60).

Delphi provides us all with **Immediate CoCo Community**. Check it out today. After all, you can sample it for free!

Problems? Call Delphi:  
**(800) 544-4005**  
**(617) 491-3393**

# DELPHI

# TYPE: GROUP COCO



# COMMUNITY TOGETHER

## How to reach RAINBOW's Color Computer SIG . . .

There are several ways to connect to Delphi and THE RAINBOW's CoCo SIG. In most cities you will not even have to pay long distance charges; you can use special data communications networks like Telenet, Tymnet and the Canadian Datapac network.

First, set your terminal program to operate at either 300 or 1200 Baud (depending on the modem you have), and also select either 7 bits with even parity or 8 bits with no parity, and one stop bit. (If one combination doesn't work, try another.)

Decide which network you should use. There is no surcharge for Telenet or Tymnet. Canadian residents using Datapac will be charged an additional \$10.80 (U.S.) per hour.

**On Telenet:** Uninet network has merged with Telenet. To get the Telenet number for your area, call (800) 336-0437. After you call the local access number and make connection, press ENTER twice. When the "TERMINAL=" prompt appears, press ENTER again. When the "@" prompt appears, type C DELPHI and press ENTER.

**On Tymnet:** Call (800) 336-0149 to get the Tymnet number for your area. After you dial your designated number and connect, you will see either "garbage" or a message saying "please type your terminal identifier." At this point, even if the screen is garbled, simply press 'A'. When "please log in:" appears, type DELPHI and press ENTER.

**From Canada (on Datapac):** Call Delphi Customer Service at (617) 491-3393 to get the Datapac number for your area. After you connect, press the period key (.) and ENTER (use two periods if you're using 1200 Baud). Type SET 2:1, 3:126 and press ENTER. Now type p 1 3106, DELPHI; and press ENTER. Delphi's new rates indicate an additional \$10.80 hourly surcharge for evening use of Datapac, which means a total of \$18 (U.S.) for connect time.

**From other countries:** Many countries have their own data networks that can connect to either Telenet or Tymnet. Check with the telephone authorities in your country for details on how to sign up for this service. When you have an account set up, you can reach Delphi with a "host code" of 3110 6170 3088 through Telenet, or 3106 90 6015 through Tymnet. (You'll have to pay the toll charges for this connection.)

### Type in Your Username

If you're already a subscriber to THE RAINBOW, at the

"USERNAME:" prompt, type JOINDELPHI and press ENTER. At the "PASSWORD:" prompt, type RAINBOW. Then, at the "NUMBER:" prompt, type your individual subscription number from the mailing label of your latest issue of THE RAINBOW. (If there are one or more zeros at the beginning of this number, include them.)

**If you don't already have a subscription,** at the "USERNAME:" prompt, type JOINDELPHI and press ENTER. At the "PASSWORD:" prompt, type SENDRAINBOW and press ENTER. Have your MasterCard, VISA or American Express card ready, because you'll be led through a series of questions that will enable us to put your RAINBOW and Delphi subscriptions into effect. In an effort to hold down non-editorial costs, we do not bill for subscriptions.

If you make a typing error, just use Control-X and start over. Remember that at any point, when you're on Delphi, you can type HELP to get help on how to use the system. To get off the system just type BYE.

If you find that you're unable to log on to Delphi and enter the CoCo SIG after following these instructions, call us during afternoon business hours at (502) 228-4492. We'll be glad to offer assistance.

### Come Visit Us! Type: GROUP COCO

After you sign in, you'll be prompted to set up your own, personal "user name" — Delphi is a friendly service, no numbers to remember — and you'll be asked a number of questions so Delphi can set up your account. You'll also be assigned a temporary password.

Delphi will tell you that your account will be ready after 6 p.m. the same day if you sign up before noon (Eastern time zone.) If not, your account will be ready at 6 p.m. the next day. Once an account is verified and opened, *each RAINBOW subscriber will be credited with an hour of free time!*

When you log back in, use your chosen username and your temporary password to access the system. At that point, you will meet Max, who will help you configure things and will change your temporary password into your own *personal* password. This is the password you will use for subsequent sessions — or until you change it.

After Max bids you goodbye, you'll wind up at the Delphi Main Menu; type in GROUP COCO and **join us on the CoCo SIG!**

```

60 FOR X=1 TO 80 STEP 2:RN=RN+1:G
ET#1,RN:C$(X)=A$:C$(X+1)=B$
70 IF LOF(1)=RN THEN 90
80 NEXT X
90 CLOSE#1
100 PRINT@266,"PLEASE WAIT";
110 FOR X=1 TO RN*2
120 FOR Y=1 TO 22
130 A$=RIGHT$(C$(X),1)
140 F=LEN(C$(X))-1
150 IF A$<>" " THEN 180
160 IF A$=" " THEN C$(X)=LEFT$(C
$(X),F)
170 NEXT Y
180 NEXT X
200 UL$=CHR$(27)+CHR$(45)+CHR$(1
)
210 NU$=CHR$(27)+CHR$(45)+CHR$(0
)
220 EE$=CHR$(14)
230 TA$="19"+EX$+" TAX INFORMATI
ON"
240 NA$="PUT YOUR NAME HERE ON L
INE 240"
250 GOTO 270
260 INPUT "IF YOU WANT TO CONTIN
UE, PRESS          <ENTER>";
K
270 POKE32544+54,0:EXEC
280 PRINT@9,"*** MENU ***"
290 PRINT@64,"1-ADD"
300 PRINT@128,"2-CODES"
310 PRINT@192,"3-NUMBER"
320 PRINT@256,"4-DATE"
330 PRINT@320,"5-NAME"
340 PRINT@85,"6-ACCOUNT"
350 PRINT@149,"7-BAR GRAPH"
360 PRINT@213,"8-SEARCH"
370 PRINT@277,"9-LOAD"
380 PRINT@340,"10-SETUP"
390 PRINT@421,"SELECTION (1-8)";
:INPUT N
400 ON N GOSUB 2030,1800,420,580
,700,870,1270,2460,2400,2440
410 GOTO 260
420 EXEC:INPUT "ENTER NUMBER";G
430 T=0:L=0
440 RESTORE
450 READ C
460 IF C=-1 THEN 540 ELSE 470
470 READ D,P$,A,T$,CM$
480 IF L>=448 THEN A$=INKEY$:IF
A$="" THEN 480
490 IF L>=448 THEN EXEC:L=0
500 IF G=C THEN GOSUB 1780:PRINT
CM$:L=L+32
510 IF G<=5 AND G=C THEN T=T+A:L
=L+32
520 IF G>5 AND G=C THEN L=L+32
530 GOTO 450
540 PRINT
550 IF G<=5 THEN PRINT "TOTAL=";
T
560 PRINT
570 RETURN
580 EXEC:INPUT "BEGINNING DATE";
W
590 INPUT "ENDING DATE";Y
600 EXEC:L=0
610 RESTORE
620 READ C
630 IF C=-1 THEN 690 ELSE 640
640 READ D,P$,A,T$,CM$
650 IF L>=448 THEN A$=INKEY$:IF
A$="" THEN 650
660 IF L>=448 THEN EXEC:L=0
670 IF W<=D AND Y>=D THEN GOSUB
1780:L=L+32
680 GOTO 620
690 RETURN
700 EXEC:INPUT"GIVE THE NAME OF
THE PARTY PAID OR THE NAME OF TH
E PARTY FROM   WHOM MONEY WAS RE
CEIVED";R$
710 PRINT
720 INPUT "WAS MONEY RECEIVED FR
OM (1) OR   PAID TO (2) THIS PART
Y";U
730 ON U GOTO 740,1180
740 EXEC:T=0:L=0
750 RESTORE
760 READ C
770 IF C=-1 THEN 830 ELSE 780
780 READ D,P$,A,T$,CM$
790 IF L>=448 THEN A$=INKEY$:IFA
$="" THEN 790
800 IF L>=448 THEN EXEC:L=0
810 IF C=0 AND R$=P$ THEN GOSUB
1780:T=T+A:L=L+32
820 GOTO 760
830 IF U=1 THEN PRINT "TOTAL REC
EIVED FROM "R$" IS-":PRINTUSING"
$$####.##";T
840 IF U=2 THEN PRINT "TOTAL PAI
D TO "R$" IS-":PRINTUSING"$$####
.##";T
850 PRINT
860 RETURN
870 EXEC:INPUT "WHAT ACCT. DO YO
U WANT";M$
880 INPUT "OUTPUT TO PRINTER (Y/
N)";YN$:IFYN$="Y" THEN POKE32544
+54,255:ELSE IF YN$="N" THEN 920
890 PO=PEEK(65314):IF PO/2<>INT(

```

```

PO/2) THEN 900 ELSE 915
900 EXEC:PRINT@265,"TURN ON PRIN
TER";
910 A$=INKEY$:IF A$="" THEN 910
915 L2=LEN(NA$):L1=((80-(2*L2))/
2)
920 IF YN$="Y"AND M$="ALL" THEN
PRINT#-2,TAB(20)EE$;TA$:PRINT#-2
:PRINT#-2,TAB(L1)EE$;NA$:PRINT#-
2:PRINT#-2
930 IF M$="ALL" THEN 940 ELSE 95
0
940 FOR I=1 TO 80 STEP 2:M$=C$(I
):GOSUB 950:NEXTI
950 IF M$="" THEN 1170
960 EXEC:T=0:L=0
970 RESTORE
980 READ C
990 IF C=-1 THEN 1060 ELSE 1000
1000 READ D,P$,A,T$,CM$
1010 IF L>=448 AND YN$<>"Y"THEN
A$=INKEY$:IFA$="" THEN 1010
1020 IF L>=448 THEN EXEC:L=0
1030 IF T$=M$ THEN GOSUB 1780:L=
L+32:T=T+A
1040 IFT$=M$ AND YN$="Y" GOSUB 1
750

```

```

1050 GOTO 980
1060 FOR X=1 TO 80
1070 IF M$=C$(X) THEN M$=C$(X+1)
:GOTO 1090
1080 NEXT
1090 PRINT
1100 IF M$<>"BUS/PROF TRAVEL" TH
EN PRINT "TOTAL-"M$:PRINT USING
"$$$###.##";T
1110 IF M$="BUS/PROF TRAVEL" THE
N PRINT "TOTAL BUSINESS/PROFESSI
ONAL MILEAGE IS-";T
1120 IF M$="BUS/PROF TRAVEL" AND
YN$="Y" THEN PRINT#-2,"TOTAL ";
UL$;"BUSINESS/PROFESSIONAL MILEA
GE";NU$;" IS-";TAB(53)T;"MILES"
1130 IF M$<>"BUS/PROF TRAVEL" AN
D YN$="Y" THEN PRINT#-2,"TOTAL F
OR ";UL$;M$;NU$;" IS-";TAB(45):P
RINT#-2,USING "$$$###.##";T
1140 IF YN$="Y" THEN PRINT#-2:PR
INT#-2:GOTO 1170
1150 FOR K=1 TO 400:NEXTK
1160 PRINT:POKE32544+54,0
1170 RETURN
1180 EXEC:T=0:L=0
1190 RESTORE

```

## STOCK MARKET PORTFOLIO FOR THE COLOR COMPUTER



If You Are Serious About Stocks...  
This Program Is A Must!

Stock Market portfolio for the color computer will keep track of all your current stock listings and keep a listing of stocks you have sold by the year, they were sold with all totals, profit and loss, and percentages. More than one person can use this program as long as the first three letters on both first and last name are not the same. The program is menu driven and will give you the option for either screen print or information to be printed on printer.

Rush Check for \$22.00 plus \$3.00 shipping & handling to:

Paparis Enterprises  
700 York St.  
Williamsburg, VA 23185

Please allow 2-3 weeks for delivery

Sorry no C.O.D.S

VA residents add 4.5% sales tax.

ALL SOFTWARE COMPATIBLE WITH C0C03  
NO PATCHES REQUIRED

- **COLOR BANKBOOK** +3 \* \$19.95
- **BUSINESS BANKBOOK** +3 \* \$49.95  
SPECIFY 1 OR 2 DISK DRIVES
- **TV BLACKOUT BINGO** \* \$19.95
- **DCR FILE** \$19.95
- **SUPERDISK UTILITY** +3 \* \$19.95  
NEW UPDATE OF AN OLD  
FAVORITE !
- **RADIOLOG** \$ 9.95  
SEE REVIEW IN MAY '86  
RAINBOW PAGE 209
- **CODE PRACTICE** \$ 9.95  
SEE REVIEW IN NOV '86  
RAINBOW PAGE 134

ORDERS OR INFORMATION

**CALL 1-800-628-2828**  
**EXTENSION 552**

ALL PROGRAMS INCLUDE MANUALS ,  
REQUIRE 32K AND 1 DISK DRIVE.  
ADD \$2.00 SHIPPING & HANDLING  
FLORIDA RES. ADD 5% SALES TAX

**SUNRISE  
SOFTWARE**

**8901 NW 26 ST DEPT R**  
**SUNRISE, FL 33322**

\* INCLUDES SPECIAL EDITION FOR C0C03 !!!

```

1200 READ C
1210 IF C=-1 THEN 840 ELSE 1220
1220 READ D,P$,A,T$,CM$
1230 IF L>=448 THEN A$=INKEY$:IF
A$="" THEN 1230
1240 IF L>=448 THEN EXEC:L=0
1250 IF C>0 AND R$=P$ THEN GOSUB
1780:T=T+A:L=L+32
1260 GOTO 1200
1270 EXEC:INPUT "NAME";Z$
1280 PMODE4:PCLS:SCREEN1,1
1290 DRAW "BM50,50 NR5D25NR5D25N
R5D25NR5D25R130
1300 DRAW "BM30,48 R4D2L4D2R4BU4
BR2R4D4L4U4BR6R4D4L4U4"
1310 DRAW "BM32,102 U4BR2R4D4L4U
4BR6R4D4L4U4"
1320 DRAW "BM93,165 U4F3E3D4BU4B
R3R4D4L4U4BR7ND4F4U4BR3R4BL2D4BU
4BR5D4BR4U4BD2L4"
1330 L=60
1340 RESTORE
1350 READ C
1360 IF C=-1 THEN 1430
1370 READ D,P$,A,T$,CM$
1380 IF P$=Z$ AND A>300 THEN PRI
NT@200,"ENTRY TOO LARGE":V$=INKE
Y$:IF V$="" THEN 1380 ELSE 1460
1390 IF P$=Z$ THEN 1400 ELSE 142
0
1400 LINE (L,150)-(L+5,150-A/2),
PSET,BF
1410 L=L+10
1420 GOTO 1350
1430 A$=INKEY$:IF A$="" THEN GOTO 1
430
1440 INPUT "DO YOU WANT A SCREEN
DUMP";QY$
1450 IF QY$="Y" THEN POKE32544+5
4,255:GOTO 1470 ELSE 1460
1460 EXEC:RETURN
1470 PO=PEEK(65314):IF PO/2<>INT
(PO/2) THEN EXEC:PRINT@265,"TURN
ON PRINTER";ELSE 1490
1480 A$=INKEY$:IFA$="" THEN 1480
1490 EXEC:PRINT@267,"PRINTING";
1500 PMODE4:PCLS:SCREEN0,0
1510 DRAW "BM67,155 NU5R25NU5R25
NU5R25NU5R25U130
1520 DRAW "BM65,174 U4R2D4R2U4BL
4BU2U4R4D4L4BU6U4R4D4L4"
1530 DRAW "BM118,172 L4BU2U4R4D4
L4BU6U4R4D4L4"
1540 DRAW "BM200,122 L4E3H3R4BL4
BU3U4R4D4L4BU7NR4E4L4BU3U4BD2R4B
L4BU5R4BU4L4BR2D4"
1550 L=145
1560 RESTORE

```

```

1570 READ C
1580 IF C=-1 THEN 1640
1590 READ D,P$,A,T$,CM$
1600 IF P$=Z$ THEN 1610 ELSE 163
0
1610 LINE (167,L)-(167-A/2,L-5),
PSET,BF
1620 L=L-10
1630 GOTO 1570
1640 X=0:Y=0:PRINT#-2,TAB(10)Z$
1650 PRINT#-2,CHR$(27)+"1"
1660 FOR X=3558 TO 3558+21
1670 PRINT#-2,CHR$(27)+"K"+CHR$(
191)+CHR$(0);
1680 FOR Y=X+(191*32) TO X STEP-
32
1690 PRINT#-2,CHR$(PEEK(Y));
1700 NEXT Y
1710 PRINT#-2
1720 NEXT X
1730 PRINT#-2,CHR$(27)+"2"
1740 POKE32544+54,0:EXEC:RETURN
1750 'PRINT ROUTINE
1760 PRINT#-2,USING"####    %
%    #####.##    %    %
%" ;C,D,P$,A,T$,CM$
1770 RETURN
1780 PRINTUSING"####    %    %
#####.##    %    %";C,D,P$,A,T$
1790 RETURN
1800 EXEC:PRINT@42,"CODES INFO"
1810 PRINT@96,"1-NUMBER CODES"
1820 PRINT@160,"2-PLACES"
1830 PRINT@224,"3-NAMES"
1840 PRINT@288,"4-CATEGORY CODES
"
1850 INPUT CN
1860 IF CN=1 THEN NM$="NUMBER":G
OSUB 1910
1870 IF CN=2 THEN NM$="PLACES":G
OSUB 1910
1880 IF CN=3 THEN NM$="NAMES":GO
SUB 1910
1890 IF CN=4 THEN NM$="ACCOUNTS"
:GOSUB 1910
1900 RETURN
1910 EXEC
1920 OPEN"D",#1,NM$,32:RN=0:L=0
1930 FIELD #1,10 AS A$, 22 AS B$
1940 RN=RN+1
1950 GET#1,RN
1960 PRINT@L,A$;B$
1970 L=L+32
1980 IF INT(L/448)=L/448 THEN V$
=INKEY$:IF V$="" THEN 1980
1990 IF L>=448 THEN EXEC:L=0
2000 IF LOF(1)<>RN THEN 1940

```

```

2010 CLOSE#1
2020 RETURN
2030 EXEC:PRINT@233,"PLEASE WAIT
":A$=""
2040 AA=PEEK(25)*256+PEEK(26)
2050 BB=PEEK(AA)*256+PEEK(AA+1)
2060 CC=PEEK(AA+2)*256+PEEK(AA+3)
)
2070 IF BB=0 THEN 2090
2080 A1=AA:AA=BB:C1=CC:GOTO 2050
2090 FOR I=A1 TO A1+3:POKE I,0:N
EXT
2100 LL=A1+3
2110 VT=PEEK(27)*256+PEEK(28)
2120 SP=INT((VT-LL)/64)
2130 EXEC:PRINT TAB(10)"space=";
SP
2140 IF A$="-1" THEN 2370
2150 PRINT" ***INPUT -1 FOR LAST
ENTRY***"
2160 INPUT "NUMBER";A1$
2170 IF A1$="-1" THEN Z=0:GOTO 2
290
2180 IF A1$="CODES" GOSUB 1800:G
OTO2160
2190 INPUT "DATE";A2$
2200 INPUT "NAME/PLACE";A3$

```

```

2210 IFA3$="CODES"GOSUB1800:GOTO
2200
2220 INPUT "AMT./MILES";A4$
2230 INPUT "ACCT.";A5$
2240 IFA5$="CODES"GOSUB1800:GOTO
2230
2250 INPUT "COMMENT";A6$
2260 INPUT"DO YOU WANT TO MAKE C
ORRECTIONS BEFORE CONTINUING? (Y
/N)";B$:IF B$="Y" THEN 2160
2270 A$=A1$+" "+A2$+" "+A3$+" "+
A4$+" "+A5$+" "+A6$
2280 GOTO2300
2290 A$=A1$
2300 AA=A1+4:FOR I=1 TO 64:POKE
AA,32:AA=AA+1:NEXT
2310 AA=A1+64:DD=INT(AA/256):D1=
AA-(DD*256):POKE A1,DD:POKE A1+1
,D1
2320 DD=INT(C1/256):D1=C1-(DD*25
6):POKE A1+2,DD:POKE A1+3,D1:POK
E A1+4,134:A1=A1+5
2330 FOR I=1 TO PEEK(VARPTR(A$))
:BB=PEEK(256*PEEK(VARPTR(A$)+2)+
PEEK(VARPTR(A$)+3)+I-1)
2340 POKE A1,BB:A1=A1+1:NEXTI
2350 FOR I=AA-1 TO AA+3:POKE I,0

```

## TANDY COMPUTER DISCOUNTS

### COLOR COMPUTERS

26-3127 64k color comp	89.95
26-3334 CoCo 3	170.00
26-3215 CM-8 color monitor	259.95

### PRINTERS

26-2802 DMP 106	179.95
26-1277 DMP-430	580.00
26-1280 DMP-130	279.00
Complete line of Tandy (Daisy Wheel) print wheels	

### MODEL 4 and MSDOS COMPUTERS

25-1050 Tandy 1000 EX	530.00
25-1052 Tandy 1000 SX	750.00
25-1053 TANDY 1000 HX	599.00
25-1600 TANDY 1000 TX	999.95
25-1023 CM-5 color monitor	249.95
25-1020 VM-4 Monochrome monitor	110.00

**We Carry the Complete Line of Tandy Computer Products at Discount Prices**

**CALL FOR A FREE PRICE LIST 800-257-5556  
IN N.J. CALL 609-769-0551**

## WOODSTOWN ELECTRONICS

Rt. 40 E. WOODSTOWN, N.J. 08098

## A to Z Unlimited

SOFTWARE DIV.

### Chemistry Tutor

A TWO DISK SET THAT IS DESIGNED TO BE EXTREMELY USER FRIENDLY AND IS AN AID TO LEARNING HIGH SCHOOL OR COLLEGE LEVEL CHEMISTRY PRINCIPLES. TEXT LESSONS ARE COMBINED WITH HIGH RESOLUTION GRAPHIC ILLUSTRATIONS.

COMPREHENSIVE TESTING SECTIONS COVER THE PRINCIPLES NECESSARY FOR A FIRM BASE IN THE CHEMICAL FIELD.

AN ELEMENT SECTION THAT ALLOWS THE STUDY OF ALL 106 ELEMENTS THAT HAVE BEEN DISCOVERED AND CONFIRMED.

ELEMENT DATABASE ALLOWS FINDING DATA ON THE ELEMENTS IF THE ATOMIC SYMBOL, NUMBER, OR ELEMENT NAME IS KNOWN.

**Disk Only:**  
**\$42.00 + S&H**

### BTU Analysis



NOW WITH DISK 1/0!

ANALYZES HEAT LOSS & GAIN AND CALCULATES PROPER HEATING AND COOLING UNIT SIZE.

ORIGINALLY DEVELOPED FOR PROFESSIONAL USE.

CONSIDERS "MORSE CODE" DESIGN METHODOLOGY.

**Disk Only:**  
**\$39.95 + S&H**

### IRA Analysis



NOW WITH DISK 1/0!

COMPARE I.R.A.'S AND GET MORE ON YOUR INVESTMENT.

PROFESSIONALS MAY CHARGE FOR SUCH AN ANALYSIS, SAVE \$\$\$.

PROFESSIONAL RESULTS AT YOUR FINGER TIPS.

USED BY PROFESSIONALS FOR YEARS.

**Disk Only:**  
**\$29.95 + S&H**

## A to Z Unlimited

SOFTWARE DIV. 901 FERNDAL BLVD  
HIGH POINT, NC 27260  
(919)-882-6255

**Shipping & Handling Charge \$3.00**

```

: NEXT
2360 A1=AA: C1=C1+1: SP=SP-1: GOTO
2130
2370 EXEC: PRINT@11, "S-A-V-E": PRI
NT: INPUT "ENTER YEAR (LAST 2 DIGI
TS)"; F2$
2375 IF VAL(F2$) < 80 OR VAL(F2$) >
99 THEN 2370
2380 F1$="TAXINFO"+CHR$(47)+F2$
2390 SAVE F1$: RETURN
2400 EXEC: INPUT "SURE"; S$: IF S$ <>
"Y" THEN RETURN
2410 EXEC: PRINT@11, "L-O-A-D": PRI
NT: INPUT "ENTER YEAR (LAST 2 DIGI
TS)"; F2$
2420 F1$="TAXINFO"+CHR$(47)+F2$
2430 LOAD F1$, R
2440 EXEC: INPUT "SURE"; S$: IF S$ <>
"Y" THEN RETURN
2450 LOAD "SETUP", R
2460 EXEC: CT=0: SN$="": RESTORE: PR
INT@8, "S E A R C H": LINE INPUT "
ENTER TARGET STRING
"; SN$: LN=10001
2470 READ C
2480 IF C=-1 THEN PRINT "SEARCH O
VER" ELSE GOTO 2490
2485 ZZ$=INKEY$: IF ZZ$="" THEN 2
485
2487 RETURN
2490 READ D, P$, A, T$, CM$: IF VAL(SN
$)=D OR SN$=P$ OR VAL(SN$)=A OR
SN$=T$ OR SN$=MID$(CM$, 1, LEN(SN$
)) THEN PRINT "LINE #"; LN
3000 LN=LN+1: GOTO 2470
10001 DATA -1

```

✓ 170 .....18  
370 .....49  
END .....230

Listing 3: SETUP.BAS

```


10 POKE 32544+54, 255: CLS
20 PRINT@108, "CODES"
30 PRINT@168, "1-NUMBER CODES"
40 PRINT@232, "2-NAMES"
50 PRINT@296, "3-PLACES"
60 PRINT@360, "4-ACCOUNTS"
70 PRINT@424, "5-TAXINFO"
80 INPUT NM
90 IF NM=1 THEN NM$="NUMBER"
100 IF NM=2 THEN NM$="NAMES"
110 IF NM=3 THEN NM$="PLACES"
120 IF NM=4 THEN NM$="ACCOUNTS"
130 IF NM=5 THEN CLS: Y1=PEEK(157
)*256+PEEK(158): IF Y1=32544 THEN
140 ELSE 150 ELSE 160

```

```

140 PRINT@11, "L-O-A-D": PRINT: INP
UT "ENTER YEAR (LAST 2 DIGITS)";
F2$: F1$="TAXINFO"+CHR$(47)+F2$: L
OAD F1$, R
150 LOAD "TAX", R
160 IF NM<1 OR NM>5 THEN 80
170 CLS
180 PRINT@168, "1-ENTER NEW INFO
190 PRINT@232, "2-LIST ENTRIES
200 PRINT@296, "3-MODIFY
210 INPUT N
220 CLS: ON N GOTO 230, 340, 450
230 OPEN "D", #1, NM$, 32
240 FIELD #1, 10 AS AB$, 22 AS EN
$
250 RN=LOF(1)+1
260 INPUT "CODE FOR NEW ENTRY
(6 CHAR MAX)"; A$
270 INPUT "NEW ENTRY
(22 CHAR MAX)"; B$
280 LSET AB$=A$
290 LSET EN$=B$
300 PUT #1, RN
310 INPUT "AGAIN"; YN$: IF YN$="Y"
THEN 250 ELSE 320
320 CLOSE #1
330 GOTO 10
340 OPEN "D", #1, NM$, 32: RN=0
350 FIELD #1, 10 AS A$, 22 AS B$
360 RN=RN+1
370 GET #1, RN
380 PRINT "RECORD NUMBER "; RN
390 PRINT A$; B$
400 IF INT(RN/5)=RN/5 THEN V$=IN
KEY$: IF V$="" THEN 400
410 IF LOF(1) <> RN THEN 360
420 CLOSE #1
430 V$=INKEY$: IF V$="" THEN 430
440 GOTO 10
450 OPEN "D", #1, NM$, 32
460 FIELD #1, 10 AS AB$, 22 AS E
N$
470 INPUT "RECORD #"; RN
480 GET #1, RN
490 PRINT "RECORD NUMBER "; RN
500 PRINT AB$; EN$
510 INPUT "MODIFIED CODE
(6 CHAR MAX)"; A$
520 INPUT "MODIFIED ENTRY
(22 CHAR MAX)"; B$
530 LSET AB$=A$
540 LSET EN$=B$
550 PUT #1, RN
560 PRINT "AGAIN?"
570 INPUT YN$: IF YN$="Y" THEN 47
0
580 CLOSE #1
590 GOTO 10

```



## Software

CoCo 1, 2 & 3

## Wizard's Den — A World of Poultices, Potions and Poisons

Cauldron boil and cauldron bubble . . . With that incantation, some luck, and a great deal of perseverance, the journey into another fantasy world begins. Over the years the CoCo community has been the beneficiary of countless graphic Adventure games. The announcement of yet one more could reasonably be anticipated with a chorus of yawns. But, as the old saying goes, "It ain't over 'til it's over." Tom Mix Software (Novasoft) is known for quality software, and with the release of

*Wizard's Den*, they have breathed a bit of new life into an old routine.

*Wizard's Den* is based on the same concepts that have made other Adventure games so successful. A clever puzzle is wrapped in some very attractive graphics, with a taste of animation and sound added to good effect. The Wizard's world consists of eight chambers, each characterized by a unique group of poultices, potions, poisons, and the requisite monsters that seem to have an insatiable hunger for

CoCo owners. Miscellaneous objects that confer various powers upon the owner are encountered along the way. But, beware! As I was merrily romping through Level 3, grabbing everything in sight (if I found it, it *must* be good for me!), several jugs of poison made their way down my throat — end of journey. Ultimately, eight levels must be traversed, and the Gem of Damocles found in order to win the game.

Several features set *Wizard's Den* apart. Most notably, it is very user-friendly. After loading, a color test is performed and the player is greeted by the opening menu. From here the method of play may be selected, either keyboard (the default) or joystick. If the joystick option is selected, all the keyboard sequences remain intact. As the documentation points out, this can be quite handy when maneuvering through tight places. From here the user may view an information screen displaying

all the animated horrors that lie within, or enter the Wizard's world.

The combination of joystick and icon control allows the game to be played by anyone. Keyboard input, or anything else that resembles typing, is neither indicated or required. The Wizard welcomes children (of all ages).



While the documentation is adequate, the information screen provides more than enough detail to fully enjoy the game. No hints are provided, aside from an opening clue on exiting from Level 1, and a recommendation to maintain a lifestyle devoid of conflict.

*Wizard's Den* is supplied on a single unprotected disk, and requires a single disk drive and a minimum of 64K. The use of joysticks, while optional, greatly enhances the quality of play.

(Tom Mix Software, P.O. Box 201, Ada, MI 49301, 616-676-8172; \$22.95 plus \$3 S/H)

— Henry Holzgrefe

## Software

CoCo 1, 2 & 3

### *Artificial Learning File* — Simulates Artificial Intelligence

*Artificial Learning File* from High Altitude Software is a program designed to respond to the user by asking a series of questions, evaluating the answers, and then guessing a solution. If this sounds complex, it can be simplified by an example: When *ALF* is run, it presents the user with a menu. From the menu, the user picks and then selects an *ALF* file (for example, spaceships). *ALF* then loads the file and asks you to think of a spaceship. It then asks "yes" or "no" questions to determine which spaceship you are thinking of.

Either *ALF* guesses right, in which case you can try another round, or *ALF* guesses wrong, in which case it asks you to enter a question to distinguish between its incorrect guess and your answer. It then asks you the answer (yes or no) to your question and the thing (for example, the type of spaceship) you were thinking of.

Now you are probably wondering, "Is this really artificial learning?" and "What can I do with it?"

The answer to the first question is no, this is not real artificial learning. This is a BASIC implementation of an artificial learning Simulation. In other words, the computer is not developing a knowledge base using a list processor, it is using BASIC and comparing responses to the responses it has in memory. It does look, however, to the user, particularly as the base of questions and answers grows, as though *ALF* is learning. Perhaps it is, but this is not artificial intelligence in the true, conventional sense.

As for what it can be used for, I would say two things. The first is entertainment, and the second is a demonstration of learning. Clearly the entertainment aspects are in watching the machine guess answers and evaluate questions. You can also see the learning process take place as you ask more and more questions.

In the Edit Question and Edit Answer portions of the program, *ALF* does not look at the last five items in either questions or answers for editing. This drawback, however, is not a serious problem, rather an annoyance when running the program. As your list grows, you will be able to access the questions or answers to edit.

Also, in scrolling through the answers or questions in search mode, the "shift-arrow" key combination does not scroll rapidly. While it is not exactly a problem, it shows a good idea that I think requires more development on the part of the programmer. In its current state, *ALF* is best described as an entertainment product. With some careful consideration as to what the goals for a final product might be, it could become a very valuable educational tool.

*ALF* comes with several files on the disk, including animals, cities, car parts, and more. There is room for 300 answers in memory at one time, and you also have the option to save all your answers and questions, and to create new *ALF* files. It would be a nice option to include a printer driver to be able to print out questions and answers. The

disk also comes with a "bonus" program that gives advice by randomly answering yes/no questions with "Yes," "No," or "I don't know."

The documentation that accompanies *ALF* is relatively complete, consisting of three pages of menu explanations and some very good examples to get you started. I found these quite useful in gaining a basic understanding of the program and how to use it. Overall, *ALF* is entertaining and interesting.

(High Altitude Software, 339 32½ Rd., Palisade, CO 81526; \$8.95: First product review for this company appearing in THE RAINBOW.)

— Jeffrey S. Parker

## Hardware

CoCo 3

### CoCo 3 Turbo Ram — 512K Upgrade

Performance Peripherals has released a new low-cost 512K upgrade for your CoCo 3. The upgrade, fully assembled and tested, is quite small, measuring 3¼ by 3 inches. The high quality glass epoxy circuit board is well made, and simply plugs into your CoCo 3. I was impressed. The 16 D41256 120 ns Dram chips are all socketed and are NEC brand.

The installation instructions are very easy to follow and, by far, the best I've seen for a CoCo 3 RAM upgrade. Every step is clearly detailed and illustrated with photographs so that even the novice can easily do the installation. No soldering is required, but as is the case with all RAM upgrade kits, you do have to clip two small capacitors on the CoCo 3 circuit board. This is not at all difficult since a small wire cutter will suffice, and the capacitors are well identified and illustrated in the photographs. You also have to remove the four chips that comprise the existing 128K RAM. Since these chips are socketed, you can simply unplug them and set them aside for safekeeping.

Particular emphasis is placed on proper grounding during the installation process so that the sensitive RAM chips are not damaged by static electrical charges at the work station. This is well documented, and common household materials such as aluminum foil are used.

In all there are eight steps to follow to install the board, and they can be completed in 10 to 30 minutes depending on your familiarity with electronic circuits. Caution: If you install this upgrade yourself, you will void your computer's 90-day warranty. If you are timid about such things, take your computer to your local Radio Shack for installation.

The kit also comes with a program on disk to check the operation of the newly acquired memory. An unusual feature of this particular program is that it relocates itself several times so that all of the memory is checked.

I should also point out that you can purchase the new PAL chip (\$9.95) from these folks, too. You'll need this replacement chip if you have the older Multi-Pak interface (#26-3024). The same high quality step-by-step instructions and photographs are provided for PAL installation, as well. If you don't have a Multi-Pak, there's no need for the new PAL chip.

I highly recommend this 512K upgrade. Installation is easy, and it worked the first time. Its operation did not reveal any presence of unusual RF interference. If installation problems occur, a technical assistance phone number is provided, and the products are fully warranted for one year.

(Performance Peripherals, 11432 Pena Way, Mira Loma, CA 91752, 714-681-3007; \$79.95 plus \$3 S/H)

— Jerry Semones

## Software

CoCo 1, 2 & 3

### *Iron Cross: War in Russia — Tactical Simulation*

Close-up magicians such as myself sometimes pooh-pooh the extravagant shows of the stage magicians. "Sure," we say, "all those people and all that equipment. Try doing it at point-blank range, with only your wits, a deck of cards and two coins to work with."

The same attitude sometimes applies when wargamers who have been used to squad-level tactical simulations get involved with a strategic level war game. "Big deal; 60,000 troops, 350 tanks and all that artillery. Try it with eleven men

with rifles, one machine gun and a mortar that can't hit half the targets." That was also my opinion since most of my CoCo war games are at the tactical level — until I started in with *Iron Cross: War in Russia* from Computerware.

This is simulation on a grand scale, with a corps being the smallest maneuver unit, set in the expanse of Russia in June of 1941. There is more to it than moving a panzer corps here and there, however. You have to keep an eye on the weather, as each game turn puts you one week closer to the muddy autumn and the dreaded Russian winter. You also have to keep track of the Soviet forces opposite you, and their relative strengths. The "inspection phase" allows you to examine strengths of both sides' units; the problem then is to remember them when you get into the movement phase. Note-taking isn't a bad idea.

The three types of units (armor, infantry and cavalry) are easily distinguished on a color screen (but not on an RGB monitor). Each unit can be given one of five different types of modes (e.g., standard, blitz, entrenched) depending on the situation.

Other factors to consider are supplies, the weather and air power. Air strikes are allowed in the top three of the five difficulty levels and are a real demonstration of their effectiveness on the battlefield.

Both our sons play war games, tactical and strategic. They taught me a simplified one. We went through four hours of dice rolls and interminable references to various tables of factors. In many ways it was like a short, intensive course in statistics with a quiz every 10 minutes. *Iron Cross* has removed the tables and the dice, replacing them with an interesting and highly playable game. It requires a CoCo 1, 2 or 3 with at least 64K of Extended BASIC and a disk drive.

The program, which is copy-protected, contains a save capability due to the possible length of any one game. The seven-page instruction book contains clear and concise rules that, while not absolutely simple, are easy to follow.

At first, the need to scroll up and down across the western breadth of the USSR in order to find and move my units irritated me. Then it dawned on me that it was a piece of realism, since commanders don't always know exactly what all their units are doing. A bit of computer-generated "fog of war" there.

So there I sat, likening myself to a von Rundstedt as my panzers slashed through the Russian lines, followed by the infantry corps nailing down the edges of the breakthrough. An imaginary aide brought me a cup of tea and a report from one of the army commanders. Leaning down, I gazed fiercely at the situation map, then firmly issued the new orders. Panzer Corps will advance to take and hold Dromar. The Russians were mounting a counterattack in the vicinity of the Crimea, and there was only one dug-in panzer corps securing that flank. They needed reinforcements — fast!

A drum roll interrupted my thoughts. I glanced up and could have sworn I saw the ghost of Harry Blackstone, Sr., smiling at me. "See?" he said as he floated a light bulb out over the audience. "It's not all that easy, is it?"

It certainly isn't, but it sure is fun. And you just might earn an Iron Cross.

(Computerware, Box 668, Encinitas, CA 92024, 619-436-3512; \$24.95)

— John Hebert

## Software

CoCo 3

### *Zone Runner — Futuristic Strategy Simulation*

Are you tired of the same old boring daily job? Do you seek the thrill of adventure? The lure of fast galactic bucks? Then you, too, can become a Zone Runner. Minimal equipment required.

You furnish the control guidance system (a Tandy Color Computer 3), the standard read-out display (a CM-8 or TV set), at least one data storage bank (one disk drive), and the system control device (color mouse/joystick or Hi-Res interface optional), and we will equip you with the latest in intergalactic space-going cargo haulers.


With our super intergalactic *Zone Runner* spaceships, you can shuttle back and forth between a multitude of planets, buying and selling strange exotic goods. A wise trader like you can make big galactic bucks and at the same time provide a valuable service to the galaxies. Without a steady influx of new goods, many planets have been known to completely die off. And for the really daring and adventuresome, you can

# NEW DISK DRIVES

Starting at

## 89<sup>95</sup>

with case &  
Power Supply  
129.95



### TANDON MPI TEAC


Speed 6ms tk to tk and up  
Capacity 250k unformatted  
Tracks 40  
Warranty *now* 1 Year

### SATISFACTION GUARANTEED!!

ALL DRIVES FULLY TESTED AND WARRANTED

We carry only the finest quality disk drives  
*no seconds • no surplus*

New Low Price!



40 Tks 6Ms  
Double Sided  
Double Density

40 or 80 Tracks  
1/2 Hght. Teac/Panasonic



## Free Software for Drive 0 Systems

CoCo Checker...Test roms, rams, disk drives and & controller printer, keyboard cassette & more.  
Tape/Disk Utility...Transfers disk to tape and tape to disk.

## 169<sup>95</sup> Drive 0

- Full Ht Drive
- Single Case
- Heavy Duty Power Supply
- 2 Drive Cable
- Gold plated contacts
- Controller & manuals

## 189<sup>95</sup> Drive 0

- Double Sided Slim Line Drive
- Case holds 2 slim line drives
- Heavy Duty Power Supply
- 2 Drive Cable
- Gold plated contacts
- Controller & Manuals

## 289<sup>95</sup> Drive 0 & 1

- 2 Double Sided Slim Line Drive
- Case holds 2 slim line drives
- Heavy Duty Power Supply
- 2 Drive Cable
- Gold plated contacts
- Controller & Manuals

## Other Drive Specials

Drives cleaned, aligned & tested, **29<sup>95</sup>**

## 119<sup>95</sup>

2nd Drive  
for new Radio Shack  
includes:


- Slim Line DS/DD Drive
- Cabling & Instructions
- Mounting Hardware

Full Ht Drive .....	<b>89<sup>95</sup></b>
Full Ht Drive Ps/Case.....	<b>129<sup>95</sup></b>
Slim Line Drive.....	<b>99<sup>95</sup></b>
Slim Line Drive Ps/Case...	<b>139<sup>95</sup></b>
2 Slim Drives Ps/Case .....	<b>239<sup>95</sup></b>
Disk Controller .....	<b>59<sup>95</sup></b>

Single Ps & Case .....	<b>44<sup>95</sup></b>
Dual 1/2ht Ps & Case .....	<b>54<sup>95</sup></b>
Dual Full Ht. Ps & Case .....	<b>79<sup>95</sup></b>
Disk Controller .....	<b>59<sup>95</sup></b>
10 Diskettes with free library case .....	<b>9<sup>95</sup></b>

Dealer Inquiries Invited

617-278-6555




## TRUE DATA PRODUCTS

9 South Main Street  
Uxbridge, MA 01569  
**617-278-6555**

Hours: Mon.-Sat., 9-6 (EST)

We welcome

- Visa/Mastercard 
- Checks (allow 2 weeks for clearing)
- C.O.D. Add \$2.

**Call us today! 617-278-6555**  
**Order Toll Free 1-800-635-0300**

### Software Included

- Pc-Write word processor
- Pc-Calc Spreadsheet
- Pc-File Database
- Print Spooler
- Ram Disk
- Runs all popular software



## IBM XT COMPATIBLE

Complete  
system


only **699<sup>95</sup>**

### Hardware Included

- 4.77 mhz and 8mhz Turbo
- 360k Floppy Disk Drive
- Monochrome or Color Card
- At style Case w/pwr light & key
- Game, Printer and Serial Port
- Real Time Clock
- 150 watt power supply
- 640k memory
- At keyboard optional expanded
- Monochrome Monitor
- Optional Hard Disk Drive

**star** PRINTERS

PRINTER CABLES AND  
INTERFACES AVAILABLE  
Call for current pricing



NX10 (New 120CPS NLQ 80 col.) **199<sup>95</sup>**

NX15 (New 120CPS NLQ 132 col.) **349<sup>95</sup>**

**PANASONIC PRINTER**  
1080I (New 120CPS NLQ 80 col.) **179<sup>95</sup>**

## Complete Packages

1080I **229<sup>95</sup>**


includes:

- Panasonic 1080I Printer
- Interface
- Screen Dump Program

NX10 **259<sup>95</sup>**

includes:

- Star NX10 Printer
- Interface
- Screen Dump Program



### Serial to Parallel Interface for Color Computer I, II, III

- 300-19,200 BAUD rates
- External to printer — No AC plugs
- Built in modem/printer switch —  
No need for Y-cables or plugging/  
unplugging cables

only  
**54<sup>95</sup>**

Power supply + 5.00

**64K Upgrades 19<sup>95</sup>**

**Video Driver 29<sup>95</sup>**

Enables your CoCo to operate with a video monitor  
instead of a television!

**Screen Dump Program 19<sup>95</sup>**

The best screen dump program for the Epson &  
Star printers ever!! Have the option of standard  
images reverse w/regular or double sized pictures.

Dealer Inquiries invited  
617-278-6555

Call us today! **617-278-6555**  
Order Toll Free 1-800-635-0300



TRUE DATA PRODUCTS

9 South Main Street  
Uxbridge, MA 01569  
617-278-6555



make a dash across the neutral zone *between* galaxies, avoiding the many patrol ships, and sell those rare exotic items, from one galaxy to the other, for mega-galactic bucks.

Of course, if the patrol ships do catch you, they will only assess you a "small" fine, say, about half of your cash. It's the pirates you have to watch out for, because they'll take half of your cargo. But we do provide you with the latest in super hyper-drive engines, fast reacting shields, and the very best photon energy space torpedoes. So if you can't outrun them, then outgun them. (Needless to say, of course, it's your responsibility to keep these three key items in good working order by buying replacements out of the handsome profits we just know you will be making). So become a Zone Runner today.

*Zone Runner* is one of the latest offerings in games from Tandy/Radio Shack for the Color Computer 3. Like all of the new software from Tandy for the CoCo 3, it is written in OS-9 Level II and utilizes graphic windows. This is not one of your standard "point-and-click" arcade games. In fact, it is more of a futuristic strategy simulation type game with some arcade features.

After booting up the familiar DOS command, you indicate the type of monitor you have by entering GW40 at the OS-9 prompt if you have an RGB monitor. Otherwise, you go directly into the game by entering the command ZONE.


The program creates a graphic control panel display on your screen and includes such items as a "Heading Control" and "Engine, Shield, and Weapons Controls."

The first thing to do is configure the screen and system to your liking and hardware requirements. Press F1, and a list of choices appears on the "Display Screen" in the center of the panel. Here you may change the foreground and background colors by scrolling through them until you get the combination you like best. Also, here you may indicate if you are using the Tandy Hi-Res Interface with your mouse or joystick. All control of the game is made in a "point-and-click" fashion with either a mouse or joystick.

If you boot up with the Hi-Res Interface in place, you will almost certainly have trouble making the pointer respond properly, as the game starts up in the normal mode, (i.e., it is polling the normal joystick port). This may seem like a real problem at first as you need to set the "MOUSE TYPE" pa-

rameter to "HI-RES" from "NORMAL" but can't get the pointer to go anywhere near the command area to change it. Fortunately, there is a solution.

Part of the OS-9 mouse system is what is known as the "Keyboard Mouse." Simply press the CTRL-CLEAR combination and you will enter the keyboard mouse mode. Then you can move the pointer around with the arrow keys. This is also referred to in the instruction manual for *Zone Runner*. However, the manual does not mention that while in the keyboard mouse mode, you will need to use F1 as a substitute fire button.



Move the pointer to the words MOUSE TYPE and press F1. The word NORMAL changes to HI-RES. Next, press the key combination CTRL-CLEAR once again to exit the keyboard mouse mode, and you should have full control of your pointer.

After you have made all the desired changes, pressing F2 starts the game. (You may go back at any time during the game and reconfigure the screen, as well.)

I did not find any particular advantage to using the Hi-Res Interface over the normal joystick port in playing *Zone Runner*. And, in fact, I finally decided that the hassle in configuring the game for the interface wasn't even worth it.

To set the "Heading Control," you are instructed to move the pointer to one of the direction hash marks around the perimeter of the compass circle and "lock it in with the press of a button." At first I tried moving the direction arrow, or compass needle, to the desired hash mark with the pointer, but soon found out that all I had to do was put the pointer on a hash mark, press the fire button and release, and the direction arrow would reposition itself.

Each of the Engine, Shield and Weapons systems have a small graphic "slider-lever" control. The manual indicates that all you need to do is point the pointer (indicator beacon) to each lever, raise it, and then press the button.

What you really have to do is place the pointer on the lever knob, press the fire button, raise it upward, and once you have it where you want it, release the fire button.

To arm the Weapon system, simply put the pointer on the word ARM and press the fire button. I learned quickly that you have to re-arm the Weapon system for every torpedo you shoot.

The Display Screen has six modes, three of which provide various levels of magnification of your location in space. The other three are commands for the printing of various data on your Display Screen: a Buy list, a Sell list and a Status list.

Once you make contact with a planet, you may buy or sell goods. You start with 100 monetary units and an empty cargo hold. It only accommodates eight items at a time. By selecting BUY, you learn what that particular planet has to sell in the way of goods and the prices you must pay in exchange for them. Some planets will also sell engines, shields and weapons.

Selecting SELL with your pointer informs you how much the planet is willing to pay for the various items in your cargo hold. Sometimes the price will be even less than what you paid for the item, and at other times the profit margin will be tremendous.

The Status command is used to check your current status in the game. You are in competition with all the other computer generated Zone Runners as well as several other cargo ships. Depending on the amount of monetary units you currently have, your position on this list will be displayed. The main object of the game is to reach the top of this list. But the higher you are on it, the more attractive a target you become for pirates.

Now, this has its advantages, as the more pirates you attract, the more targets you have, and for each pirate you blow out of the space lanes, you are rewarded with additional monetary units.

Pressing the BREAK key at any time provides you with three options: quitting the game, restarting the game or resuming the game. It makes a handy pause button. Having a pause button should be an absolute requirement in any game so that you don't lose that tremendous score you're working on if you are interrupted, or as in my usual case, have a need to refresh your memory by frantically searching through the instruction manual for that command you forgot.

Unfortunately (and I think it should be an absolute requirement of all games to have one), *Zone Runner* does not have a high score save feature. I like to compete against myself and others, so it is nice to have some sort of high score saving provision in a game.

The game ends when you quit it, all the planets die out, or you achieve one of the ultimate rankings awarded by the game.

Now for the undocumented tip of the day: If you really want to climb up the Status list fast, there is nothing to stop you from occasionally turning pirate yourself and blowing a few of your competitors out of the spaceways. You'll pick up some real mega-bucks; but shoot fast, they are speedy little devils.

*Zone Runner* is well done, makes full use of the expanded features of the CoCo 3 and OS-9 Level II, and is very addictive. I highly recommend it.

(Tandy Corporation, 1700 One Tandy Center, Ft. Worth, TX 76102, \$29.95. Available in Radio Shack stores nationwide.)

— Kerry Armstrong

## Software


CoCo 1, 2 & 3 OS-9

### Mickey's Space Adventure — Travel the Solar System

Where's Pluto? He's with Mickey, traveling our solar system in search of pieces from a valuable memory crystal. *Mickey's Space Adventure* combines the appeal of two popular Disney characters, an Adventure game, and facts about the solar system in an entertaining and educational package.

As the game begins, Mickey and Pluto discover an alien spaceship has landed on Earth. After a little exploration, they find a computer inside the ship that explains its mission. The ship was sent to search for the remains of a lost crystal that contains the entire history of the planet Oron. It is up to Mickey, guided by the player, to recover all nine pieces of the crystal in the right order. To do this, the spaceship has to be flown to each of the planets of our solar system.

This Adventure game is similar to others in which the players have to go to different locations, get objects, and examine their surroundings for clues. Two-word commands are created from two lists of words printed at the bottom of the screen. The player simply uses the arrow keys and ENTER to make choices. When the player lands on a new planet, important information about that planet can be obtained to help make decisions about where to travel next and what equipment is needed.



Mickey and Pluto gaze in amazement at a spaceship that has landed in the hills. Flashing lights circle around it.

Walt Disney and Sierra On-Line cleverly disguised an impressive and accurate list of facts about our solar

## Hardware Special Communications Package

300/1200 baud Fully Hayes compatible

Modem - 2 Year Warranty

**\$129.00**

[Modem & Cable]

300/1200/2400 baud

Fully Hayes

Compatible Modem - CCITT  
2 Year Warranty

**\$249.00**

[Modem & Cable]

## Software

**'KEEP-TRAK' General Ledger Reg. \$69.95—Only \$39.95**

**"Double-Entry" General Ledger Accounting System** for home or business: 16k, 32k, 64k. User-friendly, menu-driven. Program features: balance sheet, income & expense statement (current & 'YTD'), journal, ledger, 899 accounts (2350 entries on 32k & 64k [710 accounts & entries on 16k] [disk only]. Version 1.2 has screen printouts. Rainbow Review 1.1 - 9/84; 1.2-4/85

**"OMEGA FILE" Reg. \$69.95—ONLY \$24.95**

Filing data base. File any information with Omega File. Records can have up to 16 fields with 255 characters per field (4080 characters/record). Sort, match & print any field. User friendly menu driven. Manual included (32k/64k disk only).

Rainbow Review 3/85. Hot CoCo 10/85

### BOB'S MAGIC GRAPHIC MACHINE

Can generate BASIC code to use in your programs. Easy drawing and manipulation of circles, ellipses, boxes, lines and ARCS. Single joystick operation with on line HELPS at all times. Allows text on the graphics screen & movement of objects on the screen. Can be used as a stand-alone graphics editor. Instruction Manual. **GRAPHICS EDITOR. REG. \$39.95—ONLY \$24.95** for disk or tape. 64k ECB.

Rainbow Review 7/85, Hot CoCo 9/85 **"The graphics bargain of the year"**

### 'KEEP-TRAK' Accounts Receivable.

Features: auto interest calculation, auto ageing of accounts, installment sales, total due sales, explanation space as long as you need, detailed statements, 'KEEP-TRAK' General Ledger tie in, account number checking, credit limit checking & more. User friendly/menu driven. Includes manual. **\$39.95 or \$49.95** General Ledger & Accounts Receivables. [Disk Only].

### 'COCO WINDOWS'

With hi-res character display and window generator. Features an enhanced key board (clicks) and 10 programmable function keys. Allows the user to create multiple windows from basic. Includes menu driven printer setup and auto line numbering. Four function calculator, with memory. The above options can be called anytime while running or writing in BASIC. **APPLE PULL YOUR DRAPES. YOU DON'T WANT TO SEE THIS. \$24.95** [disk or tape] includes manual.



THE OTHER GUYS CoCo

55 North Main Street  
Suite 301-D  
PO Box H  
Logan Utah 84321



(801) 753-7620  
**(800) 942-9402**

[Add \$3.00 for postage & handling]

C.O.D., Money Order, Check in U.S. Funds [Please specify if J&M controller]

**NEW FREE CATALOG**

inside this Adventure. It would be hard to imagine a child coming from the program without picking up at least some information about the planets. In addition to covering facts about the solar system, the program reinforces skills such as problem-solving, decision-making, and mapping. The 150 graphic scenes enhance the learning process by giving the player the illusion that he's really there.

Parents and teachers should note the list of educational objectives in the manual, as well as a glossary of terms and facts about the planets. The rest of the manual, including operating instructions and suggestions, is very well written. In addition, some enrichment activities are suggested for use after playing the game. Even though computers can be very useful as instructional tools, it's necessary for some human interaction, too.

*Mickey's Space Adventure* is advertised for ages 8 and up, but I feel that 10- to 12-year-olds would receive the most benefit from using it. There was quite a bit of difference in how my second-grade son and one of my sixth-grade students approached the program. Both could operate the program without difficulty. However, it was obvious that the sixth-grader, having some background in using and making maps, had a much easier time. Younger children will need some guidance from an adult to help chart their journey.

Unlike older Disney cassette-based games, *Mickey's Space Adventure* begins with a new game and different clues each time. This assures that it can be used over and over at home, or in school. Also, games can be saved and played later — a must for schools, since class time is limited.

The program was designed primarily for the CoCo 1 or 2, and uses artifact colors, which don't show up on the CoCo 3 when used with an RGB monitor. CoCo 3 users need a TV or color composite monitor to take advantage of its color capabilities. This is a minor annoyance, but expected, since there are a lot more CoCo 1 and 2s than 3s in use right now. Hopefully, Sierra On-Line will consider adding an RGB/composite option upon startup like some OS-9 programs that are currently on the market.

*Mickey's Space Adventure* deserves an 'A' for both entertainment and educational value. The manual is well-written and the program educationally sound. It is obvious that the authors and designers took a lot of care in its preparation.

I would certainly recommend it as a fine addition to your Color Computer educational library.

(Sierra On-Line, Inc., Coarsegold, CA 93614; \$34.95. Available in Radio Shack stores nationwide.)

— Mark Haverstock

## Software

CoCo 1, 2 & 3

### *Financial Time Conversions — Help With Financial Decisions*

Do you have a desire to try to figure out how much that credit card you love/hate is really costing you? Thinking about buying a new house or car and need to figure out how much you can borrow? Want to know how much those mortgage payments are really going to be? It's quite possible you may need some help. Oh, sure, a calculator can make the job easier, but what if you want to juggle some of the numbers, like interest rates that seem to change daily, or to see what the house payments will be with different down payments?

*Financial Time Conversions* is a BASIC program that has a series of menu-driven financial programs which can be used to figure out all the above problems and more. The program is geared to professionals and others interested in doing fairly sophisticated financial calculations.

The program is on disk, and the use of a printer is optional. It is not copy-

protected, so backups can be made for your own use. There is nothing particularly difficult about using this program. Simply type RUN FINCON. The program asks if you'll be using a printer or not; a simple Y or N will do.

The menu choices include Present Value, Uniform Series Value, Future Value, Interest Rate Conversions, and Exit From Program.

The first choice offers a uniform series, a gradient series, a proportional series, or a future amount. The second and third selections offer uniform series values and future values, respectively. The fourth one allows conversion between nominal annual and effective annual interest rates.

Dale Tinklepaugh has informed me that he found an error in a portion of *Financial Time Conversions* that would effect the result of a conversion from a proportional series to a present value if the rate of increase were greater than the interest rate. The program will actually stop at a syntax error if this situation is encountered. The following change will make the program correct; for your original program disk and any backup copies, remove the write protect tab and type:

```
LOAD "FINCON.BAS"
1660 FA=(((X+1)^N)-1)/X
SAVE "FINCON.BAS"
```

The program disk also has a backup file, FINCON.BAK. You may want to type SAVE "FINCON.BAK" to make sure all copies are correct.

After you've gone through the menu selection process, the program prompts you for the pertinent information it needs to perform the calculations, such as interest rate, time periods, dollar amounts, etc. The program does its

Hint . . .

### Cursory INKEY\$

The INKEY\$ function does not stop when it is called. Rather, you must test the results of this function repeatedly with a comparison statement. When writing a program and testing this function, I find it is helpful to have a cursor appear when the computer is waiting for you to press a key.

To have the INKEY\$ function display such a cursor, use POKE &HA56A, &HB1. To restore this to its original state, use POKE &HA56A, &HC1. It is also possible to control the flashing of the cursor. To stop the cursor from flashing, use POKE &HA1A6, 0. The "anti-poke" to restore the flashing cursor is POKE &HA1A6, 16.

Marc Gagnon  
Cap-de-la-Madeleine, Quebec

# Computer Island Educational Software

## ARROW GAMES

32K Ext. - \$21.95 tape/\$26.95 disk  
Six menu driven games for young children (ages 3-6) to teach directions. All games involve using the arrow keys ONLY. Games include: LADYBUG, BUTTERFLY, ARROW MATCH, KALEIDOSCOPE, RABBIT, and DOODLE. Colorful graphics.

## FIRST GAMES

32K Ext. - \$24.95 tape/\$29.95 disk  
First Games contains 6 menu driven programs to delight and teach your early learners (ages 3-6). These games enrich the learning of colors, numbers, lower case letters, shapes, memory, visual discrimination and counting.



## CLOZE STORIES

32K Ext. - \$19.95 Tape/\$24.95 Disk  
These programs give students practice using the popular CLOZE reading technique. Each program contains grade appropriate short stories with key missing words to be deduced by the student. Available for grades 3, 4, 5, 6, OR 7. Please specify.

## DRAWING CONCLUSIONS

32K Ext. - tape \$19.95/disk \$24.95  
These programs contain short stories. Each story has two accompanying questions that ask the student to draw conclusions from the text. Available for grades 3-4 OR 5-6. Please specify.

## LOCATING STORY DETAILS

32K Ext. - disk only - \$24.95  
These programs contain short stories. Each has an accompanying picture. Questions about story details refer to either the text or pictures. The disk generated graphics are an integral part of these attractive programs. Available for grades 2-3 OR 4-5. Please specify.




## FOREIGN LANGUAGE GAMES

32K Ext. - \$19.95 tape/\$24.95 disk  
(500 words)

### French or Spanish Baseball

Score base hits or home runs for correct answers. You're out if wrong. Correct answers supplied. Fun way to learn and practice vocabulary. PLEASE SPECIFY LANGUAGE.



## PUNCTUATION PRACTICE

32K Ext. - tape \$19.95/disk \$24.95  
On screen practice in proper usage of the familiar punctuation marks. Grades 3-7.



## MATH TUTOR SERIES

16K Ext.

These tutorials take the child through each step of the example. All programs include HELP tables, cursor and graphic aids. All allow user to create the example, or let the computer choose. Multi-level. Great teaching programs.

### LONG DIVISION TUTOR

\$14.95 tape/\$19.95 disk

### MULTIPLICATION TUTOR

\$14.95 tape/\$19.95 disk

### FACTORS TUTOR

\$19.95 tape/\$24.95 disk

### FRACTIONS TUTOR (addition)

\$19.95 tape/\$24.95 disk

### FRACTIONS TUTOR (subtraction)

\$19.95 tape/\$24.95 disk

### FRACTIONS TUTOR (mult.)

\$19.95 tape/\$24.95 disk

## COMPUTER LITERACY

32K Ext. - \$19.95 tape/\$29.95 disk  
A computer literacy quiz exclusively for the Color Computer. Tests and scores from over 60 questions on a Hi-res upper and lower case screen. Reviews computer literacy and beginning programming knowledge. Ages 10 and up.



(718) 948-2748 Evenings after 7:00 PM EST

Dept. R 227 Hampton Green, Staten Island, N.Y. 10312

Send for catalog with complete descriptions.

Please add \$1.00 per order for postage. N.Y. residents, please add proper tax. FREE set of BINARY DICE, including full directions, with orders of 2 or more items.



Dealer Inquiries Invited.

TRS-80 Color Computer

All Payments in U.S. Funds.

thing, displays the answer and then prompts for either more calculations or a return to the menu.

Upon reading the manual that came with the program, I got the distinct impression I should have taken some finance courses. The terms used were not the everyday ones I was accustomed to. I thought maybe the nice people at the magazine made a mistake and sent this program to someone they thought was a businessman. But no, after reading it again, the examples were all concerned with things like mortgages and car maintenance cost tracking.

If you recognize the terms in the menu, you'll have no problems. Fortunately, for those of us who don't know them, the author provides some very simple examples in the manual. I ran all of them and they functioned as described.

I tried to make the program crash. Since it is written in BASIC, it's pretty easy to fool. Just type in outrageous numbers and it stops with an error message. I was not able to find any problems with the program using reasonable numbers. The answers I verified with a calculator were correct (using the formula in the program).

So, if you need some help solving those tough financial problems, *Financial Time Conversions* may be for you.

(Prometheus Software, 14684 Joshua Tree Ave., Moreno Valley, CA 92388, 714-247-3254; \$14: First product review for this company appearing in THE RAINBOW.)

— C.L. Pilipauskas

## Software

CoCo 3

### RAMDisk — Speedy File-Handling

*RAMDisk* is a machine language program written by Bill Vergona of Cercomp and supplied on disk for your 512K CoCo 3. When installed, it provides your computer with two additional simulated disk drives. In my case, with drives 0 and 1 actually connected, this program resulted in the addition of drives 2 and 3 in RAM.

The program and its operation are

totally compatible and transparent to Color BASIC, and the RAM disks added are treated just like any other physical disk drive as far as the computer is concerned. The big difference is that the RAM disks are lightning fast!

There is also another major difference. Unlike physical disks that can be removed from the drives and stored, any program, file or data stored in a RAM disk is lost when the computer is turned off or reset, so keep this in mind. The beauty of a RAM disk is in its data and file manipulation, but it should not be used for mass storage.

*RAMDisk* is extremely easy to install. Simply put the disk containing the program into Drive 0, type LOADM "RAMDISK" and press ENTER. When the program is loaded, it automatically installs itself and displays a copyright notice and the familiar OK prompt. *RAMDisk* automatically assigns drives 2 and 3, so if you already have drives 0 and 1, as I do, you end up with a total of four drives when you're done. A DRIVE command is available in the program to allow you to select which drive designations you want.

The supplied disk also contains a handy *RAMTest* program that is useful

## Corrections

**"PCLEAR0" (One-Liner Contest Winner, December 1987, Page 14):** Due to a typographical error, some of the parentheses in the listing were misplaced. The corrected line appears below.

```
10 POKE182,0:POKE183,PEEK(188):P  
OKE184,0:POKE185,16:POKE186,PEEK  
(188):POKE187,0:POKE188,PEEK(188  
) - 6:PCLEAR1:POKE183,PEEK(183)+6:  
POKE188,PEEK(188)+6
```

**"A Desktop Publisher on a Shoestring" (October 1987, Page 58):** Several readers have been unable to get *Desktop Low* or *Desktop High* to work because of NE errors. These errors occur because the programs have been unable to find the needed font files. GENFONT1 and GENFONT2 must be run to create the files FONT1 and FONT2. In addition, a disk containing these generated font files must be in Drive 0 before either version of the main program will run properly.

**"Caught Up in a Galactic Conflict" (November 1987, Page 78):** These corrections to *Galactic Conflict* were submitted by the author, Paul Alger. The following lines need to be replaced or added as appropriate:

```
1510 LINEINPUT Z$:IF LEN(Z$)>3 TH  
EN GOSUB1530:RETURN ELSE Z=VAL(Z  
$):RETURN
```

```
1530 IF VAL(LEFT$(Z$,1))>0 THEN  
FOR LC=1 TO LEN(Z$) ELSE RETURN
```

```
1540 IF MID$(Z$,LC,1)="E" THENLC  
=LEN(Z$):Z$="":Z=0:NEXTLC:RETURN
```

```
1550 NEXT:Z=VAL(Z$):RETURN
```

```
3715 IF Y(8)>1 THEN PRINT"Pay yo  
ur old loan first!":GOTO3630
```

```
4405 IF X<1 OR X>SZ OR Y<1 OR Y>  
SZ THEN PRINT"There is no starga  
te here!":GOTO3000
```

```
4730 IFX2>0 AND X2<SZ AND Y2>0 A  
ND Y2<SZ THEN LC$=STR$(G(X2,Y2))  
ELSE PR$="*":GOTO4780
```

In addition, all references to the variable Z should be changed to Z9 in lines 3470, 3472, 3475, 3477, 3480, 3482, 3485 and 3487.

For quicker reference, Corrections will be posted on Delphi as soon as they are available in the Info on Rainbow topic area of the database. Just type DATA at the CoCo SIG> prompt and INFO at the TOPIC> prompt.

to test your 512K memory expansion. This is somewhat redundant since most memory upgrades come with similar test programs. *RAMDisk* and *RAM-Test* are not copy-protected, so backup copies for your own use are no problem.

If you have not yet explored the fun of using a RAM disk, then you are in for a pleasant surprise. *RAMDisk* provides you with extra file-handling at incredible speed, at a price you can't ignore.

(Spectrum Projects, Inc., P.O. Box 264, Howard Beach, NY 11414, 718-835-1344; \$19.95 plus \$3 S/H)

— David Gerald

## Hardware CoCo 3

### Auto Dim — Protects Against Image Burn

If you are the kind of CoCo nut who has to have everything for your computer, then Auto Dim will interest you. It's a hardware device you hook up to your

CoCo 3 that darkens the screen or your TV, composite monitor, or RGB monitor after a few minutes of inactivity.

Why would you need such a device? Well, it has been determined that if a high contrast image is left on the CRT (Cathode Ray Tube) screen for extended periods of time, that image can be burnt into the tube's phosphor. While I have never seen this happen on any of my computer screens, I have seen it occur on oscilloscope CRTs due to the high intensity traces usually found on such equipment. The high degree of contrast and image sharpness found on the CoCo 3 makes image burn a possibility.

Auto Dim hooks up to your CoCo 3 in a matter of minutes. The device consists of two integrated circuit chips that have been encapsulated in a clear Lucite-looking material. The small cube, which measures only 1 1/4 by 1 1/4 by 1/2 inches, looks like a half-melted ice cube with seven wires emanating from it. Each wire is terminated with a small connector clip so that solderless connection can be made. A piece of double-sided tape on the bottom of the cube allows it to be attached on top of the CoCo 3's RF modulator. Hook-up is


quite simple and the entire operation takes only about 10 minutes. A three-page illustrated instruction sheet is supplied and contains step-by-step instructions to make it easy. Keep in mind, though, that you void your computer's 90-day warranty if you add this gadget, so you might want to wait until it expires before you hook it up.

You will never know you have Auto Dim hooked up until you leave your keyboard to answer the telephone or let out the cat. If no key is pressed, the screen will go blank after about 5 1/2 minutes. On my CM-8 RGB monitor, the screen went black. The only indication that the monitor was still on was the red power indicator. Pressing any key upon returning to the computer restores the screen image.

Auto Dim is a nifty little package that is easy to install and has a useful purpose. I have one hooked up to my CoCo 3 and find it very reliable.

(Lucas Industries 2000, 14720 Cedar St. N.E., Alliance, OH 44601, 216-823-4221; \$29.95: First product review for this company appearing in THE RAINBOW.)

— David Gerald



"Software for your home since 1983"

**"Home-Pac"** (C) 1987  
**Fast Check / Card**  
**& Mailer**  
**+ Disk Jacket**

Req. 64K 1 Drive  
CoCo 1 2 3 Compatible  
Using Hi-res+ 51 col or  
NEW CoCo 3 version!  
+ Mailer & Jacket PGM

"I have seen countless 'checkbook' programs for the CoCo. I HAVE NEVER seen a program for this purpose as good as HOME-PAC." Rush T. Caley Owner Emerson Computer Services

Fast Check/Card is designed to take the "work" out of bookwork with lightning fast entries personally configured to you system and account. Constant balance displays and sorts for both checking and creditcard. \$39.95 shipped Try it, if you don't like it I'll give your money back! Specify 51 or 80 col (CC3 w/RGB or monochrome mon.)

Ancestry, by Chris Meek \$39.95 see 11/84 Rainbow Rev  
Full line of Bob van der Poel software  
Magnavox BCM515 CC3 RGB monitor \$310.00 w/cable shipped  
Say you saw it here, and take off \$5.00

Computer Villa, 1328 48th. DM, IA 50311  
Terry Simons (515) 279-2576

## Run **VIP** on your **CoCo3!**

VIP Integrated Library	*\$149.95
VIP Writer/Speller	*\$69.95
VIP Calc	*\$69.95
VIP Database	*\$59.95
VIP Terminal	*\$49.95
VIP Speller	\$34.95
VIP Disk-Zap	\$24.95

All products are RSDOS Disk versions only.  
\* Available at Radio Shack stores through express order.

Upgrade your VIP Writer, Speller, Calc, Database or Terminal to run on your CoCo1, 2 or 3 for only \$30.00 each! Send diskette only and check or money order for \$30.

**Upgrade ANY Product to VIP Library** which includes VIP Writer, Speller, Calc, Database, Terminal and Disk-Zap, for only \$105.95. You save \$45! Send original product and check or money order for \$105.95.

## S D Enterprises

P. O. Box 1064, Sandy OR 97055 Ph. (503) 668-7213  
Include \$3 shipping. Checks allow 3 weeks for delivery.



*The following products have recently been received by THE RAINBOW, examined by our magazine staff and issued the Rainbow Seal of Certification, your assurance that we have seen the product and have ascertained that it is what it purports to be.*

**Color Talk 3**, a 64K terminal program. Features include screen display options for all CoCos, Xmodem and Ymodem protocols, saving to buffer or disk, ASCII filtering, conference chat mode, etc. For the CoCo 1, 2 and 3. *Computize, P.O. Box 207, Langhorne, PA 19047, (215) 946-7200; \$49.95.*

**Data Master**, a 512K database manager for OS-9 Level II utilizing windows. The features include pull-down menus, dialog boxes, a LIST display format, nine different display and entry screens, file management, upload/download, etc. For the CoCo 3. *Computerware, 4403 Manchester Avenue, Suite 102, Box 668, Encinitas, CA 92024, (619) 436-3512; \$64.95.*

**The Director**, a menu-driven animation utility that allows you to display CoCo 3 graphics pictures with time delays, color changes and BASIC or prerecorded cassette music. For the CoCo 3. *Seesof, P.O. Box 574, Beaufort, SC 29901, (803) 524-0116; \$49.95.*

◆ **Hard Disk Organizer**, a utility that allows users to develop menu-driven pathlists so that application programs can be accessed from the hard drive with a single keystroke. Designed for application on an OS-9 Level II operating system. For the CoCo 2 and 3. *Robert Hengstebeck, 408 Grandview Avenue, Feasterville, PA 19047, (215) 322-5455; \$24.95.*

◆ **LOT-PRO**, a program to help select lotto numbers for any state or country "Pick-Six" lotto game. Includes an

option for a randomized wheeling system. For the CoCo 1, 2 and 3. *CJN Enterprises, P.O. Box 40487, Bakersfield, CA 93384, (805) 836-1323; \$25.95.*

**PhantomGraph**, a 512K graph and chart creation program that offers simplicity for beginning drafters and varied capabilities for those more advanced. *DynaCalc and Sylk* file programs can be converted to *PhantomGraph* files. For the CoCo 3. *Tandy Corporation, 1700 One Tandy Center, Ft. Worth, TX 76102; \$39.95. Available in Radio Shack stores nationwide.*

**Springster**, a 128K Hi-Res color graphics game. Maneuver through 32 different mazes in search of the Maze Melon. Battle bad guys, collect treasures and race the clock during your perilous quest. Three skill levels for

one or two players. For the CoCo 3. *Tandy Corporation, 1700 One Tandy Center, Ft. Worth, TX 76102; \$24.95. Available in Radio Shack stores nationwide.*

◆ **Stylograph**, a word processing system that allows you to type your file, modifying and correcting it as you go, and then print it out. For the CoCo 3. *Stylo Software, Inc., 482 C Street, Idaho Falls, ID 83402, (208) 529-3210; \$199.95.*

◆ **Traintown U.S.A.**, a 64K Adventure game. Your vacation destination is a cozy little home in the country. However, a summer adventure begins when you arrive in Traintown and discover you have no house key, and there are no people to be found. For the CoCo 1, 2 and 3. *Software Deluxe, HCR 85 Box 292, Buffalo, MO 65622, (417) 345-8619; \$15 plus \$2 S/H.*

◆ **First product received from this company**


The *Seal of Certification* program is open to all manufacturers of products for the Tandy Color Computer, regardless of whether they advertise in THE RAINBOW.

By awarding a *Seal*, the magazine certifies the product does *exist* — that we have examined it and have a sample copy — but this *does not* constitute any guarantee of satisfaction. As soon as possible, these hardware or software items will be forwarded to THE RAINBOW reviewers for evaluation.

— Judi Hutchinson

# The Best Money Can Buy . . .

## HDS Floppy Drive Controller Board



### Features \*

- Gold Plated Edge Cards
- Dual Selectable ROM Sockets
- Compatible with COCO I & II
- 120 Day Warranty
- Double and Single Density

Reduce your I/O errors with the Hard Drive Specialist Floppy Drive Controller for the Color Computer. Gold edge card connectors, advanced design, and the absence of potentiometers make it the best available. Our newest version controller allows the use of either (two 24 pin ROMs), or (one 24 pin and one 28 pin ROM). Using this board with the standard Radio Shack ROM gives you 100% compatibility with all Radio Shack software.

### Completed and Tested Board

with Radio Shack ROM . . . . . \$99.

(Includes Case, and DOS Instructions)

Completed and Tested Board without ROM . . . \$79.

(Includes Case)

Bare Board with Instruction manual . . . . . \$30.

Parts Kit For Bare Board without ROM . . . . . \$30.

Radio Shack ROM (current version) . . . . . \$20.

Radio Shack ROM 1.0 . . . . . \$40.

**DOUBLE SIDED !**

Drive 0 Complete . . . . . \$199.  
 Drive 1 Complete . . . . . \$129.  
 Drive 0 & 1 Dual Drive . . . . . \$319.

## HARD DRIVE SPECIALIST

### Ordering Information:

Use our WATS line to place your order via Visa, MasterCard, or Wire Transfer. Or mail your payment directly to us. Any non-certified funds will be held until proper clearance is made. COD orders are accepted as well as purchase orders from government agencies. Most items are shipped off the shelf with the exception of hard drive products that are custom built. UPS ground is our standard means of shipping unless otherwise specified. Shipping costs are available upon request.

1-713-480-6000

Order Line 1-800-231-6671

16208 Hickory Knoll

Houston, Texas 77059

### *A simple keyboard-locking switch*

# Child-Proofing the CoCo

By Ray Onley

**D**o you have a young child who likes to bang on the keyboard when you are out of the computer room for a short break? Or, maybe a child who likes to type in his or her spelling words in command mode and "new" happens to be one of them? Or, maybe you have a game on pause that can be reactivated by the pressing of any key, and someone comes while you are out of the room and presses a key for the heck of it? If you have these or similar problems, this very simple hardware project can help.

What this project does is lock the keyboard by a flip of a switch. This does not require any internal wiring or getting into the computer in any way, so it will not void your warranty. It is very simple and anyone can do it.

#### How It Works

Have you ever noticed that pressing the firebutton on either joystick locks up the keyboard so that none of the keys do anything? Well, this project works on the same principle: It shorts the firebutton line to ground in the joystick port.

*Ray Onley is a freshman at Forest Park High School, who started out with a 4K MC-10 in 1985 and has worked his way up to a 512K CoCo 3.*

#### What You Need

Be sure to obtain the exact six-pin jack and plug specified in the parts list. Even though you may notice that your joystick plug has only five pins, it is actually a modified six-pin DIN plug. (The cassette port and plug are examples of the standard five-pin DIN configuration.)

To complete the project you'll need the following tools and supplies: soldering iron, electrical tape, five lengths of about 22-gauge, 8-inch wire (in five colors), and a pair of needlenose pliers.


#### How To Build It

Now let's go through the project step-by-step. Be sure to follow the instructions carefully, because you will have trouble getting back into the canister later to fix an error.

- 1) Drill, poke, or melt two holes in the film canister, one in the center of the lid and one in the center of the bottom. Make sure the holes are big enough to fit the five wires. Next, on the canister's side, near the center, drill a hole big enough to fit the switch into.
- 2) The five wires will connect five of the six pins of the two DIN plugs. Pin 6 is ignored throughout this project, but you may wish to consider using an extra wire for this pin if you use a CoCo 3. Make a list or individual labels to identify

the five colors as wire numbers 1, 2, 3, 4 and 5.

- 3) Cut wires #3 and #4 in half. Then, take the two pieces of Wire #3 and strip about 1/8 inch off one end of each piece. Loop the two pieces onto the same post of the switch and make sure they extend in opposite directions. Solder this connection. Repeat the procedure for the two parts of Wire #4 on the switch's other terminal.
- 4) Feed the five wires through the hole at the bottom of the canister, one at a time. Keep feeding them through the hole until the switch is even with the hole you made for it.



Then poke the switch through the hole and secure it with the top nut. Feed the other set of wires through the hole in the film can lid. Secure the lid on the can, pulling the five wires gently.

- 5) Take the jack and plug apart by inserting a small screwdriver tip into the locking slot, pulling it up and extracting the chrome part of the plug out of the black cover. Then take the chrome casing apart by just pulling it apart.
- 6) Important: Slip the black covers from the jack and plug onto the two sets of wires coming from the switch canister. Do it now or you will be sorry!
- 7) Follow your color code chart and solder wires 1 through 5 to pins 1 through 5 of the plug. The pin numbers are marked on the plug body. Do the same for the other set of five wires and the jack. Again, I emphasize that you need strip only  $\frac{1}{8}$  inch of insulation from the wire ends; that is all the bare wire needed for neat connections to the DIN plug and jack terminals. Too much bare wire could result in shorting.
- 8) Make sure that none of the bare wires are touching each other. If they are not, replace the chrome covers on the plug, then slide the black cover back onto the rest of the plug. Make sure that the hole in the chrome casing is lined up with the locking slot on the black cover. This makes certain that the cover is properly locked onto the casing. Repeat the process for the jack.

#### Parts List

Qty.	Description	Price	Radio Shack Part #
1	6-pin DIN plug	\$1.29	274-020
1	6-pin DIN inline jack	\$1.29	274-021
1	Subminiature SPST toggle switch	\$1.59	275-612
1	35mm plastic film canister	\$0.00	

#### Does It Work?

You are now ready to test your keyboard-locking switch. Insert the plug into the left joystick port and plug a free-float joystick into the jack of your newest CoCo accessory. Type something on the keyboard. If the letters do not appear on the screen, flip the switch and try typing again. If the letters appear on the screen, you know that the switch works as it should. If it is not working, skip the next two paragraphs and come back to this later.

After you have confirmed that the keyboard properly freezes, you need to check and see if the rest of the wires are connected as they should be. To do this, simply type in the following program:

```
10 PRINT@480, JOYSTK(0),
    JOYSTK(1);
20 GOTO 10
```

Run the program to see if the two numbers at the bottom of the screen change in accord with the X and Y movement of the joystick. If they do not, read on.

#### If It Doesn't Work

There is always a reason for something not working as it should. And it is usually better in the long run to carefully take a project apart and find out what is wrong than to smash it


against a wall or crush it with a hammer, even though these methods are widely used "cures."

The following is a list of nearly everything that could be wrong with your project. If you have a multimeter or simple continuity tester, check all five lines in accord with the circuit diagram. Possible causes of project failure:

- 1) Incorrect wiring of wires 3 and 4 to switch
- 2) Switch terminals are shorted out by excess bare wire or sloppy soldering
- 3) Defective switch
- 4) Broken wire
- 5) Plug or jack terminals shorted by solder drop or stray wire strand
- 6) Mix-up among wires 1, 2 and 5 from plug to jack
- 7) Defective joystick

If you don't use or own joysticks, you can make a simple version of this project in just a few minutes. Use two short wires to connect pins 3 and 4 of a six-pin DIN plug to the terminals of the switch listed above or any other convenient SPST toggle or slide switch. Use creativity and some electrical tape to secure the switch neatly to the plug.

(Questions may be directed to the author at 810 Cascade Road, Cincinnati, OH 45240. Please enclose an SASE when writing for a reply.)



*Light up the controller as it writes to disk*

# Beginners — Add an LED to Your Controller

By Tony DiStefano  
Rainbow Contributing Editor

Thinking about the Princeton RAINBOWfest still excites me. If this RAINBOWfest is any indication of how the CoCo is doing, then long live the CoCo! This show was one of the best I've been to in a long time. The CoCo 3 seems to be doing very well. There were lots of new things for the CoCo 3 — both hardware and software. Look forward to seeing a few projects from me for the CoCo 3. I talked to a lot of people who read this column, and I would like to thank all my readers for their support, without which I would have stopped writing a long time ago.

Talking to RAINBOWfest goers gave me a few insights on the direction this column is heading. I received a lot of requests for "simple-to-do projects." Some people want to build something useful. Others say they want challenging projects. Well, why don't you send me your "Hardware Projects Wish List"? I'll look them over and make the ones I think other people might like. Send them to THE RAINBOW, with attention to me or "Turn of the Screw."

This month, as I promised several readers, I am doing a beginners project. In the past, I have done LED (Light Emitting Diodes) projects that have lit up just about everything on the CoCo. I even did a project that lit up different colors on your disk drive when you accessed different sides of your drive. Well, I'm doing another LED project,

one I saw done on a disk controller a long time ago and have not seen since: an LED to indicate when the disk controller is writing to the disk.

This is a simple project requiring a minimum amount of tools and parts. The parts are available at your local Radio Shack, and there are only two needed. The first, of course, is an LED. Radio Shack has lots of them. I suggest you buy one that comes with its own panel-mount holder, as it is easier to install. The other part is a resistor. That's it — a simple project that costs under a dollar.

Before I get into the construction of the project, let's look into the theory of the LED. Figure 1 is the electrical diagram of an LED. An LED, as the name implies, is first a diode. A diode is an electronic component that lets current flow in only one direction; let's call it the positive direction, which is shown by the arrow in Figure 1. The diode presents little resistance to the current flow. When the diode is conducting, it is said to be "Forward Biased."

In the other direction, the negative direction, the diode presents a high resistance. Current does not flow through the diode in the negative direction. When this happens, the diode is considered to be "Reversed Biased." When a light emitting diode is forward biased, it emits light. Quite simple, isn't it?

When an LED is forward biased, it conducts current. If we were to put an LED, forward biased, across the 5 volts found in the CoCo, it would cause trouble. The diode would act like a

short and cause the 5 volts to blow a fuse, as well as the LED itself.




Figure 1

We need something to limit the amount of current flowing through the LED. This is where the resistor comes in. Current flow is measured in amps. A typical LED can handle up to 50ma. The term "ma" stands for "milliamp." It means 1/1,000th of an amp. To have 50ma means to have 50/1,000ths of an amp, or .05 amp. Without getting into too many formulas, we want the LED to have about 10ma. The formula for calculating resistance from voltage and current is  $R = V / I$ , where the voltage (V) is 5 volts and the current (I) is 10ma. The resistance is 500 ohms. The closest value for this resistance that Radio Shack has is 470 ohms, which will do just fine. So, to recap the parts, you will need one LED with panel-mount holder and one resistor, 470 ohms 1/4 watt.

Next, you will need some tools. Not many are required, but check to make sure you have them all before you start. There is nothing more frustrating than

*Tony DiStefano is a well-known early specialist in computer hardware projects. He lives in Laval Ouest, Quebec.*

# OWL-WARE

## Proven Technology New CoCo 3 Utilities

Great for 512K Systems! From Color Venture and OWL-WARE

### PRINTER LIGHTNING

A great print spooler which gives you 44K print buffer from a 128K CoCo and up to 438K (200 pages!) from a 512K CoCo. With this spooler you can run a program while you are printing a file. The spooler does not slow down the computer to any noticeable extent while you are running a second program and no lost characters arise. Baud rates selectable. *Printer Lightning* can reside in memory along with *RAMDISK*!

### RAMDISK

Using 512K CoCo 3 you have access to 2 additional disk drives in RAM. All disk commands are supported, and the data are Reset button protected. You can now have up to 5 disk drive capacities on line at once and can assign the ram disks to any drive number. By making the ramdisk Drive 0, all programs which require a lot of drive access will run much faster. You can have the *RAMDISK* in memory at the same time as the *Printer Lightning*!

### BACKUP LIGHTNING

This program is the fastest way to make backup copies of your files using a 512K CoCo. You can backup 35, 40, or 80 track disks single or double sided. Both RS and OS-9 disks may be backed up. The original disk is saved to memory and a copy can be made on an *unformatted disk* every 45 seconds! The lightning read, write, format, and verify routines that were developed make this program much quicker than RSDOS or OS-9 for backups. This will become one of your most used programs!

• **NEW** • **NEW** •

Only \$19.95 each. 3 for \$49.95.

**SPECIAL** With our 512K Upgrade (Next page) only \$2. each or 3 for \$5!

### Announcing:


The finest graphics/drawing program for the COCO 3!

### Da Vinci 3

- 16 colors on screen at one time
- Modify each color from 64 available colors
- Use composite or RGB monitor
- Draw with custom paintbrushes
- Full resolution 320 X 192
- Picture converter for conversion of COCO 2 pictures to COCO 3
- Multiple text fonts
- Accepts input from joystick, X-pad, mouse, or touch-pad
- Boxes, circles, line, paint generation
- Screen dump for Tandy mono and color ink-jet printers, (NX-10 and others pending)
- Sensible price
- No additional hardware required because of course/fine joystick movement modes
- Zoom mode for individual pixel editing
- Great on screen menu which is removable at the touch of a key to allow full screen edit

128K or 512K COCO 3

\$37.95





## Super I/O Board for OS-9

Each Board Provides 2 Serial Ports and Centronics Parallel Port  
First Board has Real Time Clock and Beeper... With Second Board up to 5 Users

The serial ports are usable up to 19,200 Baud, and the parallel port is a true Centronics standard. Plug into your multi-pak. On CoCo 3, multi-pak must be upgraded. You will have a multi-user system with additional computers or terminals plugged into the serial ports. An OWL hard drive and 512K upgrade are strongly recommended for multi-user systems.

**Intro Price... \$165.**

**BOARD 2... \$139.**



**OWL-WARE**

P.O. Box 116-A

Mertztown, PA 19539

— ORDER LINES (only) —

(800) 245-6228

(215) 682-6855 (PA)

# Proven Technology

On the Razor's Edge of the Color Computer Frontier

## OS-9 Hard Drive Systems


**Proven Performance for Demanding Home or Business Use  
Drive Access is at Least 8 Times Faster than Floppy Drives  
Control up to 2 Drives per Controller each as Continuous Storage**

Every hard drive system is complete with software, hard drive, controller, heavy-duty power supply, and LR Tech Interface. When a complete drive system is ordered, the drive is fully assembled, tested, and burned in for 3 full days. This ensures dependability and optimum performance.

We have now been supplying CoCo hard drive systems and parts for systems for more than 2 years. This is the longest history in the CoCo market of any available drive system. About 3/4 of all hard drive systems currently in use in the CoCo market use the LR Tech/OWL-WARE system. We have reached this position in the CoCo hard drive market by providing our customers with a quality product that they (and we) can be proud to own and use.

A number of drive systems were in the market place when the LR Tech Interface was introduced and 2 have been introduced since. Most of these are no longer available. We provide the only system which provides a combination of standard interface (SASI), rugged unit construction (not hacked to a floppy drive controller), high speed, and reasonable price. These systems are even several times faster than the standard XT hard drive system. Ideal for multi-user system because processor does not stop for hard drive access.

**For OS-9  
Levels 1  
and 2**



<b>System Prices:</b>		<b>New!</b>
<b>\$469.</b>	<b>\$629.</b>	<b>\$759.</b>
<b>10 MEG</b>	<b>20 MEG</b>	<b>40 MEG</b>

**Dealer's Inquires Invited!**

## Hard Drive Interface (Includes Software)

For those who want to put together their own system, we have an exclusive arrangement to distribute the LR Tech Interface. Please note that an interface is not a controller. A Xebec, WD, or Adaptec SASI controller are required for a drive system.

To assemble a hard drive system yourself requires some reasonable knowledge of OS-9 and electronic construction and a hard drive that works. CoCo 3 users will have to upgrade their Multi-pak.

**Only \$119.**

Xebec Controller \$139.

## CoCo 3 512K Upgrade

The LR Tech 512K upgrade uses all gold contacts and 120 nanosecond 256K chips. Provides large system memory from OS-9 Level 2.

**Without  
Mem Chips \$59.**  
**With  
Chips \$112.**  
Special! See software offer on previous page.

## Hard Drive Basic

**New For the CoCo 3!**

**In Answer for the Many Requests to Run BASIC from a Hard Drive**

With the development of the CoCo 3, OWL Ware has been able to provide a truly professional Hard Drive System using OS-9. There has not, however, been a method of running your programs from the standard BASIC. With this latest development of the CoCo software accs, it is now possible to partition your hard drive into RSDOS and OS-9 sections. The OS-9 partition runs your OS-9 normally. The RSDOS section is further divided into a number of floppy sized units to run RSDOS programs. The familiar RS disk commands work normally.

There is little more that must be learned.

All of these RS drive sections are available at all times. It is not necessary to use assign commands and get access to only a few of these sections. Programs that use RS-BASIC should work as will all programs which do not force their own disk drivers.

Call about prices. This should be available by the time you read this ad!



# DISK DRIVES

OWL-WARE PHONES

ORDERS

(800) 245-6228

PA (215) 682-6855

TECHNICAL HELP

(215) 433-8695

Call for advice

*Ask for the WHISPER DRIVE for the finest, quietest drive available!*

**Drive 0 Systems (Full Hgt) \$169.** (Half Hgt - DS) **\$229.**

Drive 0 systems complete with drive, controller, legal DOS, cable, case & power supply, and manual.

**Drive 1 Systems (Full Hgt) \$95.** (Half Hgt - DS) **\$135.**

*New! New! (3.5" 720K Drive for OS-9) \$195.*

Drive 1 has drive, case & power supply, and instructions for use with your drive.

*(Call for Special Prices on Drive 0, 1, 2, 3 Combos.)*

## HALF HEIGHT DRIVE UPGRADE KIT FOR RS HORIZONTAL CASES

Why only double the capacity of your system when you can triple in the same case? Kit includes: double sided drive to fit your case, chip to run both sides of new drive, hardware, and detailed instructions. Takes only 5 minutes.

**Model \$119. Model \$129.**  
**501**

Our prices do not include shipping costs, but do include a discount for cash.

OWL-WARE has a liberal warranty policy. During the warranty period, all defective items will be repaired or replaced at our option and at no cost to the buyer except for shipping costs.

Call our technical help line for return authorization numbers. Return of non-defective items or unauthorized returns are subject to a service charge.

**NOW FOR CoCo 1, 2, 3!!**

### WARRANTIES

Full Hgt 90 days Half Hgt 1 Year

— ORDER LINES (only) —

**(800) 245-6228**

**(215) 682-6855 (PA)**

— TECH HELP LINE —


**(215) 433-8695**

*Call for Latest Prices!*

**Bonus!**

**Special  
Bundled  
Software  
with**

**Disk Drive  
Purchase!**



**OWL-WARE**

P.O. Box 116-A

Mertztown, PA 19539

## OWL-WARE Software Bundle

Disk Tutorial - 3 Utilities - 2 Games

### DISK TUTOR Ver. 1.1

Learn how to use your disk drive from this multi-lesson, machine language program. This tutor takes you through your lessons and corrects your mistakes for a quick, painless disk drive introduction. (This professionally written tutor is easily worth the bundle's total price.)

### OWL DOS

An operating system that gives faster disk access and allows the use of double-sided drives. Corrects a floating point number error on early CoCo systems.

### COPY-IT

Quickly copies selected programs between disks. A wild card option selects groups of programs for copy.

### VERIFY

Verifies reading of each sector. Bad sectors are listed on the screen.

### 2 GAMES

We will select 2 games from our stock. These have sold for more than \$20 each.

*If sold separately this is over \$125 worth of software!!*

Do not mistake this software with cheap, non-professional "Public Domain" software which is being offered by others. All of this software is copyrighted and professional in quality. The tutor is unique with us and has helped hundreds of new users learn their disk drive.

**only \$27.95**

*(or even better)*

**only \$6.95 with**

*any Disk Drive Purchase!!*

starting a project and finding out that you are missing something. You need a soldering iron and solder, cutter/strippers, screwdriver (to match the screws that open your controller), and a drill and bit (to match the size of the LED mounting hardware). You will also need a few pieces of thin wire and electrical tape or shrink tubing.

Now we have all the parts and theory we need to start. It's time to get practical. In the controller circuit, there is an output that tells the disk drive hardware to go into the record or write mode. Like other signals that control the disk drive, it must reach the drive itself. This is done by the 34-wire connecting ribbon cable that plugs into the end of the controller. We will monitor this write signal with our LED. We want to hook up our LED so that it lights up when the controller is writing to the disk. The write signal is on Pin 24. This signal is available many places in the controller, but I chose this one because it is the only place common to all controllers, Disto, Radio Shack or any other.

When the controller is idle or reading, the level on Pin 24 is high, about 5 volts. When the controller is writing, the pin is low, or ground-level. We want to hook up our LED and resistor in such a way that the LED is on when this signal is low. Before reading on, think about it and try to design it by yourself. Does your design look like the one in Figure 2? If it does, reward yourself with a visit to the fridge. If it doesn't, study the circuit and see where you went wrong.

Here is the theory behind why I wired it up this way: As I stated previously, when the controller is reading, the signal is high (5 volts). The LED is also hooked up to 5 volts. Disregarding the resistor, if a diode (or our LED) has 5

volts on both sides, it cannot have any current flow. Therefore, the LED is off.




Figure 2

When the controller is writing, the signal is low. When the diode has 5 volts on one side and ground on the other side, it becomes forward biased and conducts. Therefore, the LED is on and shines brightly.

OK! Time to start constructing. Turn the computer off and remove the controller from the computer. Remove the controller's cover using the proper screwdriver. Locate Pin 24 on the connector that connects to the drives. Locating this pin may be a bit of a pain. On the top part of the connector are all the odd numbers. On the bottom part are all the even numbers. So, unless you can see where the pin leads, you will have to remove the controller from the bottom part of the case to get to Pin 24.

If you are looking at the bottom part of the connector, and the connector is pointing upward, Pin 2 of the connector is on your right. Count by two toward the left until you reach 24. Solder a piece of wire to that pin. Make sure you solder at the base of the pin and not at the tip. You will not be able to plug in the connector, otherwise. Run the wire out over the side of the controller and replace the bottom cover. Make sure the wire is long enough to reach the LED. Cut the ends of the resistor to leave just enough room to solder. Solder the wire to one end of the resistor. Solder the other end of the resistor to the short lead of the LED. Now solder another short piece of wire to the long end of the LED.

At this point you must find 5 volts somewhere. One place where I know that all controllers must have 5 volts is at the connector that plugs into the controller: on Pin 9 of the connector. It is on the top this time. Pin 1 of the computer connector is on the same side as Pin 1 of the drive connector. Solder the wire that comes from the LED to this pin on the computer side of the connector. That is all the soldering you have to do. Use black tape or shrink tubing to hide all of the exposed wires, including the resistor.

The only thing you have left to do is mount the LED. Find a suitable place on the cover to mount it. But you have to be able to see it when the controller is plugged into the computer, and the back side of the LED cannot touch the controller. If you have a Multi-Pak, you may want to make your hole on the end of the controller, so that the LED will be pointing up when it is plugged into the Multi-Pak.

Now close up the cover, and test it out. Set up your system and turn it on. Make sure you get your normal message. Put a blank or otherwise "non-useful" disk in the drive. If this circuit doesn't work right, you don't want to destroy a good disk. If all is OK, try entering DIR. The LED should not come on. If all is OK, try using DSKINI to format the disk. The LED should go on and blink for every track the controller formats. If the controller formats the disk properly and the LED works, all is OK. If not, go back and check your work. If you cannot find anything wrong, try reversing the LED. It may be in backward.

Enjoy your new LED. I hope you have learned a little more about the hardware in your computer. Till next time. Don't forget to send in that "Hardware Projects Wish List."

## GET IT ALL!!!

Excellent 38 Disk CoCo Software Library \$135.00 includes Word Processor, Modems, Utilities, 124 Games, Graphics/Pics, Business, Languages, Music and More. Public Domain and Shareware. Over 350 Programs.

15% Discount to User Groups and Students. Major Credit Cards Welcomed. Call Lisa or Joe at 1-800-221-7372; in New York call 212-732-2565.

**Public Domain Software Copying Company**  
33 Gold Street-Suite L3  
New York, N.Y. 10038

# CoCo Powers the Amp

By Marty Goodman  
Rainbow Contributing Editor

*I am trying to power a speaker amplifier (R.S. Cat. No. 277-1008) off a CoCo 3 to use as a source of sound with my monochrome monitor. Normally, it calls for a 9-volt battery. I hooked it to the output of IC36 (an 8-volt regulator) in the CoCo 3, but now occasionally my screen images disappear. Can you help?*

Mark C. Smith  
(MRMAJER)  
Greenville, TX

That 8-volt regulator (IC 36) is used to produce regulated 8 volts for the video circuitry of the CoCo 3. It has a very tiny rated current output (100 MA), and so it is not surprising that when you added the speaker amplifier to it, it got overloaded and went into thermal shutdown.

The correct way to power that speaker amp unit from the CoCo 3 is to hook it up directly to the unregulated DC supply of the CoCo, which tends to be about 10 volts. This 10-volt unregulated DC can be obtained from Pin 16 of IC 8, or from the plus terminal of C 29 (the 4,700 mfd main filter capacitor), or from the junction of D1 and D2.

---

*Martin H. Goodman, M.D., a physician trained in anesthesiology, is a longtime electronics tinkerer and outspoken commentator — sort of the Howard Cosell of the CoCo world. On Delphi, Marty is the SIGop of RAINBOW's CoCo SIG and database manager of OS-9 Online. His non-computer passions include running, mountaineering and outdoor photography. Marty lives in San Pablo, California.*

## Accessing the Back Side

*I have a pair of double-sided drives, and normally can access each side of them using my system. However, some programs (Rickyterm and KDSK) don't seem to be able to access the back sides of these drives. The problem seems to be limited to those programs that do not use RS DOS calls, but rather have their own disk sector I/O routines (DSKCONs) in them. Can you help?*

Fred Ahlberg  
(FRED AHLBERG)  
Kingston, NH

You are quite right in identifying the problem as being the failure of certain programs to use your Disk BASIC's ROM routines. I would assume that your Disk BASIC (RS DOS, JDOS, ADOS, or whatever) has been modified in EPROM to define Drive 2 as the back of Drive 0 and Drive 3 as the back of Drive 1. (This is the most common, and most sensible, arrangement.)

When the programs in question circumvent the DSKCON routine in Disk BASIC they are unable to reach the back sides of your drives. In the case of *Rickyterm*, Don Hutchison has written some excellent modifications to it that will permit the sort of double-sided operation you desire. These should be available on Delphi now. In the case of *KDSK*, you would have to disassemble the program, find the DSKCON routine, locate the drive mask table there, and modify it. The drive mask table is usually located near the very end of the DSKCON routine. Check a disassembly of Disk BASIC (*Disk Basic Unravell'd*, available from Microcom Software and Spectrum Projects) for details.

A second approach would be to make a hardware modification of your drives. Using a bunch of diodes or a quad OR gate, the drives can be set up as two logical drives on each side.

One approach would be to run the drive select 0 and 2 lines from the controller into the two inputs of an OR gate, and feed the drive select line on the drive with the output of that OR gate. Then also run the incoming drive select 2 line to the side select pin on that drive. (Do a similar thing for drive select 1 and 3 lines with the other drive). After such a modification is installed, you merely use any standard DOS ROM that is *not* modified itself for double-sided operation, and your two physical drives will work as if they are four logical drives, regardless of what RS DOS program you are using. This approach is wonderful for Disk Extended BASIC, but should *never* be done by users of OS-9, which requires that the drives be *unmodified* for proper use of double-sided drives.

## Degas to Color Max

*Is there a way to convert Atari Degas files to be viewed or modified on a CoCo 3 under Computize's Color Max?*

Dave Lucas  
Chicago, IL

Greg Miller, one of the co-authors of *Color Max*, has provided a program to view *Degas* files, and I believe Computize may have a utility for converting them. The viewing utility is available on Delphi in the Graphics section. I would suggest a call to Computize about the converter utility.

## CoCo 3 Questions

1) Does the CoCo 3 work with JDOS?

2) Is the JRAM 512K expansion board for use only as a RAM disk, or is it for the CoCo 3?

3) Are there bugs in the CoCo 3's ROM?

4) Does OS-9 Level II have icons and pull-down menus? I mean, is it "user-friendly"?

5) Is 512K of RAM needed for OS-9 Level II?

6) Can OS-9 Level II take advantage of a double-sided drive?

7) Is BASIC09 included in OS-9 Level II?

8) Is an editor assembler included with OS-9 Level II?

9) What is involved in making a CoCo 3 512K upgrade board?

Nicolaus Alber Borges Schrifer  
Salvador, Brazil

1) JDOS will not work properly with the CoCo 3. Of all previous patched DOS systems, only ADOS 3 (see Spectro Systems ad) will work properly on the CoCo 3, and that is because it was written from the ground up for the CoCo 3. I recommend it highly if you want an enhanced disk ROM for the CoCo 3.

2) J&R made a 512K add-on for the CoCo 1 and 2. This worked *only* as a RAM disk (or printer spooler). J&R also makes a CoCo 3 512K memory upgrade board, though this is a different item. Note that many other companies (PBJ, Disto, Hemphill and Owlware) also make CoCo 3 512K upgrade boards. All of these are advertised in RAINBOW.

3) The CoCo 3's ROM is riddled with minor bugs and badly thought-out design characteristics. A list of them would take up several pages. If you can log onto Delphi, we have lists of them posted there. None of these bugs are terribly serious, and all can be circumvented. None have any significance if you are running OS-9.

4-8) OS-9 itself is not at all user-friendly. It is a pure, ancient, prompt-oriented operating system, designed for programmers and *not* for users. This is as true of Level II as it is of Level I. Any user-friendliness about OS-9 software must be created by the individual programmer.

But Level II does provide for programmers creating icons and windows, and, when Multi-View is available, will

support creation of elaborate graphics interfaces with relative programming ease. But it does *not* come with its own standardized graphics interface of particular icons, screen images, and the like. OS-9 Level II *does* come with BASIC09 included. An editor assembler is not included. For that you would have to buy the "Developer's Kit."

Although OS-9 Level II will run on a 128K CoCo, 512K is absolutely required to make any use of most of its unique and desirable features. So, for virtually all intents and purposes, I would say there is no point in getting OS-9 Level II unless you also own a 512K CoCo. All versions of OS-9, especially OS-9 Level II, support a wide variety of disk drives with great ease, including double-sided 40- and double-sided 80-track drives (360 and 720K type drives).

9) CoCo 3 512K upgrade boards are electronically quite trivial, consisting only of sixteen 41256 memory chips and associated .33 mfd deglitching caps, and one 10 mfd filter cap. Some manufacturers use 33 ohm anti-ringing resistors. Making up the board, however, is quite tedious. And a decent printed circuit board with proper layout of power and ground planes is required for the thing to run properly. Do *not* try to hand wire such a thing! Overall, I would say it is a waste of time to make one's own 512K board. Instead, I strongly recommend you order one of the half-dozen or so different varieties available via RAINBOW magazine ads. If you insist on doing it yourself, complete information about such boards is available in the service manual for the CoCo 3, which is available from Tandy National Parts (Cat. No. 26-3334).

## Choosing a Monitor

*What is the best low-cost monitor capable of 80-by-32 display? I want a true monitor, not a TV made to look like a monitor. And what about video drivers?*

Ernie Bennett  
Beckley, WV

I am sure you meant to write 80-by-24, not 80-by-32, because 80-by-32 is never used, while 80-by-24 is the industry standard. Anyway, no ordinary television is capable of displaying 80-by-24 character screens. Almost any composite video monochrome monitor will be excellent for your purpose. Many companies advertise such monitors in RAINBOW for \$60 to \$90 each.

There is relatively little difference among makes and models. The main thing to consider is color (green vs. amber vs. white letters). Individual units vary in terms of anti-glare properties and cabinet styling. Usually such variations are of minimal significance. Be sure *not* to get an "IBM-type" or "TTL monochrome" monitor. What you want is a composite video-type monochrome monitor.

Note that the CoCo 1 and 2, which require a video driver in order to be used with a monitor, cannot display a readable 80-column screen. Only the addition of a Word Pak RS and a Multi-Pak Interface will solve that problem. Even then, very little software works with the Word Pak. Instead, if you need 80-column display, the *only* sensible approach is to get a CoCo 3. Now, the CoCo 3 has its own composite video output, so no special video driver is needed. You will, however, need to use software that allows you to turn off the color burst signal, or select a white on black character set, in order for the image to be clearly readable on a monochrome monitor.

## Quest of the Memory Map

*I need to know how the memory manager of the CoCo 3 works, and about what its memory map is like. Where can I get this information?*

Bob Toronchut  
Newbrook, Alberta, Canada

The information you seek is available in the Tandy Service Manual for the CoCo 3. Merely ask your local Radio Shack store to order the "Service Manual" for the CoCo 3 (Cat. No. 26-3334), or call Tandy National Parts in Fort Worth and directly order it. The price is about \$14 (American).

Your technical questions are welcomed. Please address them to CoCo Consultations, THE RAINBOW, P.O. Box 385, Prospect, KY 40059.

We reserve the right to publish only questions of general interest and to edit for brevity and clarity. Due to the large volume of mail we receive, we are unable to answer letters individually.

Questions can also be sent to Marty through the Delphi CoCo SIG. From the CoCo SIG> prompt, pick Rainbow Magazine Services, then, at the RAINBOW> prompt, type ASK (for Ask the Experts) to arrive at the EXPERTS> prompt, where you can select the "CoCo Consultations" online form which has complete instructions.

# Education Breakthrough

*New interactive CoCo software makes learning easy, fun. Kids love it!*

**NEW LOW PRICE** - 16 lessons for the price of 8! Educational Software for kids from 6 to 18.

Parents are depending more and more on supplemental education for their children. Educators know that the most effective teaching is done one-to-one. Through individual attention and self-paced progress, students learn more and retain more.

## BETTER THAN A PRIVATE TUTOR

The Compass Education Software LOOK/LISTEN/LEARN approach is the next best thing to a private tutor. Unlike other educational software the Compass Library also *talks* to the student - not in synthesized speech, but in a real human voice. With on-screen textual information and attention-getting graphics, students of all ages actually enjoy learning!

## SELF-PACED FOR BETTER RETENTION

The lessons advance only after the student has correctly answered the questions throughout the programs assuring that the material has been thoroughly absorbed.

## SIMPLE EQUIPMENT REQUIREMENTS

All you need is the TRS-80® Color Computer (any model), computer cassette recorder and TV set. Once the cassette is loaded you need only enter two simple commands . . . and then press any key to start the lesson.

Of course you can stop the lesson at any point to study information on the screen. Just push the pause button on the cassette player. Push it again and lesson resumes.

To answer questions throughout the lesson simply press the appropriate number on the computer keyboard, type in the correct answer, or follow other easy instructions. And to go back and review, just rewind the cassette. It's that simple.

## CHOOSE FROM 9 SUBJECTS


There is not sufficient space in this advertisement to list all lesson titles, but here is a sample:

### MATHEMATICS

In today's advanced, HiTech world, understanding and working with numbers is essential. Compass has developed three comprehensive series of math programs. From basic numerals for the very young, to algebra and higher mathematics for the older child. In between, there are programs for everything from addition and subtraction to practical everyday percentage problems.

\*TRS-80 is a registered trademark of The Tandy Corporation.

**PRICES SLASHED!**



### 1 MATH/FRACTIONS Grades 4 to 8

- MF 1 — Numerator, denominator, bar
- MF 2 — Multiplication of fractions
- MF 3 — Factors and prime numbers
- MF 4 — Reducing fractions, reciprocals
- MF 5 — Reducing fractions, lowest terms
- MF 6 — Proper fractions, mixed numbers
- MF 7 — Multiplication-division of fractions
- MF 8 — Addition-subtraction of fractions
- MF 9 — Addition of mixed numbers
- MF 10 — Changing fractions to decimals
- MF 11 — Converting decimal numbers
- MF 12 — Word problems using percents
- MF 13 — Additional problems using percents
- MF 14 — Word problems using percents
- MF 15 — Finding circle area using pi
- MF 16 — Using a ruler to measure fractions

### 2 MATH/BASIC ALGEBRA For all grades Sixteen lessons: MBA-1 to 16

### 3 MATH/NUMBERS For grades 1 to 6 Sixteen lessons: MN-1 to 16


### SELF DEVELOPMENT

Writing effectively means communicating effectively. Through the writing series of lesson students of all ages will develop basic skills needed to turn thoughts and ideas into expressive words and phrases.

### 4 RULES OF WRITING For all grades Sixteen lessons: RW-1 to 16

### LANGUAGE ARTS

A practical education begins with good reading skills and is continued with increased vocabulary comprehension and, of course, spelling. Your child will learn that reading is fun while they are also learning when to use "to," "too," and "two," and how to spell when building a vocabulary.



### 5 THE MAGIC OF SPELLING Grades 4 to 8

- MS 1 — Plurals: branches, rodeos, valleys
- MS 2 — Plurals: houses, brushes, candies
- MS 3 — Plurals: babies, pianos, leaves
- MS 4 — Suffixes: boxed, referred, writing
- MS 5 — Suffixes: paid, quickly, extremely
- MS 6 — Suffixes: said, confusion, school's
- MS 7 — Homonyms: two, too, to; their, there
- MS 8 — Homonyms: our, are, hour; ate, eight
- MS 9 — Homonyms: weight, wait; who's, whose
- MS 10 — Homonyms: scent, cent; sell, cell
- MS 11 — Homonyms: dew, due; course, coarse
- MS 12 — Homonyms: cite, site, sight; by, buy
- MS 13 — Homonyms: blue, blew, creek, creak
- MS 14 — Homonyms: sale, sail; steel, steal
- MS 15 — Spelling by Syllables: letter, color
- MS 16 — Doubling Consonant Letters: hollow

### 6 VOCABULARY COMPREHENSION Grades 3 to 5 Sixteen lessons: VC-1 to 16

### 7 READING COMPREHENSION For all grades Sixteen lessons: DRC-1 to 16

### 8 SCIENCE SCIENCE/PHYSICS For all grades Sixteen lessons: SP-1 to 16


### 9 HISTORY AMERICAN HISTORY For grades 4 to 12 Sixteen lessons: AH-1 to 16

*So there it is . . . no-nonsense subject matter presented in a way that maximizes understanding and retention.*

### SPECIAL PRICING

**YORK 10** is now offering, for a limited time, a complete set in any subject, 16 cassettes, one lesson on each cassette, for only \$49.95. We originally offered only 8 cassettes for the same amount so now it's twice the value. The same 16 cassettes are sold elsewhere for over \$150.

To order, send your check or money order for \$49.95 (CA residents add sales tax) for each subject you wish, plus \$3.50 shipping and handling (any quantity). For immediate shipment, call collect the number below and charge your VISA or MASTERCARD.



# The BASIC Versions

By Richard E. Esposito  
Rainbow Contributing Editor  
with Richard W. Libra

**I** I have recently obtained a CoCo 2 from a friend and am having a hard time trying to figure out what version of Color BASIC I have. Is there an easy way to obtain this information?

Scott Peterson  
New London, CT

**R** Simply type EXEC 41175 and the start-up logo with the version number will be printed on your screen.

## Those Mysterious Keys


**I** What are the ALT, CTRL, F1 and F2 keys used for on the CoCo 3? There is no mention in the instruction book of these keys.

Paul Scholz  
Cotati, CA

**R** The ALT and CTRL keys are primarily for OS-9 Level II. These four keys were added to fill in the keyboard matrix, and all four can be used with custom software that directly accesses the keyboard rollover table. The HJL custom keyboard has supplied these keys for years, only HJL called them F1, F2, F3 and F4.

*Richard Esposito is a senior project engineer with Northrop Corp. He holds bachelor's, master's and doctorate degrees from Polytechnic Institute of Brooklyn. He has been writing about microcomputers since 1980.*

*Richard Libra is a simulator test operator for Singer Link Simulation Systems Division.*



## The Doctor Tells All

**I** What kind of hardware is included in your personal computer setup?

James Sutton  
Brooklyn, NY

**R** I have a CoCo 3 with a JramR 512K upgrade, a down-under controller, two TEAC 55F 80-track, double-sided drives, a Radio Shack Line Printer VIII, a Radio Shack Direct Connect Modem I (300 baud), a Multi-Pak interface, a Magnavox 8CM515 RGB monitor, a Speech/Sound Pak and an RS-232 Pak. I also have a 64K CoCo I with the original Word-Pak, a Graphics Tablet, and a 40-track TEAC 55BV drive with an old Radio Shack 12-volt controller. In addition to that, I

have an MC-10 with a tape recorder, a Model 100 laptop, and a Sharp PC-7000 (a portable Compatible).

## VDG Upgrade

**I** I have a CoCo 2 that I bought three years ago. I thought I read somewhere that the newer CoCo 2s use a different or improved VDG. Is this true? Can I upgrade to it? If so, how difficult would it be?

Donald G. Campbell  
(DONCAMPBELL)  
Greenwood, IN

**R** The newest CoCo 2s use the 6847-T1, but it is not a direct drop-in replacement. See Tony DiStefano's "Turn of the Screw," November 1986, Page 88, for information on mating this newer VDG to your old CoCo.

## A CoCo PC?

**I** I'm thinking about adding a hard drive to my system. I have a CoCo 3 with OS-9 Level II, Multi-Pak and a Radio Shack disk controller. If I change to a Disto controller and add on a hard drive controller, can I buy just a bare hard drive or do I need something else? How large a hard drive can we use? Why couldn't an MS-DOS be written for the CoCo, as everyone knows the 6809 is far superior to the 6502 used in the Commie and Apple?

Kenneth A. Barnett  
Anchorage, AK


**R** The most popular hard drive CoCo system is one with the LR



# INSTANT SOFTWARE!!

Pay only for what you want!

Quality Utility Software at Unbelievable Prices!



40K for Cassette Programs: #100  
 40K for Disk Basic Programs: #101  
 ALPHA-DIR: Alphabetize your DIRs. #102  
 APPOINTMENT CALENDAR: #103  
 AUTOMATIC DISK BACKUP: Req. 2 drives! #104  
 AUTOMATIC 5 Min. CASSETTE SAVE: #105  
 AUTOMATIC 5 Min. DISK SAVE: #106  
 AUTO DIR BACKUP: No more FS Errors! #107  
 BANNER MAKER: 7" High Letters! #108  
 BASIC PROGRAM AUTORUN FROM TAPE: #109  
 BASIC SEARCH: Search for a string. #110  
 BORDER MAKER: 255 Border Styles! #111  
 CALENDAR MAKER: For DMP Printers. #113  
 CASSETTE LABEL MAKER: DMP's Only. #114  
 CLOCK: Keeps time as you program. #115  
 COMMAND KEYS: Short Hand for Basic. #116  
 COMMAND MAKER: Design your own commands. #117  
 COMMAND SAVER: Saves/Recalls Commands. #118  
 CALCULATOR: On-screen calc. when programming. #119  
 CURSOR STYLES: 65535 cursor styles! #121  
 DISK CATALOGER: Puts DIRs into Master DIR. #122  
 DISK ENCRYPT: Password-protect Bas. Progs. #123  
 DMP CHARACTER SET EDITOR: #125  
 DMP SUPERSSCRIPTS: Great for Term-papers! #126  
 DOS COMMAND ENHANCER: #127  
 ENHANCED KILL: #128  
 ENHANCED LLIST: Beautiful Listings! #129  
 ERROR LOCATOR: CoCo locates your errors. #130  
 FAST SORT: 100 strings in 3 seconds!! #131  
 FILE SCRAMBLER: Hide your private files! #132  
 FULL ERRORS: English error messages! #133  
 FUNCTION KEYS: Speeds prog. time. #134  
 GEMINI/EPSON GRAPHICS DUMP: #135  
 GRADEBOOK: Great for teachers! #136  
 GRAPHICS SCREEN COMPRESSION: #137  
 GRAPHICS SCREEN DMP DUMP: #138  
 GRAPHICS SCREEN LARGE DMP DUMP: #139  
 GRAPHICS LETTERING: 2 sizes! #140  
 GRAPHICS MAGNIFY/EDIT: #141  
 HOME BILL MANAGER: Keep track of bills. #142  
 INPUT/OUTPUT DATA MONITOR: #143  
 KEY CLICKER: Ensures input accuracy. #144

KEY SAVER: Save/Recall your keystrokes. #145  
 LAST COMMAND REPEATER: #146  
 LINE COPY: Copy Basic Lines. #147  
 LINE CROSS REFERENCE: #148  
 LIST/DIR PAUSE: No more flybys! #149  
 LOWERCASE COMMANDS: #150  
 MASS INITIALIZATION: #152  
 ML/BASIC MERGE: Merge ML & Bas. Progs. #153  
 MESSAGE ANIMATOR: Great Billboard! #154  
 ML TO DATA CONVERTOR: #155  
 MULTIPLE CHOICE TEST MAKER: #156  
 NUMERIC KEYPAD: Great for numbers. #157  
 ON BREAK GOTO COMMAND: #158  
 ON ERROR GOTO COMMAND: #159  
 ON RESET GOTO COMMAND: #160  
 PHONE DIRECTORY: #161  
 PAUSE CONTROL: Put programs on hold! #162  
 PROGRAM PACKER: For Basic Programs. #163  
 PURCHASE ORDER MAKER: Neat Invoices! #164  
 RAM DISK: In-memory disk drive. #165  
 REPLACE: Find/replace strings. #166  
 REVERSE VIDEO (GREEN): Eliminates eyestrain. #167  
 REVERSE VIDEO (RED): Eliminates eyestrain. #168  
 RAM TEST: Checks your RAM. #169  
 SIGN MAKER: RUNs on any printer! #170  
 SINGLE STEPPER: Great debugger! #171  
 SPEEDUP TUTORIAL: #172  
 SPOOLER : Speedup printouts! #173  
 SUPER INPUT/LINE INPUT: #174  
 SUPER COMMAND KEYS: #175  
 SUPER COPY: COPY multiple files. #176  
 SUPER EDITOR: Scroll thru Bas. Progs. #177  
 SUPER PAINT: 65535 patterns! #178  
 SUPER REPEAT: Repeat Key. #179  
 SUPER SCROLLER: View Scrolled Lines. #180  
 TAB/SHIFT LOCK. KEYS: #181  
 TAPE ENCRYPT: Password protect Bas. Progs. #182  
 TEXT SCREEN DUMP: #183  
 TEXT SCREEN SCROLL LOCK: #184  
 TITLE SCREEN CREATOR: #185  
 UNKILL: your KILLED disk programs. #186  
 VARIABLE CROSS REFERENCE: #187

1 PROGRAM \$9    2 PROGRAMS \$16    3 PROGRAMS \$21  
 4 PROGRAMS \$24    5 OR MORE PROGRAMS \$5 EACH

ALL PROGRAMS ON DISK. MORE THAN ONE PROGRAM SENT ON THE SAME DISK.  
 DOCUMENTATION INCLUDED.



**MICROCOM SOFTWARE**  
 P.O. Box 214  
 Fairport, N.Y. 14450  
 Phone (716) 223-1477

All orders \$50 & above (except CODs) shipped by UPS 2nd Day Air at no extra charge. Last minute shoppers can benefit VISA, MC, AMEX, Check, MO. Please add \$3.00 S&H (USA & Canada), other countries \$5.00 S&H. COD (US only) add \$2.50 extra. NYS residents please add sales tax. Computerized processing & tracking of orders. Immediate shipment. Dealer inquiries invited.



**Call Toll Free (For Orders) 1-800-654-5244** 9 AM - 9 PM Monday - Saturday

Except NY. Order Status, Information, Technical Information, NY Orders call 1-716-223-1477

Tech interface. These systems and individual components are sold by Owl-Ware, P.O. Box 116-D, Mertztown, PA 19539, (800) 245-6228. In order to run MS-DOS on the CoCo, you would need an 8088 coprocessor board, and, since the CoCo's memory and hardware are mapped differently, it would require a significant amount of additional hardware for full PC-compatibility. Since this would most likely be a specialty item (spelled HIGH PRICE), I do not foresee such a device, especially in the light of cheap PC Compatibles.

### The Trying "Retry"

I keep getting a "retry" (repositioning of disk heads) while formatting/verifying all disks on OS-9 Level II. This "retry" occurs only on double-sided 80-track operations on Track 70/71 (Hex). I've tried three different disk controllers and removal of the Multi-Pak. The "retry" occurs on both /d0 and /d1, and does not occur under single-sided operation on Level II or Level I or with 80-track patches under RS-DOS. This "retry" doesn't seem to hurt anything, only occurs once, and always "gets by." Is this a bug in OS-9 Level II software?

Brad Zvonar  
Grand Ledge, MI

It's only a minor inconvenience: Once formatted, I know of no one having problems with any of these 80-track, double-sided disks. However, many people have reported "strange" happenings when trying to use one of the older 12-volt disk controllers under Level II. These controllers don't work correctly at Level II's 2MHz.

### Poke Monochrome Fix

I have just bought a VM-4 monochrome monitor to use with my CoCo 3. The display on power-up is not clear at all; however, using the following pokes from a previous RAINBOW issue, POKE &HEE033,16-POKE &HE03C,19 and POKE &HE045,19, makes the display after changing the colors perfect. Is there another way of getting the same results permanently? When using program packs and my modem I can't use the pokes.

Stuart T. Smith  
Cliffside Park, NJ

If you have an EPROM made of ADOS-3, you can customize it for monochrome before having it burned.

I have a CoCo 3. When I hook a monochrome monitor to the video connectors on the back, I notice about six diagonal lines on the screen. This happens when the border is anything but black and when using either the PMODE or HSCREEN modes. Is this a common problem? If so, is there a solution?

Peter R. Pankhurst  
Winnipeg, Manitoba

See previous letter for pokes.

### Dirty Heads

I purchased the Tandy cassette recorder CCR 81 and use only Tandy computer cassette tapes. Lately I have had great difficulty storing data on the cassettes.

Marty Povondra  
Omaha, NE

If you are a heavy user of cassettes, consider the possibility of dirty heads on your recorders. Head-cleaning kits are readily available and may very well solve your problem.

### McMillions of Control Codes

I own a CoCo 2 and have a Star NX-10 printer. I would like to know what printers are compatible with other printers in control codes.

Toby Bauer  
Gig Harbor, WA

That's a tall order. Printers are like McDonalds' hamburgers, millions & millions. The ones to consider are those that are IBM Proprinter-, Epson-, or Tandy-compatible.

### Tracking CoCo Util II

In the September, 1987 column, you mentioned the program CoCo Util II. Where can I get it?

Andy Dater  
Boston, MA

CoCo Util II is sold by Spectrum Projects, P.O. Box 264, Howard Beach, NY 11414, for \$39.95.

### Hot CoCo

My CoCo 3 seems to be overheating after about an hour of use. I have the Disto 512K upgrade installed. After an hour's use, the system crashes; I have run several 512 MEM tests — they either crashed or gave a bad RAM at

block \$0E, location 1C01. The heat sink on the left-hand side of the motherboard was quite hot and the satellite MEM board was warm. After a shut-down of about 1½ hours, everything runs OK for about an hour, then the system crashes again. Any ideas?

Franz C. Shattuck  
Hillsboro, NH

You have a fairly common problem with CoCo 3s that can usually be easily solved by adding a small external muffin fan to cool your CoCo's interior.

### A Simple Cassette Merge

Your method of merging cassette programs is admirable, but it is needlessly complex. A simple OPEN #1, "FILENAME": POKE111,255: EXEC&HAC7C merges FILENAME with the program in memory, exactly like the disk MERGE command.

Note: The file to be merged must be saved in ASCII format, i.e., CSAVE "FILE",A.

Alan T. DeKok  
Kanata, Ontario

Thanks for the information.

### OS-9 Hard Drivers

I recently acquired a Western Digital WD1000-TB1 disk controller and a Seagate ST-412 10-Meg hard disk. Does anyone have an adapter and drivers for OS-9 Level II?

Robert B. Brogdon  
Watauga, TX

Yes, contact Owl-Ware regarding their LR Tech interface. Complete systems and individual components based on this interface are sold by Owl-Ware, P.O. Box 116-D, Mertztown, PA 19539, (800) 245-6228.

### Disk EDTASM on CoCo 3

How can I use disk EDTASM with my CoCo 3?

Josh Abrams  
Brooklyn, NY

Thanks to Roger A. Krupski for the following patches for disk EDTASM, which will allow proper operation in 40-width and 80-width on the CoCo 3. To make EDTASM boot up automatically rather than having to type EDTASM, just add the following line to the DOS.BAS program: 1 REMEDTASM. Note there is no space after REM. Use the


following program to make the necessary patches to EDTASM.BIN:

# The listing: PATCH

```
100 ' COPYRIGHT (C) 1987 BY:
110 ' ROGER A. KRUPSKI
120 '
260 A$=HEX$(PEEK(&HFFFE))+HEX$(PEEK(&HFFFF))
270 IF A$<"8C1B" THEN CLS:PRINT
"ONLY FOR THE COCO-3!":END
280 POKE &H9692,17
290 PCLEAR 16
300 POKE &H9692,9
310 PALETTE 12,63
320 PALETTE 13,0
330 WIDTH 32:CLS:VERIFY ON
340 IF FREE(PEEK(&H95A))<7 THEN
PRINT"DISK TOO FULL!":END
350 PRINT"PATCHS FOR DISK EDTASM
TO RUN"
360 PRINT"ON THE COCO-3 IN 80 CO
LUMNS"
370 PRINT
380 PRINT"INSERT A COPY (NOT ORI
GINAL)"
390 PRINT"OF YOUR DISK EDTASM AN
D PRESS"
400 PRINT"<ENTER> WHEN READY TO
PATCH"
410 A$=INKEY$
420 IF A$=CHR$(13) THEN 440
430 GOTO 410
```

```
440 PRINT"LOADING EDTASM..."
450 RENAME"EDTASM.BIN" TO "EDTAS
M.OLD"
460 LOADM"EDTASM.OLD"
470 PRINT"PATCHING EDTASM..."
480 READ AD$,DT$
490 IF AD$="END" THEN 520
500 POKE VAL("&H"+AD$),VAL("&H"+
DT$)
510 GOTO 480
520 PRINT"SAVING PATCHED VERSION
..."
530 SAVEM"EDTASM.BIN",&H1600,&H4
A7F,&H1600
540 PRINT"DONE!"
550 PCLEAR 4:CLEAR 200,&H7FFF:NE
W
560 DATA 1617,84, 1643,31, 1D18,
7F, 1D19,FF
570 DATA 1D1A,DE, 1D1B,6E, 1D1C,
9F, 1D1D,FF
580 DATA 1D1E,FE, 1D1F,12, 1D20,
12, 1D21,12
590 DATA 1D22,12, 1D23,12, 1D3F,
BD, 1D40,A1
600 DATA 1D41,B1, 1D42,12, 1D7A,
10, 23B8,31
```

## PRINT# Problems

 I have always had trouble with the BASIC statement for PRINT#. If there are more than two items of data, I

cannot use commas between them as shown in the instruction manual. It works on tape but not on disk. All of the data items are given to the first variable. To be able to use this statement, I must give each item of data its own PRINT#. I am using the J&M controller with RS-DOS and a CoCo 3 with 128K.

Rob Cloud  
Detroit, MI

**R** Each PRINT# statement generates a record in your data file. If you have an INPUT# statement similarly configured, it can read in those values from your file.


For a quicker response, your questions may also be submitted through RAINBOW's CoCo SIG on Delphi. From the CoCo SIG> prompt, pick Rainbow Magazine Services, then, at the RAINBOW> prompt, type ASK for "Ask the Experts" to arrive at the EXPERTS> prompt, where you can select the "Doctor ASCII" online form which has complete instructions.

## DON'T PAY TOO MUCH FOR YOUR SOFTWARE!

For as little as 50 cents a program you can get quality programs such as Word Processors, Basic Compilers, Budget Managers, Arcade Type Machine Language Games and much more! A subscription to T&D Subscription Software provides you with 10 ready-to-run programs on tape or disk delivered by first class mail every month.

No! We are not the same as The Rainbow On Tape. In fact, many subscribers have written in and said that we are much better than Rainbow On Tape!

- ★ 16K-128K Color Computer
- ★ Over 5000 Satisfied Customers
- ★ All Programs Include Documentation
- ★ Available on COCO 1, 2, and 3!



### PRICES

	TAPE OR DISK	THIS MONTH ONLY
1 YEAR (12 issues)	<del>70.00</del>	60.00
6 MO. (6 issues)	<del>40.00</del>	35.00
1 ISSUE	<del>9.00</del>	8.00

Michigan Residents Add 4%  
Overseas Add \$10 to Subscription Price  
Personal Checks Welcome!  
Please Specify Tape or Disk



TURN TO PAGE 32 AND SEE WHAT WE HAVE  
PRODUCED SO FAR IN OVER 5 YEARS OF  
PUBLISHING QUALITY SOFTWARE.



T & D SUBSCRIPTION SOFTWARE, 2490 MILES STANDISH DR., HOLLAND, MI 49424 (616) 399-9648

*Tips for the OS-9 beginner*

---

# Stalking the Fire-Breathing Dragon

By Nancy Ewart

**A**dventure gaming is no way near as mentally invigorating as the challenge of OS-9 programming. Once you have conquered the first puzzle of making a bootable system disk configured with the modules and commands you choose, you can use some of the many applications that are available under OS-9. You can put text editors, programming language compilers or games to work quite easily.

The time comes, though, when you want to change things around a bit — to eliminate unnecessary steps, to make more things happen automatically, or to organize everything a bit differently. Now you have challenges again. You are

dealing directly with the system, stalking the fire-breathing dragon.


You are in the middle of OS-9 kingdom and nothing works! You are getting errors right and left, north and south. Even `pwd` gives you an error. You are truly a lost dog in high weeds. What has most likely happened is that you have changed your execution CMDS directory to a data directory or to a CMDS directory with limited commands.

For a quick fix, find yourself by putting your system disk in Drive 0. Type `chd /d0; chx /d0/cmds`. Now, at least, you are back to the beginning, and everything should work again.

The command `mdir` gives you a list of the modules/commands in memory. Think of the commands you have been trying that haven't worked because you did not have access to them. Type `chd /d0/cmds`. Now load a few essential additional commands, such as `load pxd dir free`. Since these com-

---

*Nancy Ewart is an OS-9 programmer who lives in Toms River, New Jersey. She serves as vice president of the Computer Club of Ocean County and is a member of C and OS-9 SIGs.*



# FHL CHRISTMAS SALE

## FREE UPS 2 DAY AIR SHIPPING ON ORDERS OVER \$100 DURING DECEMBER!!!

**NOTE:** Unless otherwise noted, all the products listed here require a CoCo 3 with 512K and OS9 Level II.

**Sculptor**, the 4th generation language. Reg \$595

**Special \$295**  
**Save \$300!**

**Inside OS9 Level II** Kevin Darling's great book on Level II. **The** book on OS9 Level II for the CoCo 3. Reg \$39.95

**Special \$29.95**  
**Save \$10.00!**

**The WIZ**, The terminal program for the CoCo 3 with windows and more, without question the best terminal program ever for the CoCo. Requires a RS232 Pack or Disto RS232. Reg \$79.95

**Special \$69.95**  
**Save \$10.00!**

**DynaStar** Word processor with mail merge, creates index and table of contents. Comes with formatter, supports windows and terminals at the same time! Reg \$150

**Special \$100.00**  
**Save \$50.00**

**DynaSpell** Spelling checker by Dale Puckett for DynaStar and other word processors. Includes dictionary lookup utility. Reg \$94.50

**Special \$45.00**  
**Save \$44.90**

### OS9 Users Group Disks

now available direct from FHL - **NO WAITING!!!**

Membership in the UG is **NOT** Required!!!

FHL Pays the UG a royalty for each disk sold, so you will still be helping the UG, and you'll get your disks faster! **\$10** each for disk #0 thru #56. **\$130** for the entire library on 9 80 Track disks and 1 40 Track. 3.5" also available.

**Send for complete list.**

**Font Editor** Create or modify the font (characters) in OS9. Reg \$29.95

**Special \$24.95**  
**Save \$5.00**

**5 1/4" Disks** Double sided Double density. **49¢** each in lots of 10. **45¢** in lots of 50.

**FBU** Backup your hard disk to floppy. Handles large files. Compresses to take less room. Fast! Reg \$150

**Special \$75**  
**Save \$75**

**Super Sleuth** Disassemble OS9 code. Learn what's going on inside OS9. Get the **Inside OS9 Level II** book to aid in your search. On sale in this ad. Sleuth Reg \$101

**Special \$86.00**  
**Save \$15.00**

### NEW FASTEST HARD DISK INTERFACE NOW AVAILABLE FROM FHL!!!

Call for more information!

### eFORTH

for RS DOS (Not OS9) **eFORTH** is the best, most complete FORTH ever done for the CoCo. We just discovered a case of them hidden in the back room. Grab one while they last. Reg \$79.95

**Special ONLY \$30**  
**Save \$49.95**

## FHL News **FREE**

Keep up to date on the latest news about OS9 6809 and OSK/68000 and 68020. Get insider prices on new software and hardware. Mailed every few months or so.

FHL News is for the serious OS9 user. Call or send for your **FREE** copy now!

How to Order  
(Add \$3.50 for S&H.  
after December)  
Visa, M/C and others

Frank Hogg Laboratory, Inc.  
770 James Street  
Syracuse, NY 13203  
Telex 646740 - FAX 315/474-8225  
**315/474-7856**

mands are now in memory, they will be there no matter which directories you change. This problem does not crop up for Level II users as often. One of the reasons Level II has the reputation for being more friendly than Level I is that there are more commands loaded into memory when you boot up.

For a long-term method of keeping track, build a new start-up file that will load a few extra, useful commands. Tandy's *Getting Started with OS-9* has excellent directions for changing StartUp. Another approach is to be sure that any OS-9 commands on an OS-9 disk are actually placed in a CMDS directory, and then copy frequently used additional commands from the system disk to the application disk. Never ever do a *chx* to anything but CMDS. The BASIC09 Level I disk comes with the commands in the root directory rather than in a CMDS directory, with the idea that the user can transfer them to the CMDS directory of a system disk. This has caused no end of confusion in the CoCo world.

## BUILD and ECHO

The concept of the *build* command is great — you can make files like StartUp that are a collection of commands and messages to yourself to make life easier. Many of my best inventions are little one-command files with very short names, usually one to three letters, that save typing a long command line. A file named Red uses the *display* command to construct a large, red overlay window on a full-screen device window; Erase, also using the *display* command, erases any overlay window, window-by-window, each time you type it. Using *build* in this way leads to a better understanding of macros as you gain experience.

There are some traps for the unwary in using *build*. If you include any command that asks the user to enter information, be sure to redirect that information from the terminal, as in *setime </term* for the Level I "start-up" file. One of the first things you may want to *build* into StartUp for Level I are upper- and lowercase letters. The command to do that is *tmode .1 -upc*. Since spacing is critical, let me present that a different way: *tmode(space) .1(as in number)(space)-upc*.

If you want the screen to print out any helpful messages during the running of the file, use the command *echo*. Once, with great enthusiasm for what *build* can do, I built an entire file of helpful

things to remember from one OS-9 session to another, ran the file and, of course, got absolutely nothing. I could list the file and see the information, but it wouldn't run. It took only a little hair-pulling to remember that I should have used *echo*.

The biggest hassle with *build* is making mistakes and trying to correct them with *edit*. If you haven't learned how to use an editor or word processor yet, you might go ahead and take the time to learn *edit*. When it finally dawned on me that I could use a familiar OS-9 word processor to build the files instead of laboring with *build* and *edit*, I cut down on misspent time a thousandfold. However it is executed, the idea of putting a collection of commands into a short file is still a very useful concept.

## Using DSAVE

Putting a collection of commands into a file is what *dsave* is all about. *dsave* lets you copy all the contents of a disk to another disk, which may or may not be formatted with a different number of tracks. It also lets you copy the contents of a single directory to another, or the contents of a directory and all its subdirectories to a different place. You would need to use *copy* for moving individual files. However, it is simpler and quicker to use *backup* when transferring an entire disk's contents to a similarly formatted one.

The first encounter with *dsave* occurs frequently after using the *config* program to change the number of tracks on a disk. You get this beautiful capability of formatting 40 tracks, double-sided, but your system disk stubbornly stays at 35, single-sided. 630 vs. 1,440 remains just out of your grasp. But the answer is simple: *dsave -b /d0 /d1 ! shell*. Put your newly configured 35-track disk in Drive 0. Type *format /d1 r "diskname"* and press ENTER. This formats the disk in Drive 1 the way you chose in the *config* program.

After formatting, do a *free /d1* just to make sure it has the proper numbers on the new disk. Then enter the above command using the following spacing: *dsave (space) -b (space) /d0 (space) /d1 (space) ! (space) shell*. As *dsave* scrolls down your screen, watch the construction of the commands that appear. Get a feel for what is happening. The *-b* in the command line makes a bootfile on the new disk; if you forget it, you'll have wasted a lot of time preparing a system disk that doesn't boot.

The *!* is a pipe. Do include all the pipes when using *config* to make a new system if you want to use *dsave* in this fashion. It's the easiest way to use *dsave*.

Sometimes, however, you want to be more selective — to transfer only part of the contents and not the whole shebang. This is difficult for many beginners; let's see if it can be made more comprehensible. First, study the *copy* command, because the essence of *dsave* is *copy*. Let's say you have a file called *Letter.to.Tandy* in the root directory of Drive 0 and you want to copy it to the Drive 1 directory called COCO. Every once in a while you have to gather all your scattered files and organize them into a system, or you will begin to lose items — and that's a real time waster.

If Drive 0 is to be the system disk, you can proceed; but if both disks are data disks, you will need to do a *load copy* before removing the system disk. Type *chd /d1/coco*. It seems easier to copy into rather than out of your working directory, and this command positions you in the receiving directory. In our example, you would type *copy /d0/letter.to.tandy letter.to.tandy*. You need to give the complete pathlist for the file to be copied, because you are not in that directory. You need only the filename — not the pathlist — for the new file, because you are already in that location. You can rename the file in the process simply by substituting the new name for the second repetition. This means you can copy a file into the same directory by renaming it in the process: *copy #20k /d0/letter.to.tandy tandy.jun8.87*, for example. The *#20k* governs the amount of memory used during the transfer.

The next step is to copy several files using the *build* concept. Suppose you need, as I did, to take several files with you into different directories so that your word processor will work correctly. You could call the program you are building *Word.pr* and put it on the system disk in a directory called UTILITIES. Here is an example of such a file:

```
t
tmode .1 -pause
load copy          (remark - if needed)
copy #20k /dg/UTILITIES/tspars tspars
copy #20k /dg/UTILITIES/tsword tsword
copy #20k /dg/UTILITIES/fontctrl fontctrl
copy #20k /dg/UTILITIES/word.icon word.icon
unlink copy
tmode .1 pause
```

When the occasion arises that you need these files in any directory, just change your working directory into the one you want using the *chd* command.

Then type: (space) /d0/utilities/word.pr. Since this is exactly the file that dsave builds when you use that command, you now have done what that command does. One small step further gets you into dsave.

When you use dsave, it sets up all the conditions and commands for you so you won't have to do much typing. Remember, dsave will copy the entire directory you are in and all the directories underneath it unless you use the -1 (that's an "el," for level) option, which limits it to just the level where you are. You must first do a chd inside the directory you want to copy, then dsave /d0 >/d0/copy1. This line presumes that the directory you want to copy is on Drive 0. Your working directory could be anywhere on that Drive 0 disk; all you need for this pathlist is the drive number. The > redirects the output to the file copy1 also on Drive 0. When you get this far, list copy1 and you will see that it follows the same format as the file Word.pr above.

Beware! Another pitfall is coming. If copy is already loaded into memory, you may get an error that may or may not abort the program. I solved this by editing out load copy and unlink

copy before running the second part of dsave. Now, to finish everything up, do a chd to the drive and directory you want the files to be in and type (space) /d0/directory.name/copy1 just like you did for Word.pr above. This time you do need to use the entire pathlist to do a copy1.

You have additional problems if one directory is on a data disk in Drive 1 and the other is also on a data disk, but this time in Drive 0, and there is no system disk. You would leave the system disk in during the first part when dsave is making the transfer program. After that, load into memory all of the commands used in the transfer file before you remove the system disk, and insert the receiving data disk.

### DELDIR and ATTR

If you load deldir into memory to take it with you for use in deleting directories on data disks, you run into the same kind of problem that you had with dsave. deldir calls attr to enable it to make the final deletion of the directory itself. If attr is not in memory also, the program will abort after deleting all the files and before scrubbing the directory name.

### CMDS and Pathlists

Try pressing CTRL-A, which duplicates the previous command to cut down on typing. If you want to type copy #20k /d1/sources/pizza.c pizza.c followed by copy #20k /d1/sources/getput4.c getput4.c, use CTRL-A to print out the second line. Backspace to eliminate the two pizza.cs, and substitute the two getput4.cs. If the pathlist is the same and the command is different, as in list /d1/sources/oldsources/hello.c followed by chd /d1/sources/oldsources/hello.c, type (space) chd and press CTRL-A. You put the space before chd to give that command the same number of letters as list. For Level I you would use CLEAR-A instead of CTRL-A.

Familiarity with these commands makes the OS-9 encounter easy and rather fun, and tames the programming dragons into purring house cats.

(Questions or comments may be directed to the author at 1861 Skiff Court, Toms River, NJ 08753. Please enclose an SASE when requesting a reply.) □

## MLBASIC 2.0 - BASIC Compiler

The wait is over. WASATCHWARE announces the latest version of MLBASIC designed to allow more compatibility with existing BASIC programs than ever available before for the Color Computer. This version also allows full use of the capabilities and memory of the CoCo 3. Written in machine language, MLBASIC can compile programs as large as 64K bytes. Standard floating point (9 digit precision), INTEGER, and String type variables and arrays supported. "MLBASIC is a fine program for any serious programmer," said David Gerald, in the December 1987 *Rainbow*.

### COMMANDS SUPPORTED:

1. I/O commands  
CLOSE CLOADM CSAVEM DIR DRIVE DSKIS DSKOS FIELD  
FILES GET INPUT KILL LSET OPEN PRINT PUT  
RSET USING LINEINPUT
2. Program control commands  
CALL DEFUSR END EXEC FOR NEXT GOSUB GOTO  
IF THEN ELSE ERROR ON RETURN STOP USR
3. Functions  
ABS ASC ATN COS CVN EOF EXP FIX  
HPOINT INSTR INT LEN LOG LPEEK LOC LOF  
PEEK POINT PPOINT RND SGN SIN SQR TAN  
TIMER VAL VARPTR
4. String functions  
CHR\$ INKEY\$ LEFT\$ MID\$ MKN\$ RIGHT\$ STR\$ STRING\$
5. Graphic/Screen commands  
ATTR COLOR CLS CIRCLE DRAW HCOLOR HSCREEN HDRAW  
HLINE HPPOINT HPRINT HRESET HCIRCLE HCLS HSET JOYSTK  
LINE LOCATE PALETTE PAINT PCLEAR PCLS PLAY PMODE  
PRESET PSET RESET SCREEN SET SOUND WIDTH
6. Other commands  
DATA DIM MOTOR POKE LPOKE RESTORE READ REM  
TRON TROFF TAB VERIFY

Plus many more commands not available with regular BASIC which allow interfacing with hardware registers and machine language programs.

**ONLY \$59.95**  
COCO 3 WITH DISK REQUIRED - Add \$4.00 Postage.  
CHECK or MONEY ORDERS only. No C.O.D. or Bank cards.  
Foreign orders use U.S. MONEY ORDERS only.

**WASATCHWARE**  
7350 Nutree Drive  
Salt Lake City, Utah 84121  
Phone (801) 943-1546



## Burke & Burke

P.O. Box 1283 Palatine, IL 60078-1283 (312) 397-2898

### 1988 -- The Year of the Hard Disk!

The CoCo XT hard disk interface from Burke & Burke lets you connect up to 2 low cost, PC compatible 5 - 120 Meg hard drives to your CoCo. You buy the Western Digital WD1002-WX1 or WD1002-27X (RLL) controller, a case and a drive from the PC dealer of your choice. Just plug them into the CoCo XT, and you have a 20 Meg OS9 hard disk system for under \$450!



**CoCo XT** (with anodized housing, 50 page user manual, hard disk back-up utility and drivers for both OS9 & HYPER-I/O) -- \$69.95. **CoCo XT-RTC** (includes real-time clock / calendar with battery backup) -- \$99.95

**NEW!!! XT-ROM** -- Installs in the ROM socket of your CoCo XT hard disk controller. Boots OS9 from your hard disk -- \$19.95.

**64K COCO OR COCO 3 & MULTI-PAK REQUIRED FOR ALL VERSIONS. HYPER-I/O REQUIRED FOR USE WITH RS-DOS.**

### Make Tracks . . .

Got the 35-track floppy disk blues? Burke & Burke's HYPER-I/O program modifies the RS-DOS BASIC in your CoCo 1, 2, or 3 to provide a "Dynamic Disk Interface" that works with the CoCo XT hard disk. It also lets you use any mix of single-sided and double-sided floppy disk drives in your system -- even those 720K floppies!

**HYPER-I/O** (64K, includes 50 page user manual and utilities) -- \$24.95.  
**HYPER-III** (RAM Disk and Print Spooler for CoCo 3 HYPER-I/O) -- \$19.95

### Directory Assistants

Here are two real time savers for OS9 users. **WILD** lets you use wild cards with OS9's commands. **MV** rapidly moves files, and even entire directories, from place to place on your hard or floppy disks. **WILD & MV** -- one disk, two great utilities, only \$19.95!

OS9: wild asm /d0/src/\*.src o=/d1/abs/release/\*.abs  
OS9: mv /d1/abs/release /d1/release



ILLINOIS RESIDENTS PLEASE ADD 7% SALES TAX. COD's add \$2.00. Shipping (within the USA) \$2.00 per CoCo XT; \$1.50 per disk or ROM. Please allow 2 weeks for delivery (overnight delivery also available for in-stock items). Telephone orders accepted.



## KISSable OS-9

# Back at the Drawing Board

By Dale L. Puckett  
Rainbow Contributing Editor

Last month, we gave you a sneak preview of *KISSDrawPut* and discussed several different ways to save the drawings we have been creating. We settled on a method that used graphic objects stored in a special data type. Each object became one element in an array that stored an entire picture. After you finished drawing your picture, you stored your entire picture on a disk with the BASIC09 PUT statement, "PUT #FilePath, Picture".

Because of the size of the *KISSDraw* project, we were unable to publish all of the details in one month. This month, we start the new year by providing those details. You'll find updated listings for *KISSdMenu*, *KISSDrawFill*, *SetUpMouse*, *WhichTool*, *DoEvent*, and the routines you need to draw boxes, lines, circles, ellipses and bars. The heart of our new approach will be found in the tutorial that follows the subhead, "What is a line?" After you have these new procedures running, you will want to pack each of them into BASIC09 i-code modules and then merge them into one file. After you do this, you will be able

to load them into your main OS-9 memory — outside your BASIC09 workspace. This will free memory in your workspace so you can work with the new *KISSDraw* features we hope to present in future columns.

We start by showing you a method of saving your work with an OS-9 pipeline in the procedure *PipeIt* and discussing the pros and cons of an approach that does not lend itself to the job at hand — saving graphics drawing commands on the fly — but is quite appropriate for many other tasks.

Before this month's column is finished, you'll find out how to pass information from one BASIC09 program to another through a pipeline, and we'll show you new ways data structures can make your programs faster and programming easier.

## Building a Pipeline

Several years ago at a Microware seminar, Robert Doggett, one of BASIC09's authors, demonstrated how to create a pipeline from within a BASIC09 program. We wanted to give it a try this month because we thought it might give us a handy way to send the drawing commands put out by *gfx2* to the screen and a disk file at the same time. It worked, but it didn't work. We wound up with a file that could redraw our artwork, but the process slowed down the program. It also created a large file because all of the mouse movement and PUT cursor commands were being recorded also. Additionally, because of the way OS-9 expands its files, we wound up with extra garbage at the end

of the file that doesn't add any aesthetic appeal when you reload. We decided to take a different approach.

We list the procedure *PipeIt* here, however, because we think you will find it handy in many other BASIC09 programs you're writing. *PipeIt* requires four parameters — two of type byte and two of type string. The first byte holds the path number of the pipe it creates and the second holds the standard path. The strings hold the name of the program module you want to pipe data to and any parameters required by that program.

We called *PipeIt* with the lines shown below. Since essentially all of *KISSDraw*'s output to the screen takes place in the procedure *DoEvent*, we ran *PipeIt* to open up a pipeline to the OS-9 utility program *tee*, redirected the output of our drawing routines to this pipeline and then ran *DoEvent*. After *DoEvent* draws a bar, box, etc., on the screen, it returns and we once again redirect *KISSDraw*'s output to the screen.

The *tee* process started by *PipeIt* opens up a file named *testout* to receive the drawing data. After you exit *KISSDraw*, you can redisplay your artwork by merging the file *testout* to the screen by typing *merge testout*.

When we ran this test, we added a byte field named *Pipe* in the *KISSDraw* data type named *Stats* and added a byte named *OutPut* in the data type named *cursor*. We also did a global edit of all *gfx2* commands in *KISSDraw* so that each command contained the name of an output path.

---

*Dale L. Puckett, who is author of The Official BASIC09 Tour Guide and co-author, with Peter Dibble, of The Complete Rainbow Guide to OS-9, is a free-lance writer and programmer. He serves as director-at-large of the OS-9 Users Group and is a member of the Computer Press Association. Dale is a U.S. Coast Guard lieutenant and lives in Rockville, Maryland.*

For example, Run gfx2("clear") became Run gfx2(ButtonEvent.Pointer.OutPut,"clear").

We also added the statements shown in Table 1 at the start of *KISSDraw*:

File PipeIt away in your bag of BASIC09 tricks.

If you decide to continue to use gfx2 commands in your version of *KISSDraw* instead of following us into the wonderful world of graphic objects, here's an alternative to PipeIt. Rewrite each of the procedures that output a graphic object, repeating the line that outputs the final object twice. We personally don't like this approach since it violates the concept of consolidating all the output from a program in one place.

If you use this approach, the first line will go to your screen on the standard output path like it does now. The second line uses the optional path number. You will also need to put the second line in an IF-THEN-ENDIF statement that sends the output only if the Event.Status.RecordOn flag is true. At the same time you set this flag — probably in a procedure named SavePix — you must also open an output file and store its path number in Event.Pointer.OutPut. Here's how the first and second lines would look:

```
RUN gfx2("box",Horiz,Vert)
If Event.Status.RecordOn THEN
  RUN gfx2(Event.Pointer.
    OutPut,"box",Horiz,Vert)
ENDIF
```

### We Call it KISSDrawPut

During the testing we renamed the *KISSDraw* procedure and file so we could keep them separate from all other versions on our disks. The "Put" comes from the fact that we now use the BASIC09 PUT statement rather than the gfx2 command to display an object on the screen.

There were several reasons we wanted to try this approach. First, we guessed that the program would run much faster. It did. We were pretty sure it would make the job of saving our drawings in a disk file easier and much faster. We also thought the increased speed would be impressive when we were ready to redisplay our work by loading a picture from disk. We were right! And finally, we thought it would allow us to edit objects in our drawings later. We haven't gotten that far yet, but we're sure it will.

Much of the increased speed comes from the fact that when you use the

```
DIM MyProgram:STRING[4]
DIM MyParams:STRING[8]
DIM Pipeline: BYTE
DIM StdPath:BYTE
ButtonEvent.Pointer.OutPut:=1
StdPath :=0
MyProgram:="tee"
MyParams:="testout"
```

Here is the calling code:

```
Run PipeIt(Pipeline,StdPath,MyProgram,MyParams)
ButtonEvent.Status.Pipe:=Pipeline
Run DoEvent(ButtonEvent)
ButtonEvent.Pointer.OutPut:=1
```

Table 1

### Listing 1: PipeIt

```
PROCEDURE PipeIt
0000 (* Creates a pipe to send output of KISSDraw to a Tee filter
003C
003D TYPE rodent=Vld,Act,ToTm:BYTE; X1:INTEGER; TTto:BYTE; TSst:
INTEGER; CBSA,CBSB,CCTA,CCTB,TTSA,TTSB,TLTA,TLTB:BYTE
; X2,BDX,BDY:INTEGER; Stat,Res:BYTE; AcX,AcY,WRX,WRX:
INTEGER
00AE
00AF TYPE stats=event,InWindow,InToolBox,InMenuBar,line,box,circle
,ellipse,bar,arc,fill,text,freehand,RecordOn:BOOLEAN; XXX
,YYY:BYTE; ZZZ:STRING[4]; WWW:STRING[40]
010E
010F TYPE cursor=OutPut,Scale,ScreenType,NoCur,arrow,pencil,cross
,hourglass,NoIcon,TextBar,Scross,Icon,IconBuff,pattern
,horzline,vertline,slantright,slantleft,dots:BYTE
0162
0163 TYPE packet=mouse:rodent; status:stats; pointer:cursor
0180
0181 TYPE Registers=CC,A,B,DP:BYTE; X,Y,U:INTEGER
01A6
01A7 PARAM Pipeline:BYTE
01AE PARAM StdPath:BYTE
01B5 PARAM Module:STRING[4]
01C1 PARAM Params:STRING[8]
01CD DIM Regs:REgisters
01D6 DIM Program:STRING[4]
01E2 DIM Parameter:STRING[8]
01EE DIM SavePath,SysDup,SysFork:BYTE
01FD
01FE Program:=Module+CHR$(13)
020A Parameter:=Params+CHR$(13)
0216 SysFork=$03
021E SysDup=$82
0226 CREATE #Pipeline,"/Pipe":UPDATE
0236 Regs.A:=StdPath
0242 RUN SysCall(SysDup,Regs)
0251 SavePath:=Regs.A
025C CLOSE #StdPath
0262 Regs.A:=Pipeline
026E RUN SysCall(SysDup,Regs)
027D Regs.A=0
0288 Regs.B=0
0293 Regs.X:=ADDR(Program)
02A1 Regs.Y:=LEN(Parameter)
02AE Regs.U:=ADDR(Parameter)
02BC RUN SysCall(SysFork,Regs)
02CB CLOSE #StdPath
02D1 Regs.A:=SavePath
02DD RUN SysCall(SysDup,Regs)
02EC CLOSE #SavePath
```

BASIC09 GET and PUT statements, no *conversion* of data is needed. An exact copy of the bytes that make up a data type in memory are sent to the output path. It doesn't make any difference what the data type looks like. Let's look at the data types in KISSDrawPut. If you're new to this approach, you may think it's magic.

### What Is a Line?

Let's start with a line. To draw an object that looks like a line we need a tool — a pen perhaps. For now, we'll assume the line will start where the pen is resting. It will run to another location on the screen, which can be defined by a horizontal and vertical pixel address. The first thing we need, then, is a data type definition for this object we call a line. Since we know that we are going to want to do the same thing with bars, boxes and circles, etc., we'll keep our definition generic. We defined a data type named object:

```
TYPE object=DCode,HorP,VerP:
INTEGER
```

With BASIC09, after we define a new data type, we must reserve a place in memory to store it. We use the DIM statement to do this. Let's call our new variable pen. That seems like a good metaphor since we often draw with a pen in the real world.

```
DIM pen:object
```

We now have a place to store a pen that we can use to draw a line. To use it we must define our line and initialize it in memory. Within OS-9 all of the drawing primitives are defined by the escape code, ASCII \$1B, followed by an additional byte. To put a line on the screen, we must send \$1B followed by \$44. In OS-9 speak, that means \$1B44 is a line. It may not look like it, but it is. Let's proceed:

```
pen.DCode:=$1B44
pen.HorP:=100
pen.VerP:=50
```

We now have a line stored in a memory variable named pen waiting to happen. To make it happen, we must put it on the screen:

```
PUT #1, pen
```

That's all there is to it. Now, what will we need if we want to redraw that same line later? It appears that the only thing

### Listing 2: KISSdMenu

```
PROCEDURE KISSdMenu
0000  (* Procedure to draw 'tools' menu bar on screen
0030
0031  TYPE rodent=Vld,Act,ToTm:BYTE; X1:INTEGER; TTto:BYTE; TSSt:
      INTEGER; CBSA,CBSB,CctA,CctB,TTSA,TTSB,TLA,TLB:BYTE
      ; X2,BDX,BDY:INTEGER; Stat,Res:BYTE; AcX,AcY,WRX,WRY:
      INTEGER
00A2
00A3  TYPE stats=IsEvent,InWindow,InToolBox,InMenuBar,line,box,circle
      ,ellipse,bar,arc,fill,text,freehand,RecordOn:BOOLEAN
00E2
00E3  TYPE cursor=OutPut,Scale,ScreenType,NoCur,arrow,pencil,cross
      ,hourglass,NoIcon,TextBar,Scross,Icon,IconBuff,pattern
      ,horzline,vertline,slantright,slantleft,dots:BYTE
0136
0137  TYPE codes=DArc,DBar,DBox,DCircle,DEllipse,DLine,DPoint,DFill
      ,DSetPtr,DPutCur,DSetCur,DLogic,DPattern:INTEGER
0172
0173  TYPE object=DCode,HorP,VerP:INTEGER
0186
0187  TYPE orgin=DPSCode,HanX,HanY
0198
0199  TYPE packet=mouse:rodent; status:stats; pointer:cursor; Code
      :codes; Pen:object; Handle:orgin
      PARAM Event:packet
01CE
01CF
01D8
01D9
01E0
01F5
0208
0209  (* We'll draw an outline of the menu bar first
0237
0238  Event.Pen.DCode:=Event.Code.DSetPtr
024D
025B
0269  PUT #1,Event.Pen
0276
0277  Event.Pen.DCode:=Event.Code.DBox
028C
029A
02A8
02B5
02B6  (* Now we need to fill in the individual boxes
02E4  FOR vert=22 TO 178 STEP 12
02F9    Event.Pen.DCode:=Event.Code.DSetPtr
030E    Event.Pen.HorP:=10
031C    Event.Pen.VerP:=vert
032B    PUT #1,Event.Pen
0338
0339    Event.Pen.DCode:=Event.Code.DLine
034E    Event.Pen.HorP:=40
035C    Event.Pen.VerP:=vert
036B    PUT #1,Event.Pen
0378  NEXT vert
0383
0384  (* Now we'll add the icons
039E  (* First, an Icon that means 'Draw a Line'
03C8
03C9  Event.Pen.DCode:=Event.Code.DSetPtr
03DE  Event.Pen.HorP:=12
03EC  Event.Pen.VerP:=20
03FA  PUT #1,Event.Pen
0407  Event.Pen.DCode:=Event.Code.DLine
041C  Event.Pen.HorP:=38
042A  Event.Pen.VerP:=12
0438  PUT #1,Event.Pen
```

```

0445
0446      (* Now an Icon for a Box
045E      Event.Pen.DCode:=Event.Code.DSetPtr
0473      Event.Pen.HorP:=14
0481      Event.Pen.VerP:=24
048F      PUT #1,Event.Pen
049C      Event.Pen.DCode:=Event.Code.DBox
04B1      Event.Pen.HorP:=36
04BF      Event.Pen.VerP:=32
04CD      PUT #1,Event.Pen
04DA
04DB      (* A Circle is our next Icon
04F7
04F8      Event.Pen.DCode:=Event.Code.DSetPtr
050D      Event.Pen.HorP:=25
051B      Event.Pen.VerP:=40
0529      PUT #1,Event.Pen
0536      Event.Pen.DCode:=Event.Code.DCircle
054B      Event.Pen.HorP:=8
0559      Event.Pen.VerP:=0
0567      PUT #1,Event.Pen
0574
0575
0576      (* Now we need an icon for an ellipse
059B      Event.Pen.DCode:=Event.Code.DSetPtr
05B0      Event.Pen.HorP:=25
05BE      Event.Pen.VerP:=52
05CC      PUT #1,Event.Pen
05D9      Event.Pen.DCode:=Event.Code.DEllipse
05EE      Event.Pen.HorP:=12
05FC      Event.Pen.VerP:=3
060A      PUT #1,Event.Pen
0617
0618      (* Now, an icon for a Bar
0631      Event.Pen.DCode:=Event.Code.DSetPtr
0646      Event.Pen.HorP:=14
0654      Event.Pen.VerP:=61
0662      PUT #1,Event.Pen
066F      Event.Pen.DCode:=Event.Code.DBar
0684      Event.Pen.HorP:=36
0692      Event.Pen.VerP:=67
06A0      PUT #1,Event.Pen
06AD
06AE      (* An Icon for an Arc is next
06CB      RUN gfx2("arc",25,76,7,4,-14,-8,18,14)
06F0
06F1      (* Now we'll fake a spray can
070E      RUN gfx2("box",21,86,29,93)
0725      RUN gfx2("bar",24,84,26,86)
073C      RUN gfx2("line",26,84,34,82)
0754      RUN gfx2("line",26,84,38,84)
076C      RUN gfx2("line",26,84,34,85)
0784
0785      (* We'll let the Letter 'T' be an icon
07AB      (* to represent typing text
07C6      RUN gfx2("curxy",3,12)
07D9      PRINT "T";
07DF
07E0      (* For a freehand icon, we'll use two
0806      (* crossed arcs
0815      RUN gfx2("arc",20,114,7,4,-14,-8,18,4)
083A      RUN gfx2("arc",30,110,7,4,14,8,-18,-4)
085F
0860      (* Now we'll give you five fill
087F      (* patterns to choose from
0899      (* Large Dots First
08AC      RUN gfx2("pattern",204,8)
08C1      RUN gfx2("fill",25,125)
08D3      (* Followed by horizontal lines
08F2      RUN gfx2("pattern",204,3)
0907      RUN gfx2("fill",25,135)
0919      (* Now we'll use vertical lines
0938      RUN gfx2("pattern",204,2)
094D      RUN gfx2("fill",25,146)
095F      (* and left slanted lines
0978      RUN gfx2("pattern",204,5)
098D      RUN gfx2("fill",25,156)
099F      (* and finally right slanted lines
09C1      RUN gfx2("pattern",204,6)
09D6      RUN gfx2("fill",25,172)
09E8      (* You must always return to a solid pattern

```

missing is the starting location. We'll name our new data type `origin`. We'll name the memory location where we store it `handle`:

```

TYPE origin=DPSCode,HanX,HanY:
INTEGER
DIM Handle:origin

```

The data field named `DPSCode` holds the OS-9 code required to position the data pointer on your screen, `$1B40`. The fields, `HanX` and `HanY` store the starting location of our line. Let's define the starting point of a new line:

```

Handle.DPSCode:=$1B40
Handle.HanX:=0
Handle.HanY:=0

```

We can now redraw our line with two lines of code.

```

PUT #1, Handle
PUT #1, Pen

```

But that's too complicated. Why don't we design a new data type to hold the starting location, the pen and the end point of our line. Since the two lines above drew a line on the screen when we ran them, `Drawing` seemed like a natural name for our new data type. Here's what it will look like:

```

TYPE Drawing=Loc:origin; tool:
object

```

We named the field containing the starting point `Loc` — short for location since that is what it contains. Likewise, we called the field that will hold our pen a `tool`. Think of it this way: a pen in motion — at least in the right hands — is a `tool`.

Now that we have defined most of the objects we'll be drawing on the screen, we need a place to store our artwork. We'll exercise a small bit of artistic license and call it a `Picture`. In your Color Computer it is really an array of drawing(s).

```

DIM Picture(100):Drawing

```

This statement will reserve 1,200 bytes of memory for a picture made up of up to 100 individual objects. Now, here's the magic. What do you think you

will need to do to display your picture again? You guessed it — one line will do it:

```
PUT #1, Picture
```

Likewise, you can save that same picture in a disk file with one statement:

```
PUT #PixFile, Picture
```

Therein lies the basis for the *SavePix* and *LoadPix* modules from last month. At this point in the *KISSDraw* evolution, when you load a picture you have saved earlier, it is written into the array named *Picture* over the top of any drawings you may have already drawn during the session.

The next step will be to cause the *LoadPix* routine to add the new objects from the file after the last object is already in the picture. To do this, we will need to get one drawing at a time from the file. We can then store it as the next "drawing" in our new combined "picture" and put it on the screen. We are going to need to take this approach anyway because the data type drawing cannot hold all of the objects we presently create with *KISSDraw*.

We can store bars, boxes, circles, ellipses and lines. We cannot store arcs, text, our freehand drawings or a patterned fill. To store these additional objects permanently, we'll need to define a new data structure for each. Then, we'll place a flag in the *DPSCode* byte of the handle to each drawing object that cannot be completed with one of the standard tools.

If that flag is set when we get the drawing out of a picture array or a file, we'll read an additional field in *Handle* that will tell us what to do to draw the oddball object. We'll put these additional parts of the picture — objects defined with nonstandard data types —

```

GA14      (* before you try to draw again
GA33      RUN gfx2("pattern",g,g)
GA48
GA49      (* Now we'll draw a menu bar across the top of the screen
GA82      (* Initially, we'll only put a 'file' menu on it.
GAB3
GAB4      Event.Pen.DCode:=Event.Code.DSetPtr
GAC9      Event.Pen.HorP:=g
GAD7      Event.Pen.VerP:=g
GAE5      PUT #1,Event.Pen
GAF2      Event.Pen.DCode:=Event.Code.DBar
GBG7      Event.Pen.HorP:=639
GB16      Event.Pen.VerP:=8
GB24      PUT #1,Event.Pen
GB31
GB32      RUN gfx2("curxy",1g,g)
GB45      RUN gfx2("revon")
GB52      PRINT "File ";
GB5C      RUN gfx2("revooff")
GB6A      END
GB6C

```


### Listing 3: KISSDrawFill

```

PROCEDURE KISSDrawFill
  gggg      (* Procedure to fill an area of the
  gg23      (* screen with a pattern selected
  gg44      (* with the high resolution mouse
  gg65
  gg66      TYPE rodent=Vld,Act,ToTm:BYTE; X1:INTEGER; TTTo:BYTE; TSSt:
               INTEGER; CBSA,CBSB,CCtA,CCtB,TTSA,TTSB,TLA,TLB:BYTE
               ; X2,BDX,BDY:INTEGER; Stat,Res:BYTE; AcX,AcY,WRX,WRX:
               INTEGER
  ggD7
  ggD8      TYPE stats=IsEvent,InWindow,InToolBox,InMenuBar,line,box,circle
               ,ellipse,bar,arc,fill,text,freehand,RecordOn:BOOLEAN
  g117
  g118      TYPE cursor=OutPut,Scale,ScreenType,NoCur,arrow,pencil,cross
               ,hourglass,NoIcon,TextBar,Scross,Icon,IconBuff,pattern
               ,horzline,vertline,slantright,slantleft,dots:BYTE
  g16B
  g16C      TYPE codes=DArc,DBar,DBox,DCircle,DEllipse,DLine,DPoint,DFill
               ,DSetPtr,DPutCur,DSetCur,DLogic,DPattern:INTEGER
  g1A7
  g1A8      TYPE object=DCode,HorP,VerP:INTEGER
  g1BB
  g1BC      TYPE orgin=DPSCode,HanX,HanY
  g1CD
  g1CE      TYPE packet=mouse:rodent; status:stats; pointer:cursor; Code
               :codes; Pen:object; Handle:orgin
  g2g3
  g2g4      PARAM Event:packet
  g2gD
  g2gE      DIM pointers,patternset:BOOLEAN

```

## COCO 3 0S-9 HARDWARE UPGRADES



**The PLUS 100 — The PREMIER 512K  
Memory Expansion for the COCO 3.**

Brochures and price list available on request.

## DISKMASTER Disk Drive Systems Absolutely Without Equal in the COCO World!

- 20 MB SCSI Hard Drive
- 1 MB High Speed Floppy Drive
- Hardware Real Time Clock with Battery Backup
- 3 Hardware Serial Ports
- Bi-Directional Centronics Compatible Parallel Port
- Sophisticated 0S-9 Drivers by D. P. JOHNSON
- RAMDISK options up to 1.5 MB
- Expansion Port for additional Floppy Drives
- Single Cable Interface to COCO 3
- A VERY HIGH PERFORMANCE, 4 Station, Multi-User System can easily be assembled using a DISKMASTER System.

### TMM/HEMPHILL ELECTRONICS, INC

4480 Shopping Lane

Simi Valley, CA 93063

(805) 581-0885

(Mon. thru Thurs., 1:30 to 4:30 PM Pacific Time)

```

0219
021A      patternset:=FALSE
0220      pointers:=FALSE
0226
0227      (* First, we must select the pattern we want to fill with
0260      (* This means we must point to it
0281
0282      WHILE NOT(patternset) DO
028C          REPEAT
028E              RUN getKISSMouse(Event)
0298              IF Event.mouse.AcX<40 THEN
02AA                  pointers:=TRUE
02B0                      RUN gfx2("gcset",Event.pointer.IconBuff,Event.pointer.arrow
                                )
02D3          ELSE
02D7              pointers:=FALSE
02DD          RUN gfx2("gcset",Event.pointer.IconBuff,Event.pointer.NoIcon
                                )
0300      ENDIF
0302      UNTIL Event.mouse.CBSA<0 OR Event.mouse.CCtA<0
0320
0321      IF pointers THEN
032A          IF Event.mouse.AcY>118 AND Event.mouse.AcY<130 THEN
0349              RUN gfx2("pattern",204,8) \patternset:=TRUE \REM Large Dots
0371          ELSE IF Event.mouse.AcY>130 AND Event.mouse.AcY<142 THEN

0393              RUN gfx2("pattern",204,3) \patternset:=TRUE \REM Horizontal lines
03C1          ELSE
03C5              IF Event.mouse.AcY>142 AND Event.mouse.AcY<154 THEN

03E4              RUN gfx2("pattern",204,2) \patternset:=TRUE \REM Vertical lines
0410          ELSE
0414              IF Event.mouse.AcY>154 AND Event.mouse.AcY<166 THEN

0433              RUN gfx2("pattern",204,6) \patternset:=TRUE \REM
                                Right Slanted Lines
0464          ELSE
0468              IF Event.mouse.AcY>166 THEN
047A                  RUN gfx2("pattern",204,5) \patternset:=TRUE \REM
                                Left Slanted Lines
04AA          ELSE
04AE              RUN gfx2("pattern",0,0) \REM make sure pattern is solid
04E0                  patternset:=FALSE
04E6              ENDIF
04E8              ENDIF
04EA              ENDIF
04EC              ENDIF
04EE              ENDIF
04F0              ENDIF
04F2          ENDWHILE
04F6
04F7      (* We have the pattern now
0511      (* Let's do actual fill
0528
0529      REPEAT
052B          RUN getKISSMouse(Event)
0535

```

out to the file immediately after the main part of the picture. We should still be able to put all of our artwork in a file with one line of code. We'll just need to get it out one drawing at a time. At least that's the present theory. Hopefully, the next brick wall we run into won't be too strong.

## Other News

We have received several care packages from Steve Goldberg during the past month. Included was a slick directory sorting utility. We'll try to get some more of his work published soon.

Bob Rosen at Spectrum Projects, P.O. Box 264, Howard Beach, NY 11414, also sent several disks. He's offering a new RAM disk package for a 512K Color Computer 3. The package was written by Denny Skala, who has contributed several programs to this column during the past several years, and includes drivers for both Level I and Level II OS-9.

With Level II you can choose between device descriptors that give you 64K, 128K, 192K or 256K of RAM disk. It even includes an option that makes an attempt at recovering the information in your RAM disk after a system crash. That's handy! A Dup utility supplied with the RAM disk program is designed to replace the standard Microware/Tandy BackUp program — except the two disks do not need to be formatted identically with Rosen's package. Dup is provided to give you a quick way to transfer an entire RAM disk to a floppy disk and vice versa, regardless of the format of either. All in all, it's quite a bargain at \$29.95.

Rosen also has a handy *Fastdupe* program that can format and back up your OS-9 Level II disks — up to four drives at a time — in less than five minutes. It's good to see companies like Spectrum supporting OS-9 Level II. □

## OS-9™ SOFTWARE/HARDWARE

**SDISK**—Standard disk driver module allows the full use of 35, 40 or 80 track double sided disk drives with COCO OS-9 plus you can read/write/format the OS-9 formats used by other OS-9 systems. (Note: you can read 35 or 40 track disks on an 80 track drive). Now updated for OS-9 ver. 02.00.00 **\$29.95**

**SDISK + BOOTFIX**—As above plus boot directly from a double sided diskette **\$35.95**

**L1 UTILITY PAK**—Contains all programs from Filter Kits Nos. 1 & 2 plus Hacker's Kit #, plus several additional programs. Over 35 utilities including "wild card" file cmds, MacGen command language, disassembler, disk sector edit and others. Very useful, many of these you will find yourself using every time you run your system. These sold separately for over \$85. **\$49.95**

**SKIO**—Hi res screen driver for 24 x 51 display; does key click, boldface, italics; supports upgraded keyboards and mouse. With graphics screen dump and other useful programs. **Now UPDATED FOR OS-9 Ver 2.0 \$29.95**

**PC-XFER UTILITIES**—Utilities to read/write and format ss MS-DOSTM diskettes on CoCo under OS-9. **\$45.00 (requires SDISK)**

**CCRD 512K Byte RAM DISK CARTRIDGE**—Requires RS Multipak interface, two units may be used together for 1MB RAM disk. Addressing is switch selectable. **OS-9 level 1 and 2 driver and test software included. \$169.00**

All disk prices are for CoCo OS-9 format; for other formats, specify and add \$2.00 each. Order prepaid or COD, VISA/MC accepted, add \$1.50 S&H for software, \$5.00 for CCRD; actual charges added for COD.

**D.P. Johnson, 7655 S.W. Cedarcrest St.  
Portland, OR 97223 (503) 244-8152**

(For best service call between 9-11 AM Pacific Time)

OS-9 is a trademark of Microware and Motorola Inc.  
MS-DOS is a trademark of Microsoft, Inc.

# OS-9 — Catch the Wave (But Read the Manual!)

By Cray Augsburg  
Rainbow Technical Editor

**B**ecause of the recent emphasis on OS-9 throughout the CoCo Community, many people have decided to "get their feet wet." But this decision has often yielded soggy results.

Beginners become confused and feel quite overwhelmed by the intellectual "requirements" OS-9 places on the user. Most of these people have used Disk BASIC with their CoCos for some time and have become accustomed to the limited system control it allows. Many CoCoists have been able to sidestep these limitations and find unique ways to perform specific tasks. Others just accept what they see.

Why has the need to learn about OS-9 suddenly become a major force throughout the Community? The power and flexibility of OS-9 are often touted to non OS-9 users. Wherever you turn you hear that OS-9 is the wave of the future. People are jumping to learn all they can for fear of falling behind.

Personally, I feel OS-9 presents a very important option for Color Computer owners as well as users of other systems. Call it a gateway to knowledge, if you will. However, such knowledge does not come about without some struggle. We receive many calls from OS-9 newcomers that bring this point home daily.

The purpose of this article is to address some of the problems most frequently encountered by beginners in their attempts with OS-9 and to provide clarification to the new OS-9 user. Notice that I use the word "clarification." Although I understand OS-9, I realize the documentation that accompanies it sometimes seems vague and is often difficult to follow. Yet, there is no substitution for reading the manual. It bothers me to answer basic questions with, "Here is the answer, but you could have found it on Page such-and-such of the manual." Mind you, I am not saying you shouldn't ask questions. However, I sometimes feel that people try to take the easy way out. They avoid the manual and, therefore, avoid learning the process by which they can help themselves.

I am not an OS-9 "expert." I am just someone who has opened his mind to learning. In some ways, I will always consider myself a beginner. But I have surmounted each problem that has stood in my way. When I learned OS-9, I had no one to turn

```

0536 IF Event.mouse.AcX<40 OR Event.mouse.AcY<10 THEN
0555 RUN gfx2("gcset",Event.pointer.IconBuff,Event.pointer.arrow
)
0578 ELSE
057C RUN gfx2("gcset",Event.pointer.IconBuff,Event.pointer.Scroll
)
059F ENDIF
05A1 UNTIL Event.mouse.CBSA<>0 AND Event.mouse.AcX>40
05A2
05C0 Event.Pen.DCode:=Event.Code.DSetPtr
05C1 Event.Pen.HorP:=Event.mouse.AcX
05D6 Event.Pen.VerP:=Event.mouse.AcY
05EB PUT #1,Event.Pen
0600 Event.Pen.DCode:=Event.Code.DFill
0622 Event.Pen.HorP:=0
0630 Event.Pen.VerP:=0
063E PUT #1,Event.Pen
064B REM We must always reset to solid pattern
0673 RUN gfx2("pattern",Event.pointer.NoCur,Event.pointer.NoCur)

0698 END
069A

```

## Listing 4: SetUpMouse

```

PROCEDURE SetUpMouse
0000 (* This procedure uses the program 'SysCall' to
002F (* do a set status call which sets up OS-9 to treat
0062 (* the Color Computer Mouse as a high resolution device
0099 (* using the right joystick port. Because, this change is
00D3 (* systemwide, another program using the mouse later would
010D (* also need to know how to use the optional high
013F (* resolution mouse adapter.

015B
015C (* Since this set status call is also used to change the
0194 (* key repeat start constant and delay speed, it tells
01CA (* OS-9 to leave those parameters unchanged.

01F6 TYPE registers=cc,a,b,dp:BYTE; x,y,u:INTEGER
021C
021D DIM regs:registers
0226 DIM callcode:BYTE
022D
022E (* Now set up the mouse parameters
0250
0251 regs.a:=0
025C regs.b:=94
0268 regs.x:=0101
0274 regs.y:=FFFF
0280 callcode:=8E
0288
0289 RUN syscall(callcode,regs)
0298
0299 END
029B
029C

```


## Listing 5: WhichTool

```

PROCEDURE WhichTool
0000 (* Procedure to determine which tool
0024 (* artist wants to draw with
0040
0041 TYPE rodent=Vld,Act,ToTm:BYTE; X1:INTEGER; TTto:BYTE; TSst:
INTEGER; CBSA,CBSB,CCTA,CCTB,TTSA,TTSB,TLTA,TLTB:BYTE
; X2,BDX,BDY:INTEGER; Stat,Res:BYTE; AcX,AcY,WRX,WRY:
INTEGER
00B2
00B3 TYPE stats=IsEvent,InWindow,InToolBox,InMenuBar,line,box,circle
,ellipse,bar,arc,fill,text,freehand,RecordOn:BOOLEAN
00F2
00F3 TYPE cursor=OutPut,Scale,ScreenType,NoCur,arrow,pencil,cross

```

# FHL Introduces Two New OS9 Computers



## QT 20xr

The **QT 20xr** is our new high capacity, high speed series of 68020 based computers. Housed in a rack mountable heavy duty chassis, the **QT 20xr** series is built for speed. All systems feature the 16 Mhz MC 68020 with math coprocessor option. DMA on all drives. Expandable to 14 1/2 Megabytes of RAM and more than 30 users. All systems include the OS9 Professional Operating System with the 68020 C compiler, Basic plus backup and communications packages.

### System #1 features;

- 85 Meg high speed drive
- 2 1/2 Megabytes of RAM
- 10 Serial ports (users)
- 4 Terminals and all cables.
- \$8,995.00**

### System #2 features;

- 280 Meg very high speed drive
- Streaming tape backup
- 14 1/2 Megabytes of RAM
- 30 Serial ports (users)
- 20 Terminals and all cables
- \$28,995.00**

The **QT 20xr** computers are custom made to order. Write or call for a quote on other configurations. Terms prepaid, delivery is 4 to 6 weeks average.



## QT 00x

The **QT 00x** (double oh x) is our new 68000 based computer. The **QT 00x** has 8 serial ports (users), 3 parallel ports, a 30 megabyte hard disk, a 720K floppy drive, 1024K RAM, and a real time battery backed clock. In addition to all this the case will support 4 Half Height drives and other new boards now available. All of the above for;

**only \$2995!**

Lest we forget, we also include the *OS9 Professional Operating System* with umacs screen editor, assembler and all the utilities. If that's not enough, we also include the *Unix V* compatible *C* compiler and *Basic!* We also include floppy disk backup and communications software.

You have your choice of 3.5" or 5.25" drives. Other hard drive sizes are also available, as well as tape backup systems.

If you've been waiting for the right reason to move up to *OS9/68000* and the *MC68000* then this has got to be it. No other system offers so much for so little. Call to order or for more information **TODAY!!!**

Frank Hogg Laboratory, Inc.  
770 James St., Syracuse, NY 13203  
Telex 646740 - FAX 315/474-8225  
**315/474-7856**

to for answers. I learned how and why OS-9 does what it does through a lot of head-scratching and, most of all, from reading the manual.

OK. I'll get off my soapbox now and look at some common problems. I'll try to cover only the pertinent aspects of OS-9 as they relate to the CoCo and the CoCo Community. Keep in mind, however, that OS-9 is available for other computer systems. It was available for some of these systems before it was available for the CoCo. We are not the first people to utilize OS-9, and OS-9 was not written just for the Color Computer.

OS-9 beginners are often confused about what OS-9 is, exactly. To set the record straight, OS-9 is an *operating system*. It is *not* a language. We write programs in languages such as assembly, BASIC and C. We do not write programs in OS-9.

In general, OS-9 is a group of programs that allow us to communicate with the CoCo. These programs, which perform many other tasks, also allow the CoCo to communicate with its peripherals (disk drives, printers, etc.) in an effort to make our communication with the system easier and more productive and enjoyable. We can write programs in many computer languages while in this OS-9 environment, and compile and execute them there. But it is important to understand that OS-9 is the *environment*, not the language or compiler.

There is still some confusion about which version/level of OS-9 works on which CoCo. OS-9 is available for the CoCo in two different levels. Level I was the first level available for the CoCo Community. It was designed to run on the CoCo 1 and CoCo 2. OS-9 Level II was designed to operate on the CoCo 3, and to take advantage of its enhanced abilities. The major differences between Level I and Level II are windows and memory management.

OS-9 Level I has limited graphics support and does not include built-in windows. Level I is also designed for a computer system containing only 64K of addressable RAM. Level II includes enhanced support for graphics. It also allows the creation of windows, which enables the user to set up several "mini-terminals," each running a different task, all on the same screen. Finally, Level II on the CoCo 3 supports 512K memory. This is accomplished via software/hardware "trickery" and is not really all that complicated. While it may be wise to have some understanding of this process, it is not something the user must constantly be aware of.

It is possible to use OS-9 Level I on the CoCo 3. However, the only version that will directly boot on the CoCo 3 is Version 2.00.00. This version of Level I is available through Radio Shack Computer Centers as an upgrade to the OS-9 package and costs \$24.95. It does not offer the windowing environment and will not support anything more than 64K of RAM in your CoCo 3.

The aspect of OS-9 (levels I and II) that seems to trip up beginners most often is directory structure. OS-9 uses what is

```
,hourglass,NoIcon,TextBar,Scross,Icon,IconBuff,pattern
,horzline,vertline,slantright,slantleft,dots:BYTE
0146
0147 TYPE codes=DArc,DBar,DBox,DCircle,DEllipse,DLine,DPoint,DFill
,DSetPtr,DPutCur,DSetCur,DLogic,DPattern:INTEGER
0182
0183 TYPE object=DCode,HorP,VerP:INTEGER
0196
0197 TYPE orgin=DPSCode,HanX,HanY:INTEGER
01AA
01AB TYPE packet=mouse:rodent; status:stats; pointer:cursor; Code
:codes; Pen:object; Handle:orgin
01E0
01E1 PARAM Event:packet
01EA
01EB IF Event.mouse.AcY>10 AND Event.mouse.AcY<22 THEN
020A Event.status.line:=TRUE
0217 END
0219 ELSE
021D Event.status.line:=FALSE
022A ENDIF
022C
022D IF Event.mouse.AcY>22 AND Event.mouse.AcY<34 THEN
024C Event.status.box:=TRUE
0259 END
025B ELSE
025F Event.status.box:=FALSE
026C ENDIF
026E
026F IF Event.mouse.AcY>34 AND Event.mouse.AcY<46 THEN
028E Event.status.circle:=TRUE
029B END
029D ELSE
02A1 ENDIF
02A3
02A4 IF Event.mouse.AcY>46 AND Event.mouse.AcY<58 THEN
02C3 Event.status.ellipse:=TRUE
02D0 END
02D2 ELSE
02D6 Event.status.ellipse:=FALSE
02E3 ENDIF
02E5
02E6 IF Event.mouse.AcY>58 AND Event.mouse.AcY<70 THEN
0305 Event.status.bar:=TRUE
0312 END
0314 ELSE
0318 Event.status.bar:=FALSE
0325 ENDIF
0327
0328 IF Event.mouse.AcY>70 AND Event.mouse.AcY<82 THEN
0347 Event.status.arc:=TRUE
0354 END
0356 ELSE
035A Event.status.arc:=FALSE
0367 ENDIF
0369
036A IF Event.mouse.AcY>82 AND Event.mouse.AcY<94 THEN
0389 Event.status.fill:=TRUE
0396 END
0398 ELSE
039C Event.status.fill:=FALSE
03A9 ENDIF
03AB
03AC IF Event.mouse.AcY>94 AND Event.mouse.AcY<106 THEN
03CB Event.status.text:=TRUE
03D8 END
03DA ELSE
03DE Event.status.text:=FALSE
03EB ENDIF
03ED
03EE IF Event.mouse.AcY>106 AND Event.mouse.AcY<118 THEN
040D Event.status.freehand:=TRUE
041A END
041C ELSE
0420 Event.status.freehand:=FALSE
042D ENDIF
042F END
0431
```

## Listing 6: DoEvent

```

PROCEDURE DoEvent
  0000  (* Procedure that runs the proper tool program
  002E
  002F  TYPE rodent=Vld,Act,ToTm:BYTE; X1:INTEGER; TTto:BYTE; TSS:
      INTEGER; CBSA,CBSB,CcTA,CcTB,TTSA,TTSB,TLTA,TLTB:BYTE
      ; X2,BDX,BDY:INTEGER; Stat,Res:BYTE; AcX,AcY,WRX,WRY:
      INTEGER
  00A0
  00A1  TYPE stats=IsEvent,InWindow,InToolBox,InMenuBar,line,box,circle
      ,ellipse,bar,arc,fill,text,freehand,RecordOn:BOOLEAN
  00E0
  00E1  TYPE cursor=OutPut,Scale,ScreenType,NoCur,arrow,pencil,cross
      ,hourglass,NoIcon,TextBar,Scross,Icon,IconBuff,pattern
      ,horzline,vertline,slantright,slantleft,dots:BYTE
  0134
  0135  TYPE codes=DArc,DBar,DBox,DCircle,DEllipse,DLine,DPoint,DFill
      ,DSetPtr,DPutCur,DSetCur,DLogic,DPattern:INTEGER
  0170
  0171  TYPE object=DCode,Horp,VerP:INTEGER
  0184
  0185  TYPE orgin=DPSCode,HanX,HanY:INTEGER
  0198
  0199  TYPE packet=mouse:rodent; status:stats; pointer:cursor; Code
      :codes; Pen:object; Handle:orgin
  01CE
  01CF  PARAM Event:packet
  01D8
  01D9  IF Event.status.line THEN
  01E8    RUN KISSdrawline(Event)
  01F2    Event.status.line:=FALSE
  01FF    GOTO 100
  0203  ENDIF
  0205
  0206  IF Event.status.box THEN
  0215    RUN KISSDrawbox(Event)
  021F    Event.status.box:=FALSE
  022C    GOTO 100
  0230  ENDIF
  0232
  0233  IF Event.status.circle THEN
  0242    RUN KISSDrawCircle(Event)
  024C    Event.status.circle:=FALSE
  0259    GOTO 100
  025D  ENDIF
  025F
  0260  IF Event.status.ellipse THEN
  026F    RUN KISSDrawEllipse(Event)
  0279    Event.status.ellipse:=FALSE
  0286    GOTO 100
  028A  ENDIF
  028C
  028D  IF Event.status.bar THEN
  029C    RUN KISSDrawBar(Event)
  02A6    Event.status.bar:=FALSE
  02B3    GOTO 100
  02B7  ENDIF
  02B9
  02BA  IF Event.status.arc THEN
  02C9    RUN KISSDrawArc(Event)
  02D3    Event.status.arc:=FALSE
  02E0    GOTO 100
  02E4  ENDIF
  02E6
  02E7  IF Event.status.fill THEN
  02F6    RUN KISSDrawFill(Event)
  0300    Event.status.fill:=FALSE
  030D    GOTO 100
  0311  ENDIF
  0313


```

referred to as a hierarchical directory structure. As many of you are aware, this type of structure resembles a tree that has been turned upside down. The root (main directory) is at the top and the many branches (subdirectories and files) are below it.

Aside from the use of shortcuts, which will take a little time to learn, you must use what is called a pathlist to access any given file in the structure. A full pathlist indicates the device on which the file is located. In most cases, this means, "What drive holds the disk on which the file resides?" The answer to this will usually be /d0 or /d1. Following the device will be a complete list of all directories you must go through in order to reach the file. Finally, the pathlist includes the name of the actual file.

One way to visualize the pathlist in terms of the tree is to imagine yourself "climbing" the upside-down tree from top to bottom. You start at the root (in nearly every case, the root directory is the same as the device) and include every branch you must grab onto in order to reach the file in question. All of the directory names and filenames in the pathlist must be separated with slashes. Also, the pathlist cannot contain any spaces. If it does, OS-9 will interpret the pathlist incorrectly and the attempt will result in an error.

I am not going to give an example of the hierarchical directory structure concept. I feel the manual contains more than enough examples. I will give you an example of a generic pathlist and point out its major components, though.



One of the most difficult things for experienced users of Disk BASIC to get used to is that entering `dir` under OS-9 yields only the files and subdirectories in the current directory, and not a listing of the entire disk. Each of the subdirectories within your current directory may contain several files. So, what you are really seeing when you enter `dir` may be only the tip of the iceberg as far as seeing the number of files that actually reside on the disk.

To find out what files are in a subdirectory of your current directory, you can simply type `dir`, followed by a space, followed by a pathlist which ends in the name of the subdirectory in question. Note that you must include a space between a command and a pathlist. In the above example, we could get a directory of the contents of the subdirectory SUBDIR2 by entering:

```
dir /d1/SUBDIR1/SUBDIR2
```

Let's assume you have OS-9 up and running and you want to see what's in the SOURCE subdirectory on this month's RAINBOW ON DISK. You pull the OS-9 System Master backup out of Drive 0, pop in RAINBOW ON DISK and enter `dir /d0/ SOURCE`. After a few seconds of drive sounds you are greeted with the ever-present Error 216. You run to the manual and discover that Error 216 (get used to it because you'll be seeing quite a few of these) translates to "Pathname not found." You immediately say, "But I typed in the correct pathlist!" Then you assume RAINBOW must somehow have forgotten to put the SOURCE subdirectory on the disk.

What the error message is really telling you is one of two things: 1) OS-9 couldn't find the `dir` command; or 2) OS-9 couldn't find any one of the components in the pathlist. Either of these possibilities could be caused by a typographical error. They could also be caused by one of the items (command or pathlist component) not actually being there.

I will venture a wild guess. If your typing was absolutely correct, and all spaces and slashes were included, chances are OS-9 couldn't find the original command — in this case, `dir`. Chances are pretty good that you are using OS-9 Level I, as well. Before OS-9 can execute a command, it looks to see if that command has been loaded into memory. If OS-9 can locate the command in memory, it will be executed. If the command isn't in memory, OS-9 will try to load it and execute it from the *current execution directory*. If the system cannot find the command in the execution directory, one last attempt will be made. OS-9 will try to load and execute the command from the *current data directory*. If all of these attempts fail and OS-9 can't locate the command you entered, the system will report an Error 216.

Unless you loaded the `dir` command into memory from disk before you replaced your system disk with RAINBOW ON DISK, you will get Error 216. What has happened is that OS-9 went looking on RAINBOW ON DISK for the `dir` command. I guarantee you OS-9 won't ever find it there. Level II users won't have this problem with the `dir` command, since Level II loads several commands into memory when you first boot it. However, keep this in mind, as it can occur with any command.

That's all I have room for this month, but I want to leave you with a few challenges before I go. Learn all you can about OS-9's directory structure, what the `chd` and `chx` commands are for, and discover how to use the two commands to your advantage. You might want to look into what is meant by current execution directory and current data directory. Discover the differences between them. If you take the time and learn to learn, you will quickly go beyond all those nasty errors and begin to see the true power of the system. And you can say you taught yourself.

```

0314 IF Event.status.text THEN
0323 RUN KISSHandleText(Event)
032D Event.status.text:=FALSE
033A GOTO 100
033E ENDIF
0340
0341 IF Event.status.freehand THEN
0350 RUN KISSFreehand(Event)
035A Event.status.freehand:=FALSE
0367 ENDIF
0369
036A 100 Event.status.IsEvent:=FALSE
037A Event.status.InToolBox:=FALSE
0387 Event.status.InMenuBar:=FALSE
0394 END
0396
0397

```

## Listing 7: KISSDrawBox

```

PROCEDURE KISSDrawBox
0000 (* Program to draw a box at location pointed
002C (* to by high resolution mouse.
004B
004C TYPE rodent=Vld,Act,ToTm:BYTE; X1:INTEGER; TTTto:BYTE; TSSst:
    INTEGER; CBSA,CBSB,CCtA,CCtB,TTSA,TTSB,TLA,TLB:BYTE
    ; X2,BDX,BDY:INTEGER; Stat,Res:BYTE; AcX,AcY,WRX,WRX:
    INTEGER
00BD
00BE TYPE stats=IsEvent,InWindow,InToolBox,InMenuBar,line,box,circle
    ,ellipse,bar,arc,fill,text,freehand,RecordOn:BOOLEAN
00FD
00FE TYPE cursor=OutPut,Scale,ScreenType,NoCur,arrow,pencil,cross
    ,hourglass,NoIcon,TextBar,Scross,Icon,IconBuff,pattern
    ,horzline,vertline,slantright,slantleft,dots:BYTE
0151
0152 TYPE codes=DArc,DBar,DBox,DCircle,DEllipse,DLine,DPoint,DFill
    ,DSetPtr,DPutCur,DSetCur,DLogic,DPattern:INTEGER
018D
018E TYPE object=DCode,HorP,VerP:INTEGER
01A1
01A2 TYPE orgin=DPSCode,HanX,HanY:INTEGER
01B5
01B6 TYPE packet=mouse:rodent; status:stats; pointer:cursor; Code
    :codes; Pen:object; Handle:orgin
01EB
01EC PARAM Event:packet
01F5
01F6 DIM StartX,StartY,CurrX,CurrY:INTEGER
0209
020A (* Enable XOR logic
021E
021F RUN gfx2("logic","xor")
0232
0233 REPEAT
0235 RUN getKISSmouse(Event)
023F UNTIL Event.mouse.CBSA<>0 AND Event.mouse.AcX>40
025D
025E StartX:=Event.mouse.BDX
026C StartY:=Event.mouse.BDY
027A CurrX:=StartX
0282 CurrY:=StartY
028A
028B Event.Handle.HanX:=StartX
029A Event.Handle.HanY:=StartY
02A9 PUT #1,Event.Handle
02B6
02B7 WHILE Event.mouse.CBSA<>0 DO
02C9 RUN getKISSmouse(Event)
02D3 Event.Pen.DCode:=Event.Code.DBox
02E8 IF CurrX>Event.mouse.AcX OR CurrY>Event.mouse.AcY THEN
0309

```

```

Ø3ØA      REM If box has changed erase the old one by drawing over it
Ø344      Event.Pen.HorP:=CurrX \Event.Pen.VerP:=CurrY
Ø362      PUT #1,Event.Pen
Ø36F
Ø37Ø      REM Save location of new box
Ø38B      CurrX:=Event.mouse.AcX
Ø399      CurrY:=Event.mouse.AcY
Ø3A7
Ø3A8      REM And put it on the screen
Ø3C4      Event.Pen.HorP:=CurrX \Event.Pen.VerP:=CurrY
Ø3E2      PUT #1,Event.Pen
Ø3EF      ENDIF
Ø3F1      ENDWHILE
Ø3F5
Ø3F6      RUN gfx2("logic","off")
Ø4Ø9      PUT #1,Event.Pen
Ø416      END
Ø418
Ø419

```

## Listing 8: KISSDrawLine

PROCEDURE KISSdrawline

```

ØØØØ      (* Program to draw a line at location pointed
ØØ2D      (* to by high resolution mouse.
ØØ4C
ØØ4D      TYPE rodent=Vld,Act,ToTm:BYTE; X1:INTEGER; TTto:BYTE; TSSt:

            INTEGER; CBSA,CBSB,CCtA,CCtB,TTSA,TTSB,TLsa,TLsB:BYTE

            ; X2,BDX,BDY:INTEGER; Stat,Res:BYTE; AcX,AcY,WRX,WRY:

            INTEGER
ØØBE
ØØBF      TYPE stats=IsEvent,InWindow,InToolBox,InMenuBar,line,box,circle

            ,ellipse,bar,arc,fill,text,freehand,RecordOn:BOOLEAN
ØØFE
ØØFF      TYPE cursor=OutPut,Scale,ScreenType,NoCur,arrow,pencil,cross

            ,hourglass,NoIcon,TextBar,Scross,Icon,IconBuff,pattern

            ,horzline,vertline,slantright,slantleft,dots:BYTE
Ø152
Ø153      TYPE codes=DArc,DBar,DBox,DCircle,DEllipse,DLine,DPoint,DFill

            ,DSetPtr,DPutCur,DSetCur,DLogic,DPattern:INTEGER
Ø18E
Ø18F      TYPE object=DCode,HorP,VerP:INTEGER
Ø1A2
Ø1A3      TYPE origin=DPSCode,HanX,HanY:INTEGER
Ø1B6
Ø1B7      TYPE packet=mouse:rodent; status:stats; pointer:cursor; Code

            :codes; Pen:object; Handle:origin
Ø1EC
Ø1ED      PARAM Event:packet
Ø1F6
Ø1F7      DIM StartX,StartY,CurrX,CurrY:INTEGER
Ø2ØA
Ø2ØB      RUN gfx2("logic","xor")
Ø21E
Ø21F      REPEAT
Ø221          RUN getKISSmouse(Event)
Ø22B      UNTIL Event.mouse.CBSA<>Ø AND Event.mouse.AcX>4Ø
Ø249
Ø24A      Event.Handle.HanX:=Event.mouse.BDX
Ø25F      Event.Handle.HanY:=Event.mouse.BDY
Ø274      PUT #1,Event.Handle
Ø281
Ø282      CurrX:=Event.mouse.AcX
Ø29Ø      CurrY:=Event.mouse.AcY
Ø29E
Ø29F      WHILE Event.mouse.CBSA<>Ø DO
Ø2B1          RUN getKISSmouse(Event)
Ø2BB      Event.Pen.DCode:=Event.Code.DLine
Ø2DØ      IF CurrX<>Event.mouse.AcX OR CurrY<>Event.mouse.AcY THEN
Ø2F1

```

Modification . . .

## Solitaire Upgrade — Automatic Finish

By Tudor Jones

In reference to "The Solitary Endeavor" (December 1986, Page 76), please find a revision to Line 280 of the program listing, and additional lines 282, 285 and 288, and 1260 to 1390.

```

28Ø IF DECK(1)>Ø THEN 288
282 N=Ø:FOR I=4Ø TO 262 STEP 37:IF PP
OINT(I,43)=Ø THEN I=262:N=1
285 NEXT:IF N=Ø THEN 126Ø
288 XC=165:YC=1:GOSUB 13Ø:IF STAC
K(1)+STACK(2)+STACK(3)+STACK(4)=
52 THEN 3ØØ ELSE XC=166:YC=15:GOSUB
11Ø

```

```

126Ø XC=165:YC=Ø:GOSUB 13Ø:FOR F=1
TO 7:I=2Ø
127Ø IF COL(F,I)=Ø THEN I=I-1 ELS
E P(F)=I:GOTO 129Ø
128Ø IF I>Ø THEN 127Ø
129Ø NEXT
13ØØ IF STACK(1)+STACK(2)+STACK(
3)+STACK(4)=52 THEN 3ØØ
131Ø IF INKEY$="Q" THEN 1Ø
132Ø FOR F=1 TO 7:I=P(F):IF I=Ø THE
N 139Ø
133Ø CARD=COL(F,I):N=CARD:GOSUB 7
Ø:IF RANK<>STACK(SUIT)+1 THEN 139Ø
134Ø XC=F*37-36:YC=YC(F):GOSUB 13
Ø
135Ø COL(F,I)=Ø:IF YC(F)>45 THEN
YC(F)=YC(F)-9
136Ø IF COL(F,I)=Ø THEN YC=45:GOS
UB 13Ø:GOTO 138Ø
137Ø CARD=COL(F,I-1):GOSUB 7Ø:YC=
YC(F):GOSUB 14Ø:P(F)=P(F)-1
138Ø CARD=N:GOSUB 7Ø:STACK(SUIT)=
STACK(SUIT)+1:XC=SUIT*38-24:YC=Ø
:GOSUB 13Ø:GOSUB 14Ø
139Ø NEXT:GOTO 13ØØ

```

When all the cards at the top of columns 2 to 7 have been exposed, and no cards remain in the deck, this added routine automatically scans all seven columns in turn, moving the eligible cards to the top stacks until all the columns are empty.

Be careful when typing in these extra lines. After all, you are not going to get too many chances to correct them! Also, do not renumber the program after keying in these additions.

Many thanks to Mr. Vincent Johnson, of St. Paul, Minnesota, for suggesting this enhancement.

# Submitting Material To Rainbow

Contributions to THE RAINBOW are welcome from everyone. We like to run a variety of programs that are useful/helpful/fun for other CoCo owners.

**WHAT TO WRITE:** We are interested in what you may wish to tell our readers. We accept for consideration anything that is well-written and has a practical application for the Tandy Color Computer. If it interests you, it will probably interest lots of others. However, we vastly prefer articles with accompanying programs which can be entered and run. The more unique the idea, the more the appeal. We have a continuing need for short articles with short listings. These are especially appealing to our many beginners.

**FORMAT:** Program submissions must be on tape or disk, and it is best to make several saves, at least one of them in ASCII format. We're sorry, but we do not have time to key in programs and debug our typing errors. All programs should be supported by some editorial commentary explaining how the program works. We also prefer that editorial copy be included on the tape or disk using any of the word processors currently available for the Color Computer. Also, please include a double-spaced printout of your editorial material and program listing. Do not send text in all capital letters; use upper- and lowercase.

**COMPENSATION:** We do pay for submissions, based on a number of criteria. Those wishing remuneration should so state when making submissions.

For the benefit of those who wish more detailed information on making submissions, please send a self-addressed, stamped envelope (SASE) to: Submission Guidelines, THE RAINBOW, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. We will send you comprehensive guidelines.

Please do not submit material currently submitted to another publication.

```

02F2      REM Erase old line by drawing over it
0316      Event.Pen.HorP:=CurrX \Event.Pen.VerP:=CurrY
0334      PUT #1,Event.Pen
0341
0342      REM Save position of current line
0362      CurrX:=Event.mouse.AcX \CurrY:=Event.mouse.AcY
037E
037F      REM And, draw line in new position
03A0      Event.Pen.HorP:=CurrX \Event.Pen.VerP:=CurrY
03BE      PUT #1,Event.Pen
03CB      ENDIF
03CD      ENDWHILE
03D1      RUN gfx2("logic","off")
03E4      PUT #1,Event.Pen
03F1      END

```

## Listing 9: KISSDrawCircle

```

PROCEDURE KISSDrawCircle
0000      (* Program to draw a circle at location pointed
002F      (* to by high resolution mouse.
004E
004F      TYPE rodent=Vld,Act,ToIm:BYTE; X1:INTEGER; TTto:BYTE; TSSt:
      INTEGER; CBSA,CBSB,CcTA,CcTB,TTSA,TTSB,TLsa,TLsB:BYTE
      ; X2,BDX,BDY:INTEGER; Stat,Res:BYTE; AcX,AcY,WRX,WRY:
      INTEGER
00C0
00C1      TYPE stats=IsEvent,InWindow,InToolBox,InMenuBar,line,box,circle
      ,ellipse,bar,arc,fill,text,freehand,RecordOn:BOOLEAN
0100
0101      TYPE cursor=OutPut,Scale,ScreenType,NoCur,arrow,pencil,cross
      ,hourglass,NoIcon,TextBar,Scross,Icon,IconBuff,pattern
      ,horzline,vertline,slantright,slantleft,dots:BYTE
0154
0155      TYPE codes=Darc,DBar,DBox,DCircle,DEllipse,DLine,DPoint,DFill
      ,DSetPtr,DPutCur,DSetCur,DLogic,DPattern:INTEGER
0190
0191      TYPE object=DCode,HorP,VerP:INTEGER
01A4
01A5      TYPE orgin=DPSCode,HanX,HanY:INTEGER
01B8
01B9      TYPE packet=mouse:rodent; status:stats; pointer:cursor; Code
      :codes; Pen:object; Handle:orgin
01EE
01EF      PARAM Event:packet
01F8
01F9      DIM StartX,StartY,CurrX,CurrY:INTEGER
020C
020D      (* Enable XOR logic, then
0226      (* let cursor follow mouse until button is pushed
0257
0258      RUN gfx2("logic","xor")
026B
026C      REPEAT
026E          RUN getKISSmouse(Event)
0278      UNTIL Event.mouse.CBSA<>0 AND Event.mouse.AcX>40
0296
0297      StartX:=Event.mouse.BDX
02A5      StartY:=Event.mouse.BDY
02B3      CurrX:=Event.mouse.AcX
02C1      CurrY:=Event.mouse.AcY
02CF
02D0      REM Create Handle and Set Data Pointer at mouse position
0307      Event.Handle.HanX:=StartX \Event.Handle.HanY:=StartY
0325      PUT #1,Event.Handle
0332
0333      WHILE Event.mouse.CBSA<>0 DO
0345          RUN getKISSmouse(Event)
034F          Event.Pen.DCode:=Event.Code.DCircle
0364          Event.Pen.VerP:=0

```

```

0372      IF CurrX<>Event.mouse.AcX OR CurrY<>Event.mouse.AcY THEN
0393
0394      REM Erase previous circle by drawing over it
03BF      Event.Pen.HorP:=ABS(CurrX-StartX)
03D3      PUT #1,Event.Pen
03E0
03E1      REM save current circle position
0400      CurrX:=Event.mouse.AcX
040E      CurrY:=Event.mouse.AcY
041C
041D      REM draw new circle
042F      Event.Pen.HorP:=ABS(CurrX-StartX)
0443      PUT #1,Event.Pen
0450      ENDIF
0452      ENDWHILE
0456
0457      RUN gfx2("logic","off")
046A      Event.Pen.HorP:=ABS(CurrX-StartX)
047E      PUT #1,Event.Pen
048B      END

```

#### Listing 10: KISSDrawEllipse

```

PROCEDURE KISSDrawEllipse
0000      (* Program which allows more natural drawing of ellipse
0037
0038      TYPE rodent=Vld,Act,ToTm:BYTE; X1:INTEGER; TTto:BYTE; TSSt:
      INTEGER; CBSA,CBSB,CcTA,CcTB,TTSA,TTSB,TLTA,TLTB:BYTE
      ; X2,BDX,BDY:INTEGER; Stat,Res:BYTE; AcX,AcY,WRX,WRX:
      INTEGER
00A9
00AA      TYPE stats=IsEvent,InWindow,InToolBox,InMenuBar,line,box,circle
      ,ellipse,bar,arc,fill,text,freehand,RecordOn:BOOLEAN
00E9
00EA      TYPE cursor=OutPut,Scale,ScreenType,NoCur,arrow,pencil,cross
      ,hourglass,NoIcon,TextBar,Scross,Icon,IconBuff,pattern
      ,horzline,vertline,slantright,slantleft,dots:BYTE
013D
013E      TYPE codes=DArc,DBar,DBox,DCircle,DEllipse,DLine,DPoint,DFill
      ,DSetPtr,DPutCur,DSetCur,DLogic,DPattern:INTEGER
0179
017A      TYPE object=DCode,HorP,VerP:INTEGER
018D
018E      TYPE orgin=DPSCode,HanX,HanY:INTEGER
01A1
01A2      TYPE packet=mouse:rodent; status:stats; pointer:cursor; Code
      :codes; Pen:object; Handle:orgin
01D7
01D8      PARAM Event:packet
01E1
01E2      DIM StartX,StartY,CurrX,CurrY:INTEGER
01F5
01F6      (* Enable XOR logic, then
020F      (* let cursor follow mouse until button is pushed
0240
0241      RUN gfx2("logic","xor")
0254
0255      REPEAT
0257          RUN getKISSmouse(Event)
0261      UNTIL Event.mouse.CBSA<>0 AND Event.mouse.AcX>40
027F
0280      StartX:=Event.mouse.BDX
028E      StartY:=Event.mouse.BDY
029C      CurrX:=StartX
02A4      CurrY:=StartY
02AC
02AD      REM Create Handle and set data pointer position
02DB      Event.Handle.HanX:=StartX
02EA      Event.Handle.HanY:=StartY
02F9      PUT #1,Event.Handle
0306

```

## About The One-Liner Contest ...

THE RAINBOW's One-Liner Contest has now been expanded to include programs of either one or two lines. This means a new dimension and new opportunity for those who have "really neat" programs that simply just won't fit in one line.

*Here are the guidelines:* The program must work in Extended BASIC, have only one or two line numbers and be entirely self-contained — no loading other programs, no calling ROM routines, no poked-in machine language code. The program has to run when typed in directly (since that's how our readers will use it). Make sure your line, or lines, aren't packed so tightly that the program won't list completely. Finally, any instructions needed should be very short.

Send your entry (preferably on cassette or disk) to:

**THE RAINBOW  
One-Liner Contest  
P.O. Box 385  
Prospect, KY 40059**

# Simple Solutions

By David W. Ostler

Here is a possible answer to the exercise presented in "Basic for Beginners, Lesson II" on Page 36.

## The listing: SOLUTION

```
10 CLS:SOUND200,2:PRINT:PRINT"ENTER YOUR NAME: ";INPUTA$
15 SOUND200,2:PRINT"ENTER YOUR ADDRESS: ";INPUTB$
20 SOUND200,2:PRINT"ENTER YOUR CITY: ";INPUTC1$
25 SOUND200,2:PRINT"ENTER YOUR STATE: ";INPUTC2$
30 SOUND200,2:PRINT"ENTER YOUR ZIP: ";INPUTC3$
40 SOUND200,2:PRINT"ENTER YOUR TELEPHONE NUMBER: ";INPUTD$
50 CLS4:PRINT@230,"WORKING...";
55 SOUND200,2:PRINT@239,"...";SOUND100,5:PRINT@241,"...";SOUND200,2:PRINT@243,"...";SOUND100,5:PRINT@245,"...";SOUND100,5:PRINT@247,"...";SOUND200,2:PRINT@249,"...";SOUND100,5:FORX=1TO50STEP1:NEXT
70 CLS:PRINT:PRINT"1. YOUR NAME: ";PRINT " ";A$:PRINT"2. YOUR ADDRESS: ";PRINT " ";B$:PRINT"3. YOUR CITY, ST, ZIP: ";PRINT " ";C1$," ";C2$," ";C3$:PRINT"4. YOUR PHONE NO: ";PRINT " ";D$
90 PRINT:PRINT"IS ALL DATA CORRECT (Y/N)?"
100 H$=INKEY$:IFH$=" "THEN100ELSEIFH$="Y"THEN110ELSEIFH$="N"THEN100ELSE100
110 CLS:PRINT:PRINT" CHOOSE YOUR SELECTON"
120 PRINT:PRINT:PRINT:PRINT" 1. YOUR NAME: ";PRINT" 2. YOUR ADDRESS: ";PRINT" 3. YOUR CITY, ST, ZIP: ";PRINT" 4. YOUR PHONE NO: ";PRINT" 5. ABORT THIS PROGRAM":PRINT@26,"[1/2/3/4/5]"
130 H$=INKEY$:IFH$=" "THEN130ELSEIFH$="1"THEN140ELSEIFH$="2"THEN150ELSEIFH$="3"THEN160ELSEIFH$="4"THEN170ELSEIFH$="5"THEN180ELSE130
140 CLS:PRINT:PRINTA$
143 GOSUB500
145 GOTO110
150 CLS:PRINT:PRINTB$
153 GOSUB500
155 GOTO110
160 CLS:PRINT:PRINTC1$," ";C2$," ";C3$
163 GOSUB500
165 GOTO110
170 CLS:PRINT:PRINTD$
173 GOSUB500
175 GOTO110
180 CLS3:PRINT@230,"REBOOTING TO BASIC";:SOUND200,2:SOUND100,5:SOUND200,2:SOUND100,5:SOUND200,2:SOUND100,5:SOUND200,2:SOUND100,5:FORX=1TO50STEP1:NEXTX:CLS:END
500 PRINT@420,"PRESS ANY KEY TO CONTINUE"
510 H$=INKEY$:IFH$=" "THEN510
520 RETURN
```

```
0307 WHILE Event.mouse.CBSA<>0 DO
0319 RUN getKISSmouse(Event)
0323 Event.Pen.DCode:=Event.Code.DEllipse
0338 IF CurrX<>Event.mouse.AcX OR CurrY<>Event.mouse.AcY THEN
0359 Event.Pen.HorP:=ABS(CurrX-StartX) \Event.Pen.VerP:=ABS(
    CurrY-StartY)
0381 PUT #1,Event.Pen
038E CurrX:=Event.mouse.AcX
039C CurrY:=Event.mouse.AcY
03AA Event.Pen.HorP:=ABS(CurrX-StartX) \Event.Pen.VerP:=ABS(
    CurrY-StartY)
03D2 PUT #1,Event.Pen
03DF ENDIF
03E1 ENDWHILE
03E5 RUN gfx2("logic","off")
03F8 Event.Pen.HorP:=ABS(CurrX-StartX) \Event.Pen.VerP:=ABS(CurrY
    -StartY)
0420 PUT #1,Event.Pen
042D END
042F
```

## Listing 11: KISSDrawBar

```
PROCEDURE KISSdrawbar
0000 (* Program to draw a bar at location pointed
002C (* to by high resolution mouse.
004B
004C TYPE rodent=Vld,Act,ToTm:BYTE; X1:INTEGER; TTto:BYTE; TSst:
    INTEGER; CBSA,CBSB,CcTA,CcTB,TTSA,TTSB,TLsa,TLsb:BYTE
    ; X2,BDX,BDY:INTEGER; Stat,Res:BYTE; AcX,AcY,WRX,WRY:
    INTEGER
00BD
00BE TYPE stats=IsEvent,InWindow,InToolBox,InMenuBar,line,box,circle
    ,ellipse,bar,arc,fill,text,freehand,RecordOn:BOOLEAN
00FD
00FE TYPE cursor=OutPut,Scale,ScreenType,NoCur,arrow,pencil,cross
    ,hourglass,NoIcon,TextBar,Scross,Icon,IconBuff,pattern
    ,horzline,vertline,slantright,slantleft,dots:BYTE
0151
0152 TYPE codes=DArc,DBar,DBox,DCircle,DEllipse,DLine,DPoint,DFill
    ,DSetPtr,DPutCur,DSetCur,DLogic,DPattern:INTEGER
018D
018E TYPE object=DCode,HorP,VerP:INTEGER
01A1
01A2 TYPE origin=DPSCode,HanX,HanY:INTEGER
01B5
01B6 TYPE packet=mouse:rodent; status:stats; pointer:cursor; Code
    :codes; Pen:object; Handle:origin
01EB
01EC PARAM Event:packet
01F5
01F6 DIM StartX,StartY,CurrX,CurrY:INTEGER
0209
020A (* Enable XOR logic
021E
021F RUN gfx2("logic","xor")
0232
0233 REPEAT
0235 RUN getKISSmouse(Event)
023F UNTIL Event.mouse.CBSA<>0 AND Event.mouse.AcX>40
025D
025E StartX:=Event.mouse.BDX
026C StartY:=Event.mouse.BDY
027A CurrX:=StartX
0282 CurrY:=StartY
028A
028B Event.Handle.HanX:=StartX
```

```

029A Event.Handle.HanY:=StartY
02A9 PUT #1,Event.Handle
02B6
02B7 WHILE Event.mouse.CBSA<>0 DO
02C9 RUN getKISSmouse(Event)
02D3 Event.Pen.DCode:=Event.Code.DBox
02E8 Event.Pen.HorP:=CurrX \Event.Pen.VerP:=CurrY
0306 PUT #1,Event.Pen
0313
0314 CurrX:=Event.mouse.AcX \CurrY:=Event.mouse.AcY
0330 Event.Pen.HorP:=CurrX \Event.Pen.VerP:=CurrY
034E PUT #1,Event.Pen
035B ENDWHILE
035F
0360 RUN gfx2("logic","off")
0373 Event.Pen.DCode:=Event.Code.DBar
0388 PUT #1,Event.Pen
0395 END
0397

Listing 12: KISSFreehand

PROCEDURE KISSFreehand
0000 (* Program to draw freehand with high resolution mouse
0036
0037 TYPE rodent=Vld,Act,ToTm:BYTE; X1:INTEGER; TTto:BYTE; TSSt:
    INTEGER; CBSA,CBSB,CCtA,CCtB,TTSA,TTSB,TLA,TLB:BYTE
    ; X2,BDX,BDY:INTEGER; Stat,Res:BYTE; AcX,AcY,WRX,WRY:
    INTEGER
00A8
00A9 TYPE stats=IsEvent,InWindow,InToolBox,InMenuBar,line,box,circle
    ,ellipse,bar,arc,fill,text,freehand,RecordOn:BOOLEAN
00E8
00E9 TYPE cursor=OutPut,Scale,ScreenType,NoCur,arrow,pencil,cross
    ,hourglass,NoIcon,TextBar,Scross,Icon,IconBuff,pattern
    ,horzline,vertline,slantright,slantleft,dots:BYTE
013C
013D TYPE codes=DArc,DBar,DBox,DCircle,DEllipse,DLine,DPoint,DFill
    ,DSetPtr,DPutCur,DSetCur,DLogic,DPattern:INTEGER
0178
0179 TYPE object=DCode,HorP,VerP:INTEGER
018C
018D TYPE orgin=DPSCode,HanX,HanY:INTEGER
01A0
01A1 TYPE packet=mouse:rodent; status:stats; pointer:cursor; Code
    :codes; Pen:object; Handle:orgin
01D6
01D7 PARAM Event:packet
01E0
01E1 DIM StartX,StartY,DLineM:INTEGER
01F0 DLineM:=$1B46
01F8
01F9 REPEAT
01FB RUN getKISSmouse(Event)
0205 UNTIL Event.mouse.CBSA<>0 AND Event.mouse.AcX>40
0223
0224 Event.Handle.HanX:=Event.mouse.AcX
0239 Event.Handle.HanY:=Event.mouse.AcY
024E PUT #1,Event.Handle
025B
025C WHILE Event.mouse.CBSA<>0 DO
026E RUN getKISSmouse(Event)
0278 Event.Pen.DCode:=DLineM
0287 Event.Pen.HorP:=Event.mouse.AcX \Event.Pen.VerP:=Event.mouse.AcY
02B1 PUT #1,Event.Pen
02BE ENDWHILE
02C2
02C3 END
02C5
02C6

```

# PERRY COMPUTERS The Ideal Buy 1-800-248-3823

## TANDY COMPUTERS

1000-HX 256K 1-3 1/2" Drive.	535.00
1000-TX 640K 1-3 1/2" Drive	875.00
3000-HL 512K 1 5 1/4" Drive	1110.00
3000 640K 1 5 1/4" Drive	1500.00
4000 1 Meg 1 3 1/2" Drive	1930.00
1400LT Portable Computer	1215.00
102 Portable Computer 24K	375.00
Color Computer 3 128K	165.00

## MONITORS & BOARDS

VM-4 Monochrome Green	95.00
CM-5 Color RGB	220.00
CM-11 Color RGB	335.00
EGM-1 Color RGB (EGA)	510.00
Tandy Dual Display Card	145.00
Tandy EGA Card	235.00
Zucker Mono Graphics Card	105.00

## DRIVES

Color Computer Drive 0	220.00
Portable Drive 100/102/200	155.00
5 1/4" External Drive 1000EX	180.00
3 1/2" External Drive 1000EX	200.00
Tandy 20 Meg Hardcard	595.00
Zucker 20 Meg Hardcard	445.00
Seagate 20 Meg Hard Drive	265.00
AT HD/1.2M Controller	200.00

## EXPANSION BOARDS

Zucker Serial Board	45.00
Zucker MFB 256K for 1000SX	170.00
Zucker MFB 512K for 1000	169.00
Zucker 1200 Baud Modem Card	75.00

## PRINTERS

DMP-106 Dot-Matrix	150.00
DMP-130 Dot-Matrix	255.00
DWP-230 Daisy Wheel	335.00
DWP-520 Daisy Wheel	730.00
DMP-440 Dot-Matrix	595.00
DMP-2120 Dot-Matrix	1325.00
LP-1000 Laser Printer	1635.00
Epson LX-800 Dot-Matrix	195.00
Epson FX-86E Dot-Matrix	355.00
Epson FX-286E Dot-Matrix	520.00
Epson EX-800 Dot-Matrix	425.00
Epson EX-1000 Dot-Matrix	585.00
Epson LQ-500 Dot-Matrix	NEW CALL
Epson LQ-850 Dot-Matrix	520.00
Epson LQ-1050 Dot-Matrix	715.00
Epson LQ-2500 Dot-Matrix	940.00
Epson GQ-3500 Laser	1580.00

Price's Subject To Change  
Please Call For Current Price's

Send for Complete Catalog.

All prices and offers may be changed or withdrawn without notice. Advertised prices are cash prices. C.O.D. accepted add 2% (minimum charge \$10.00). M.C., Visa add 2%. All non-defective items require return merchandise authorization. Call for RMA Number before returning. Delivery is subject to product availability. Add 1 1/2% for shipping and handling. \$5.00 minimum charge.

TM - Registered Trademark of Tandy, Epson, and IBM  
Monday thru Friday 9am-6pm EST.

**PERRY  
COMPUTERS**  
124 South Main Street, Perry, MI 48872  
CALL 1-517-625-4161 or TOLL-FREE  
1-800-248-3823



## OS-9 Programming

# Polishing off the Screen Save/Dump Package

By Peter Dibble

**T**he RLSqsh filter that was in my last article needs a mate, and the GetImage BASIC09 program from several months ago now takes more than twice as long as the latest SaveImage. We'll tackle the RLExpnd (Run Length Expand) filter and the GetImage speed enhancement the same way we did RLSqsh and SaveImage.

The improved GetImage takes less than a minute (compared to over three minutes for the old version), and it was easy to write. Everything in it is derived from something else.

The GetImage and PutBuffer BASIC09 procedures are taken directly from the original program. The unpress BASIC09 procedure was derived from the original unpress procedure mostly by removing code. I removed about a page of code and added six or seven lines.

MakPipe2 is a revised version of MakPipe. SaveImage piped data to RLSqsh and directed the output of RLSqsh to a file. GetImage directs the input of RLExpnd to a file and the

output to a pipe. Most of the changes between MakPipe and MakPipe2 were to the comments, but it's important to pay close attention. I got the procedure wrong the first time and left the paths backwards.

I kept most of the buffer management code from RLSqsh when I converted it to RLExpnd, but I threw out almost everything else. Even in the buffer management I made a change. I assumed that RLSqsh would deal more with input than output, so I used the X register as a pointer into the input buffer. RLExpnd should do more output than input, so I used memory for the input pointer and used X for the output pointer.

After you have all the code for GetImage in your machine (four BASIC09 procedures and the RLExpnd module from your assembler or the CSave file) you can restore a file saved by SaveImage by running GetImage and giving it the name of the file SaveImage created. It will paint the new image on the screen in four sections starting at the top of the screen.

I've frequently tried to run GetImage or SaveImage on a text screen, but it doesn't work, and the program is a bit hostile about it. If you get an error right after you start running one of these programs, make sure that the current screen is a graphics window.

You can amuse yourself and burn CPU time by piping the output of RLSqsh to RLExpnd. It is a way to verify that the filters are working; if they are,

RLSqsh ! RLExpnd does nothing but work hard.

### What Have We Learned?

I didn't make a big fuss about it, but it is much more difficult to write correct assembly language than it is to write correct BASIC09. If the code isn't correct, it's *much* easier to find problems in BASIC09 procedures using the BASIC09 debugging environment than it is debugging assembly language code. C programs fall between BASIC09 and assembly language in difficulty.

Most of a program is not executed often enough for its speed to matter. It is best to write the whole program in your favorite language and debug it well. If it is not fast enough, improve the program without changing languages. If nothing else works, take some important parts of the program and code them in assembly language.

But sometimes it does not make sense to write any part of a program in assembly: If the program is small enough and fast enough in BASIC09 or C, leave it alone!

When you decide to resort to assembly, make it pay. RLSqsh and RLExpnd would be a little faster if they were subroutine modules instead of filters, but as filters they have more possible uses. The more possible uses a program has, the better I feel about working hard on it.

All this talk about assembly language being a last resort might make you wonder, since I usually sound like I am

*Peter Dibble has a bachelor's degree in chemistry and is currently a graduate student in computer science. He has worked as an applications programmer, systems programmer and as the user services assistant director for the University of Rochester Computing Center. With Dale Puckett, he is co-author of The Complete Rainbow Guide to OS-9 and the first volume of The Complete Rainbow Guide to OS-9 Level II.*

especially fond of assembly. I am, but I've noticed something about my assembly language programs — they are small and fast, but not always as elaborate as they might be. I sometimes leave out error recovery routines or use hexade-

***"If the program is small enough and fast enough in BASIC09 or C, leave it alone!"***

cimal numbers instead of decimal. I get excited about the parts where assembly language makes a big difference and go lightly when the extra work that assembly language requires doesn't pay. When I start with a high-level language program and recode only the most interesting parts, I can concentrate on the sections where speed counts. □

#### Listing 1: RLExpnd.CDump

```

1: 87CD 00B7 000D 1181 9F00 134490.
2: 1508 D152 4C45 7870 6EE4 50192.
3: 010F 0030 499F 059F 0330 13034.
4: C904 090F 070F 088D 2225 107245.
5: 0E1F 8954 5454 5484 0F97 43429.
6: 028D 0820 EE8D 625F 103F 51323.
7: 0696 028D 335A 2AF9 3943 55337.
8: 103F 0634 109E 059C 0326 32164.
9: 1486 0010 8E04 0030 4910 50530.
10: 3F89 250E 1F20 318B 109F 75603.
11: 034F A680 9F05 3590 3510 57490.
12: C1D3 26D3 4339 0D00 2609 174445.
13: 4848 4848 9701 0300 399A 74260.
14: 018D 0303 0039 109E 0710 38886.
15: 8C04 0026 028D 0BA7 8031 78517.
16: 2110 9F07 3910 9E07 3402 45270.
17: 30C9 0409 8601 103F 8A25 82117.
18: 9A10 8E00 0010 9F07 3582 102912.
19: 3684 46 550.

```

#### Listing 2: GetImage

```

PROCEDURE GetImage
0000 DIM FileName:STRING[99]
000C INPUT "Image file name: ",FileName
0025 RUN unpress(FileName)
002F END

```

**Over 200 Dealers &  
5000 Customers  
Can't be wrong!**

We are Canada's largest  
National Distributors of  
Color Computer Products



**Send for the great Canadian  
Color Computer Catalog**

**Kelly Software Distributors Ltd.**

Marlborough P.O. Box 403  
Calgary, Alberta T2A 7L3  
Tel: 403 235-0974

## TRY-O-BYTE

1008 ALTON CIRCLE DEPT. P  
FLORENCE, SC 29501  
(803) 662-9500

TRY-O-TAX Federal tax help you can afford. Ten of the most used forms and schedules. Printer required. \$44.99.\*

TRY-O-MENU Select and RUN programs with one keystroke. Great help for the young folks. Disk only. \$19.99.\*

TRY-O-PLAN Help with financial decisions. Amortization schedule, annuity, loan payments, future value, return on investment, and more. Printer optional. \$19.99.\*

TRY-O-PRINT Get the most from your printer, batch of labels, cassette labels, disk labels read from the disk, invoice, purchase order, and statement on menu driven program. Printer required. \$19.99.\*

MATH-ZAP Drill and practice plus tutorial on math skills at 6-8 grade level. Based on South Carolina Basic Skills Assessment Program. \$29.99.\*

\*\$3.00 shipping and handling on all orders.

No COD or credit card, please. Your good personal check welcome.

***"Try Our Byte"***

### Listing 3: UnPress

```

PROCEDURE unpress
0000    PARAM FileName:STRING[99]
000C    DIM Path,Pipe:BYTE
0017    DIM buffer(7680):BYTE
0023    DIM section:INTEGER
002A    DIM WinType,horiz,vert:INTEGER
0039
003A    OPEN #Path,FileName:READ
0046    section:=1
004D    GET #Path,WinType
0057    GET #Path,horiz
0061    GET #Path,vert
006B    RUN MakPipe2("RLExpnd",Pipe,Path)
0084    ON ERROR GOTO 100
008A    LOOP
008C        GET #Pipe,buffer
0096        RUN PutBuffer(buffer,section,WinType,horiz,vert/4)
00B6        section:=section+1
00C1    ENDLOOP
00C5 100    REM end loop (probably end of file)
00EA    CLOSE #Path,#Pipe
00F5    END

```

### Listing 4: PutBuffer

```

PROCEDURE PutBuffer
0000    PARAM buffer(7680):BYTE
000C    PARAM section:INTEGER
0013    PARAM typecode:INTEGER
001A    PARAM horiz,vert:INTEGER
0025    TYPE registers=cc,a,b,dp:BYTE; x,y,u:INTEGER
004A    DIM regs:registers
0053    DIM i,group:INTEGER
005E
005F    REM Get this process's process id
007F    RUN syscall($0C,regs)
008D    group:=regs.a
0098    ON ERROR GOTO 100
009E    RUN gfx2("defbuff",group,1,7680)
00B9 100    REM The buffer is now defined
00D8    RUN gfx2("gpload",group,1,typecode,horiz-1,vert,7680)
0103    PUT #1,buffer
010C    RUN gfx2("put",group,1,0,vert*(section-1))
012D    RUN gfx2("killbuff",group,1)
0145    END

```

### Listing 5: MakPipe2

```

PROCEDURE MakPipe2
0000    REM For a process with its standard input directed to
0034    REM a given path and its standard output to a pipe.
0066    PARAM Pgm:STRING
006D    PARAM OutPath:BYTE \(* output from the new program
0092    PARAM InPath:BYTE \REM Input for the new program
00B5    TYPE registers=cc,a,b,dp:BYTE; x,y,u:INTEGER
00DA    DIM regs:registers
00E3    DIM tmp,OldIn,OldOut:BYTE
00F2
00F3    REM Fix standard input
0108    regs.a=0
0113    RUN syscall($82,regs) \REM dup standard input
0136    OldIn:=regs.a
0141    CLOSE #0
0146    regs.a:=InPath
0152    RUN syscall($82,regs) \REM dup the input path into std in
0181
0182    REM Fix standard output

```


```

Ø198      regs.a=1
Ø1A3      RUN syscall($82,regs)
Ø1B1      OldOut:=regs.a
Ø1BC      CLOSE #1
Ø1C1      OPEN #tmp,"/pipe":UPDATE
Ø1D1
Ø1D2      REM Now standard input and output are redirected as they
Ø2Ø9      REM should be. Fork the program
Ø228      regs.a:=Ø
Ø233      regs.b:=Ø
Ø23E      regs.x:=ADDR(Pgm)
Ø24C      regs.y:=Ø
Ø257      regs.u:=Ø
Ø262      RUN syscall($Ø3,regs) \REM fork
Ø277
Ø278      REM now the process is running.
Ø296      REM clean up after it
Ø2AA      regs.a:=1
Ø2B5      RUN syscall($82,regs) \REM dup the new stdout
Ø2D8      OutPath:=regs.a \REM save the pipe
Ø2F3      CLOSE #1
Ø2F8      regs.a:=OldOut
Ø3Ø4      RUN syscall($82,regs) \REM dup to restore the old standard output
Ø33B      CLOSE #OldOut
Ø341
Ø342      REM now restore the old standard input
Ø367      CLOSE #Ø
Ø36C      regs.a:=OldIn
Ø378      RUN syscall($82,regs) \REM dup
Ø38C      CLOSE #OldIn
Ø392      END

```

## SUNDOG SYSTEMS

# Kung-Fu Dude



An exciting new arcade game by Glen Dahlgren. This is the long-awaited response to the huge demand for a Kung-Fu program for the Coco. The graphics and sound effects are spectacular. The action and animation will please even the most die-hard arcade enthusiast. Destroy your opponents and evade obstacles with over ten different moves as you grow ever closer to your ultimate objective. This is the BEST karate game ever available for the color computer. Req. 64K, disk drive, and joystick. Introductory price: only \$24.95.



**WHITE FIRE OF ETERNITY.** Enter the age of monsters, magic, and adventure. Here you will search for the legendary power of White Fire throughout the Forbidden Wood and dark caverns of the Mount. The Rainbow review of 12/86 says, "Visually, White Fire is quite an achievement. The graphics are excellent!" Discover what adventuring on the Coco is all about. Req. 64K and disk drive. Only \$19.95.

**CHAMPION.** Become a superhero in your fight to rid the world of the evil forces of Mr. Bigg in this action adventure. The combat is hot and heavy and requires a fast joystick. The graphics and sound effects are sensational. "This is a fascinating game and a difficult one to master. You'll get a blast out of (Champion)!" says the Rainbow review of 5/87. Defend the innocent and defeat the villainous; be a true Champion! Req. 64K, disk drive, and joystick. Only \$19.95.



All programs Coco 1, 2, 3 compatible.



**Sundog Systems**  
21 Edinburg Drive  
Pittsburgh, PA 15235  
(412) 372-5674

Personal checks, money orders, and C.O.D. orders accepted.

Include \$2.50 for S/H. \$2.00 extra for C.O.D. orders. PA residents add 6% sales tax. Authorship and dealer inquiries welcome.



## Barden's Buffer

# Delving Into the CoCo Disk

By William Barden, Jr.  
Rainbow Contributing Editor

I have to admit that I'm a little disconcerted by CoCo disks. There's really not much to work with in the way of disk system commands. I'm not talking about OS-9, now, where there are many commands related to disk files and directories, including a "tree" structure that allows you to build subdirectories. I'm talking about the Disk Extended Color BASIC commands. I feel like I never really know what's out there, where it is, how much space it takes, and how much space is left. In this column we'll look at Disk Extended Color BASIC system disk mysteries. Included will be a utility program to get a better directory listing and to list any file on the screen.

## Disk Basics

If you're new to computers, you may be a bit dazzled by disk operation in general. The CoCo disks are standard disks similar to the ones used in such systems as the Tandy 1000 or IBM series. If you have a disk that is no longer any good, strip off the jacket and look at the actual disk inside. You'll see a circular piece of mylar coated with magnetic material, as shown in Figure 1. The center hole allows the disk drive to spin the disk at the speed of about 5 revolutions per second. The tiny hole out from the center hole is an *index hole*. This hole is detected by a light beam sensor and provides a known point on the disk. Another type of disk has 10 or so of these index holes evenly spaced around the disk; this type of disk is called "hard-sectored," while the CoCo disk is called "soft-sectored," for reasons we'll get into.

As the disk comes from the manufacturer, it contains nothing — it's just a jumble of magnetic oxide without any patterns, like an unused audio cassette. (Actually, there may be some patterns left over from disk testing at the manufacturer's, but that's meaningless to the CoCo.)

Data is written on the disk in *tracks* and *sectors*, as shown in Figure 2. Each track is defined by the action of the read/

write head in the disk drive. This is a recording head mounted on an arm, similar to an audio recording head.

The arm can *step* a small amount in and out toward the center of the disk. Each time the arm steps an increment, the head moves over another track on the disk. The position of the track is determined by the position of the head and not by searching the disk for a magnetic pattern. If the head steps, it expects the data to be on the track underneath the head. The disk drive is manufactured with a set number of steps, defining a set number of tracks. For a CoCo disk, 35 tracks are used.




Figure 1: CoCo Disk

At this point we have the disk spinning under the head and arm arrangement at 5 revolutions per second. How can we access data? One way to do this would be to look for a particular pattern of data to come by under the head and then read from that point. Another way would be to look for the index hole, since the computer can tell when the index hole appears by an index hole sensing bit. However, index hole sensing isn't quite precise enough to use for defining where

*Bill Barden has written 27 books and over 100 magazine articles on various computer topics. His 20 years' experience in the industry covers a wide background: programming, systems analysis and managing projects for computers ranging from mainframes to micros.*




Figure 2: Tracks and Sectors on a Disk

data starts — there's some "slop" in the actual disk operation, a little bit of wobble in the disk, perhaps, and a slight variation in speed. As a result, the *disk controller* looks for the index hole to define the start of a new track and then looks for a certain bit pattern directly afterward to get in synchronization.

The pattern that the disk controller writes is called a disk *format* pattern. Formatting is done by the DSKINI command in BASIC, which executes a machine language formatting program. The result is a kind of "skeleton" pattern on the disk that defines the track start and end, and sectors for each of the 35 tracks on a disk. The format is like painted lines in an empty parking lot. There are 35 rows in the parking lot, numbered 0 to 34, and 18 spaces per row, numbered 1 through 18. The rows correspond to tracks, while the spaces within the rows correspond to sectors. The cars (data) haven't yet arrived.

Each sector on a track can hold 256 bytes of data. As you know, a byte corresponds to a character of data in a text, data, or BASIC file. Sector data is filled by BASIC commands

such as PRINT# or PUT# or may be read or written by the special DSKI\$ or DSKO\$ commands. To read data, CoCo software must know the track number, the sector number, and the number of sectors to be read.

Data can be read or written only in sector multiples. You can't, for example, read from the middle of the sector. The disk hardware positions the head to a desired track, waits for the proper sector to come around (by reading sector numbers from the formatting skeleton) and then reads the user data within the sector.

Although it's possible to read one sector after another, sectors are usually numbered in an interleaved fashion, such as 1, 12, 5, 16, 9, 2, 13, 6, 17, 10, 3, 14, 7, 18, 11, 4, 15, and 8. Interleaving sectors in this manner allows some processing to take place before the next sector shows up (remember, the disk doesn't stop spinning!). There's a slight gap between each sector on a track. Each sector appears at 11/1,000-second (11 millisecond) intervals, not much time to do a lot of processing.

### File Management on Disk

The tracks and special patterns for format data are about the only fixed factors in using disks. Sectors and other information are set by the formatting program or other software. A disk for a CoCo, for example, can be read on a Tandy 1000, assuming you have a smart enough program to send the proper commands to the disk controller hardware. Mark Data Products, for instance, has a CoCo utility program that allows a user to read and write CoCo data on MS-DOS computers.

There are many advertisers in RAINBOW that offer alternatives to the standard Radio Shack disk format. With the proper disk controller (the plug-in module that connects to your disk drives), it's possible to reliably use a 40-track, double-sided disk drive or even a hard drive of 20 megabytes! For the purposes of this column, though, we'll assume that you have a 35-track, single-sided drive and won't go into philosophical discussions about why Radio Shack decided to use only one side of a disk.

Assuming that you have 35 tracks and 18 sectors of 256 bytes per sector, the total disk space is

$$\# \text{ bytes} = 35 \text{ tracks} * 18 \text{ sectors/track} * 256 \text{ bytes/sector} = 161,280 \text{ bytes.}$$

How is disk space allocated to *files* such as BASIC programs, collections of data, text files, or other things to be stored on disk? One way would be to treat the disk as a long cassette

## Vidicom Corp's CoCoWorks Group Proudly Presents SolidDrive™

SolidDrive™ goes ordinary ramdisk one better! It doesn't forget for years. Fully Static CMOS ram, battery backed, SolidDrive™ is ready to use instantly. No more formatting and copying work files to a ramdisk then carefully copying back your changes to floppy. No more fear that the power will fail and everything you've done will be lost. The instant power loss is detected SolidDrive™ write-protects itself and your valuable work. SolidDrive™ gives you even more since it's manufactured using the latest in high reliability surface mount technology allowing us to give you the best guarantee in the industry - Two full years limited repair/replacement, top that! SolidDrive™ is a single Multi-Pak® compatible cartridge complete with OS9® Level I / Level II device driver, formatter and self-test software. Two versions: 512K and 1 Megabyte with factory upgrades available for 512K version. RSDos Driver available Soon!

**SolidDrive™ by Vidicom Corp**  
 512K (524,288 bytes) \$395.00  
 1 Meg (1,048,576 bytes) \$695.00

SolidDrive™ is the fastest, most reliable long-term storage available for small computer users. Faster than hard disk, no moving parts, no mechanical delays, ultra-low power and no noise.

Please add \$4.00 shipping. Visa MasterCard orders welcome. Arizona Residents add 5.5% sales tax.

Vidicom Corp 20 East Main Street Suite 525 Mesa, Arizona 85201 (602) 827-0107 Hours M-F 9:00 AM - 5:00 PM MST.

OS9 is a registered trademark of Microware Systems and Motorola Inc. Multi-pak is a registered trademark of Tandy Corp




Figure 3: Disk Directory Track

tape and just store files in sequence from the first track and sector to the last track and sector. However, a disk, unlike a tape, does not have to be a *sequential* device. A disk is a *random access* device, as the head may be quickly moved to any track, and a sector may be located just as rapidly.

The time required to move to any track is about  $\frac{1}{4}$ -second, on the average. The time required to locate a given sector on a track is about one-half the rotational time — 100/1,000-second or 100 milliseconds. The total time to locate any spot on the disk is therefore about 350/1,000-second (350 milliseconds), on the average. For data on the same track or an adjacent track, the total time to locate the data is about a seventh of a second.

Once the data is located on the track, it can be read out at a rate of about 23,000 bytes per second, which corresponds to a track full of data in a fifth of a second.

### Where Are the Files?

How are files placed on the disk, and where are they? In the CoCo, and on many other computer systems, files are located by a reference table called a *disk directory*. The disk

directory is located on Track 17 of the CoCo disk. Why Track 17? One reason is that this is the midpoint of tracks on a disk, and it's faster to access the directory.

The layout of the disk directory track is shown in Figure 3. The second sector of this track is a table called the *file allocation table*. (In some systems it is called the *granule allocation table*.) Sectors 3 through 11 are the actual entries in the directory that list filenames, file particulars, and file locations on the disk.

The file allocation table (FAT, for short) is used to allocate disk space. There are  $35 * 18 = 630$  sectors on a disk. These sectors *could be* allocated in units of one; that is, one sector for the first disk file, one sector for the next, and so forth. Additional space could then be allocated as required. However, almost all files use more than 256 bytes. A typical BASIC program file, for example, probably has a length of about 100 BASIC lines; at about 20 bytes per line, the total size of the file is about 2,000 bytes, or 7.8 sectors long. A mailing list of 100 names at 40 characters per line would be about 15.6 sectors long. Therefore, it's probably best to start with a larger chunk of the disk initially. The chunk that's used on the CoCo is one-half of a track, or nine sectors (2,304 bytes), called a *granule*.

There are  $35 * 2 = 70$  granules on the disk. However, two of these, in Track 17, are used for the directory and are not available for users. The total number of user granules is therefore 68. The FAT in Sector 2 uses one byte for each granule, making a total of 68 bytes in the table.

### Dumping a Typical Disk

Enough cerebral discussion. Let's see what a disk really looks like. Please note that, while the programs I offer this month will work on a CoCo 1 or CoCo 2, they are really intended for operation on a CoCo 3 in the 80-column mode. The program in Listing 1 uses `DSKI$` to read in any disk sector and dump the data to the CoCo screen in both hexadecimal and ASCII. `DSKI$` reads from a given drive number (0 or 1), track number (0-34), and sector number (1-18) into two strings, `A$` and `B$`. Two strings are used because the maximum length of a string is only 255 bytes, one less than the 256 bytes of data to be found on a disk sector. The program here just makes it easier to specify the track to be read and provides a convenient way to display the data.

The code here uses an outer `I` loop to print 16 lines of data. Each line prints eight bytes of `A$` and eight bytes of `B$`. Within the `I` loop are two loops that use variable `J`. The first part of this loop prints the next eight bytes of `A$`, and the second part prints the next eight bytes of `B$`. The 256 values from the sector are printed both as hexadecimal values of 00 through FF and as ASCII (text) characters. If the character from the sector is not an ASCII character, a period is printed instead.

The display for this code is shown in Figure 4. Pressing `ENTER` after the sector data has been printed will print the next sector on the disk. Entering any other character than `ENTER` will cause a return back to the prompt message for a new sector of data. The program enables any sector of the 630 sectors on disk to be printed.

Using dumps from a typical disk, let's take a look at the directory and file allocation sectors. The format of the directory is shown in Figure 5.

The directory is spread over sectors 3 through 11 of Track 17. Each entry in the directory takes 32 bytes. Comparing the directory format with the typical dump in Figure 4, you

DISK#, TRACK#, SECTOR# ? 1,17,7

```
00: 50 52 4F 50 41 4C 20 20 PROPAL
08: 54 58 54 03 00 33 00 D7 TXT..3.X
10: 00 06 D7 00 00 00 00 00 ..W.....
18: 00 00 00 00 00 00 00 00 .....
20: 53 43 52 20 20 20 20 20 SCR
28: 42 49 4E 02 00 0D 00 43 BIN....C
30: 00 00 00 00 00 00 00 00 .....
38: 00 00 00 00 00 00 00 00 .....
40: 43 52 41 49 47 31 20 20 CRAIG1
48: 54 58 54 01 FF 3A 00 96 TXT.....
50: 00 00 00 00 00 00 00 00 .....
58: 00 00 00 00 00 00 00 00 .....
60: 43 52 41 49 47 32 20 20 CRAIG2
68: 54 58 54 01 FF 3B 00 01 TXT..;..
70: 00 00 00 00 00 00 00 00 .....
78: 00 00 00 00 00 00 00 00 .....
```

```
80: 50 52 4F 20 20 20 20 20 PRO
88: 42 49 4E 02 00 35 00 7E BIN..5.-
90: 00 00 00 00 00 00 00 00 .....
98: 00 00 00 00 00 00 00 00 .....
A0: 48 45 52 54 5A 43 56 20 HERTZCV
A8: 42 49 4E 02 00 3C 00 49 BIN..<.I
B0: 00 00 00 00 00 00 00 00 .....
B8: 00 00 00 00 00 00 00 00 .....
C0: 48 53 50 52 4F 20 20 20 HSPRO
C8: 42 41 53 00 00 3D 00 71 BAS...=.q
D0: 00 00 00 00 00 00 00 00 .....
D8: 00 00 00 00 00 00 00 00 .....
E0: 42 41 55 44 4F 54 32 20 BAUDOT2
E8: 54 58 54 01 FF 3F 00 B6 TXT..?.6
F0: 00 00 00 00 00 00 00 00 .....
F8: 00 00 00 00 00 00 00 00 .....
```

PRESS <ENTER> FOR NEXT, ANY OTHER KEY FOR NEW

Figure 4: Dump Program Display

can see that the 32 bytes take four display lines. The first line is the filename, padded with blanks to the right. The first name here is PROPAL.TXT. The next three bytes are the file extension, again padded to the right with blanks. The next byte, Byte 11, is a 00 for a BASIC program, 01 for a BASIC data file, 02 for a machine language program, and 03 for a text editor source file. The next byte, Byte 12, is a 00 if the file is in binary format and an FF if the file is in ASCII format. Remember that BASIC files can either be in binary format or ASCII format (they're in ASCII format if they are saved with the ,A option.)

The next byte, Byte 13, is the number of the first granule in the file. The last two bytes, bytes 14 and 15, are the number of bytes in the last sector of the file. These three bytes, bytes 13 through 15, relate to the file allocation table in Sector 2. The file allocation table lists all 68 granules on the disk, one byte per granule. Each of these bytes contains a code that links one granule to another to define where a particular file is located. Remember that the directory entry pointed to the first granule. The byte for this granule in the file allocation table points to the next granule by number. When this granule is found in the file allocation table, it points to the next granule. This chain continues until the last granule is found.

Let's take a concrete example for this. The file BAUDOT2.TXT in the directory of Figure 4 points to the first granule in the file at Granule 3F hexadecimal (63 decimal).




Figure 5: Disk Directory Format

ALL PROGRAMS COCO 1 OR 2

## CHECKERBOARD FILESORT

32 OR 64K FILE PROGRAM...\$16.95 / Cassette — BOTH VERSIONS INCLUDE:  
ML ROUTINES FOR DATA, EDIT, SORT, REVIEW, SEARCH, ERROR TRAPPING. MANY HARDCOPY OPTIONS.

13	80	54	17	21	75	18	63	9
62	<b>Bakersfield KENO V1.2</b>							41
3								33
72	49	11	29	44	38	55	27	16

32 OR 64K KENO SIMULATION  
Cassette...\$12.95 Disk...\$13.95

GRPH200 GRPH200 GRPH200 GRPH200

ML GRAPHICS DUMP FOR DMP-200  
16 / 32 / 64K Cassette...\$15.95 16 / 32 / 64K Disk...\$16.95



P.O. BOX 6464  
BAKERSFIELD, CA 93386

SOFTWARE

ENJOY A STIMULATING GAME OF KENO.  
A GRAPHIC DELIGHT FILLED WITH REALISTIC,  
EXCITING ACTION. PICK 1 TO 15 SPOTS.  
COMPLETELY RANDOM WINNERS. PREPARE  
FOR AN EXTREMELY CHALLENGING GAME.  
CAN YOU BREAK THE HOUSE?

ML GRAPHICS DUMP FOR THE DMP-200.  
POSITION GRAPHIC PAGES 1-4, 5-8, OR 1-8 ANY  
PLACE ON PAPER. MENU PROMPTS! STANDARD,  
CONDENSED, OR COMPRESSED. PRINTOUTS IN  
NORMAL, ELONGATED, DOUBLE-, OR TRIPLE-SIZE.

SEND CHECK OR MONEY ORDER. CALIF. RESIDENTS ADD 6% SALES TAX  
WE WILL MODIFY PROGRAMS TO WORK WITH YOUR PRINTER - NO EXTRA!

Looking at the file allocation table (see Figure 6), we see that this granule points to Granule 40. The granule at 40 is a C8, marking it as the last granule.

The least significant five bits in the last granule byte tell how many sectors, 1 through 9, are in the file. In this case, eight sectors are in the last granule of the file. The "chaining" of granules can go on for many granules in a long file; however, the last granule is always a CX-type granule. The directory bytes 14 and 15 tell how many bytes of the last sector are used in the file.

If a granule byte in the file allocation table is set to FF,

it is free and can be used for a new file. There are none free in the example of Figure 6.

Although the granule chaining scheme seems complicated, it is necessary. When files are deleted, all granules associated with the file are deleted by setting their bytes in the file allocation table to FF. The directory entry in the disk directory is also deleted by FFs, which fill up the filename. This leaves "holes" in the disk space that can be used for segments of other files. When granules are allocated, a search is made of the file allocation table to find available space. For an often used disk, this space may not be contiguous —

DISK#. TRACK#. SECTOR#? 1,17,2

```
00: C5 C4 03 00 C4 02 07 04 ED..D...
08: 09 06 05 08 0A C1 0F C1 .....A.A
10: 01 3E C1 11 15 C4 C5 C8 .>A..DEH
18: C4 C3 C9 C3 1D C6 1F 1C DCIC.F..
20: C4 22 C4 C3 C5 C3 C2 28 D"DCECB(
28: 29 2A C2 C3 C3 C4 C3 C5 )*BCCDCE
30: C1 C2 C3 C7 36 C1 C8 C2 ABCG6AHB
38: C1 C2 C9 C5 C3 C5 C2 40 ABIECEB@
40: 40 C2 C1 C5 00 00 00 00 HBAE....
48: 00 00 00 00 00 00 00 00 .....
50: 00 00 00 00 00 00 00 00 .....
58: 00 00 00 00 00 00 00 00 .....
60: 00 00 00 00 00 00 00 00 .....
68: 00 00 00 00 00 00 00 00 .....
70: 00 00 00 00 00 00 00 00 .....
78: 00 00 00 00 00 00 00 00 .....
PRESS <ENTER> FOR NEXT. ANY OTHER KEY FOR NEW
```

```
80: 00 00 00 00 00 00 00 00 .....
88: 00 00 00 00 00 00 00 00 .....
90: 00 00 00 00 00 00 00 00 .....
98: 00 00 00 00 00 00 00 00 .....
A0: 00 00 00 00 00 00 00 00 .....
A8: 00 00 00 00 00 00 00 00 .....
B0: 00 00 00 00 00 00 00 00 .....
B8: 00 00 00 00 00 00 00 00 .....
C0: 00 00 00 00 00 00 00 00 .....
C8: 00 00 00 00 00 00 00 00 .....
D0: 00 00 00 00 00 00 00 00 .....
D8: 00 00 00 00 00 00 00 00 .....
E0: 00 00 00 00 00 00 00 00 .....
E8: 00 00 00 00 00 00 00 00 .....
F0: 00 00 00 00 00 00 00 00 .....
F8: 00 00 00 00 00 00 00 00 .....
```

Figure 6: Typical FAT Dump




Figure 7: Arrays in Directory Program

the granules won't be right next to each other. Chaining is one way to link the "fragmented" granules of a file together and make full use of a limited amount of storage on disk.

## A Directory Program

We now know everything necessary to write a directory program that will list more data about disk files than we get with the BASIC DIR command. The program is shown in Listing 2 and has two main functions: listing the files on disk in first-in order, in screen segments (eliminating the annoying scroll-off-screen of DIR), giving the number of bytes taken by each file; and listing any file on the screen — something that can't be done from BASIC, short of reading in a program with BASIC or a text editor and listing it.

## Directory Listing

This part of the program first reads in the file allocation table and all directory entries from Track 17 into memory as entries in a series of arrays, as shown in Figure 7. This "stripping" of the directory is done by a subroutine, which is executed completely one time only. After the first time, the body of the subroutine is bypassed. The allocation table is read into array FA(), a 68-entry numeric array. Directory entries are broken up into an N\$( ) array (name and extension), F( ) array (file type), A( ) array (ASCII flag), G( ) array (first granule), and B( ) array (bytes in last granule). The directory entry arrays are 72 entries long, the maximum number of entries in a disk directory.

The directory is listed to the screen in first-in order with the file type, ASCII/binary information and the number of bytes required for each file. Also listed are the number of fragments of the file. A fragment is a block of one or more granules. The fragment information is useful to see how a file is distributed over a disk. Disk accesses can be sped up greatly by reformatting a new disk and copying long files in sequence so that disk space is allocated in one block — this avoids a lot of time-consuming head movement.

A final summation lists the number of bytes used, the number of bytes remaining, and the number of granules inaccessible. The inaccessible bytes may occur if the granules in the FAT are not properly released to disk use. In one of my disks, there were six granules unaccounted for; whether this was an error in BASIC's file processing or my own operator error is debatable.

Figure 8 shows the new directory listing for a typical disk.

NAME	TYPE	FORMAT	BYTES	SEG
ED	.BAS	BASICPROG	BINARY	2304 1
EDZ	.BIN	MACHINELA	BINARY	4608 1
AS	.BAS	BASICPROG	BINARY	2304 1
ASZ	.BIN	MACHINELA	BINARY	9216 2
DCBUG	.BIN	MACHINELA	BINARY	2304 1
XFER	.BAS	BASICPROG	BINARY	2304 1
FILELIST	.BAS	BASICPROG	BINARY	2304 1
HLPZ	.	BASICDATA	ASCII	9216 1
DISPLAY	.TXT	BASICDATA	ASCII	2304 1
EXSOR	.TXT	BASICDATA	ASCII	2304 1
BLKWHT	.TXT	BASICDATA	ASCII	2304 1
EXSCROLL	.TXT	BASICDATA	ASCII	2304 1
TOWERS	.TXT	BASICDATA	ASCII	2304 1
TEXTOUT	.TXT	BASICDATA	ASCII	2304 1
DRAWLINE	.TXT	BASICDATA	ASCII	2304 1
ASP	.BAS	BASICPROG	BINARY	2304 1
SVNBY9	.BAS	BASICPROG	BINARY	2304 1
GENCHLP	.BAS	BASICPROG	BINARY	4608 1
BAUDOT1	.TXT	BASICDATA	ASCII	6912 3
EIGHTBY9	.BAS	BASICPROG	BINARY	2304 1
PROPOR	.BAS	BASICPROG	BINARY	2304 1
BASPR2	.BAS	BASICPROG	BINARY	2304 1
FIG20719	.TXT	TEXTEDITR	BINARY	2304 1
DOS	.BAS	BASICPROG	BINARY	4608 1
DOS	.BIN	MACHINELA	BINARY	4608 2
SCRIP	.BIN	MACHINELA	BINARY	13824 5
XF	.BAS	BASICPROG	BINARY	2304 1
LIST	.BAS	BASICPROG	BINARY	2304 1
AXS	.BAS	BASICPROG	BINARY	2304 1
BAUDOT	.BIN	MACHINELA	BINARY	2304 1
GRAPHICS	.BAS	BASICPROG	BINARY	4608 2
GETF	.TXT	BASICDATA	ASCII	2304 1
PROPAL	.TXT	TEXTEDITR	BINARY	2304 1
SCR	.BIN	MACHINELA	BINARY	2304 1
CRAIG1	.TXT	BASICDATA	ASCII	2304 1
CRAIG2	.TXT	BASICDATA	ASCII	2304 1
PRO	.BIN	MACHINELA	BINARY	2304 1
HERTZCV	.BIN	MACHINELA	BINARY	2304 1
HSPRO	.BAS	BASICPROG	BINARY	2304 1
BAUDOT2	.TXT	BASICDATA	ASCII	4608 1
BAUDOT2	.BIN	MACHINELA	BINARY	2304 1
BIGNUM	.BAS	BASICPROG	BINARY	2304 1
DUMP	.BAS	BASICPROG	ASCII	2304 1
TOTAL BYTES= 142848 # BYTES LEFT= 0				
6 GRANULES INACCESSIBLE ( 13824 BYTES)				
43 TOTAL FILES				

Figure 8: Typical Directory Listing

## Listing Files

The listing portion of the program also first reads in the directory into the arrays listed above unless previously done by a directory function. The code then uses the filename

## RTR Development Systems

Post Office Box 72, Peaster, Texas 76074  
Phone: (817) 599-0871

Teac 40 Track DSDD Drives (Bare)	\$115.00
Star NX-10 Printer	\$262.50
2 Drive Cable	\$ 24.95
Disto Super Controller w/CDOS or CDOS 3	\$ 95.00
Avatex 1200 hc (With 5 Free Hours on CIS)	\$129.95
512K Coco III Upgrade w/O K	\$ 34.95
The Sector Wizard (Disk Zap)	\$ 14.95
Drive 0 & 1 System (2 DS Drives)	\$362.50
Coco III ECB Unravalled	\$ 24.95
Magnavox 8CM515/505 Monitor Cable	\$ 12.95
Pyramix (Coco III Action Game)	\$ 22.95

Mitsubishi 80 Track DSDD Drives (Bare)	\$125.00
Mitsumi 40 Track DSDD Drives (Bare)	\$95.00
Case & Power Supply (Dual ½ Height)	\$ 49.95
4 Drive Cable	\$ 29.95
Magnavox 8CM515 Coco III Monitor	\$290.00
PBH-64 Parallel-Serial & 64K Buffer	\$ 99.95
Avatex 2400 (With 5 Free Hours on CIS)	\$249.95
512K Coco III Upgrade w/512K	\$ 96.25
Coco III Secrets Revealed	\$ 19.95
68B09E (Coco III Microprocessor)	\$ 9.95
Color Max III	\$ 55.00

Distributors for: Ark Royal, Cer-Comp, Computerware, Diecom, Disto, Prickly Pear, and Speech Systems

Offering Discounts on Software from 10% to 20%. Write or call for a complete Catalog. Payment Terms: Personal Check (allow 2 weeks to clear). Money Order or Cashier's Check (Sorry, No COD, MC or VISA). Shipping: Software: \$2.00, Hardware \$5.00, Monitors: \$10.00. Hours: 9 a.m. - 6 p.m. Mon.-Sat. (CST), 12 noon - 6 p.m. Sunday. Answering Machine After Hours.

entered by the operator to search the in-memory directory. Some reformatting is required here as the in-memory name is padded with blanks and contains no period between name and extension.

If the file is found, the first granule location is picked up from the G array. The chain of granules is followed until the end granule. Each granule located is converted to a track and sector number and used in a DSKI\$ statement to read in the appropriate sector as A\$ and B\$. These strings are then printed.

Most granules use all nine sectors, and a loop prints the entire granule with nine successive reads. However, end granules result in reads of only the required number of sectors (found from the CX granule) and a print of only the first portion of the last sector (found from the B array — the number of bytes in the last sector). Figure 9 shows a typical listing for the list function. Any ASCII file will print out properly formatted, and even non-ASCII files may contain useful information for identification purposes.

Next month we'll have more on CoCo topics. 'Til then, watch those inaccessible granules! □

```

ORG $3E00
*****
* BAUDOT (MURRAY) TELETYPE SUBROUTINE
* READS RADIO TELETYPE CHARACTER THROUGH CAS-
* ETTE PORT AND SENDS TO SCREEN DRIVER
*****
LETS EQU $1F LETTERS CODE
FIGS EQU $1B FIGURES CODE
* WORKING STORAGE
DELCNT FDB 1000 1/2 BIT TIME DELAY
BIT1 FDB 0 ONE BIT COUNT
INVERT FCB 0 0=NORMAL, 1=INVERTED
LETFIG FCB 0 0=LETTERS, 32=FIGURES
SCREEN FDB 0 SCREEN PNTR
BAUDOT ORCC #$50 RESET INTRPTS
JSR CLRSCN CLEAR SCREEN
CLRA
STA $6F DEVNO FOR DISPLAY
LDX #$400 START OF SCREEN
STX SCREEN INITIALIZE
BAU002 JSR LOOKST WAIT TIL STARTCHAR
JSR HBIT DELAY 1/2 BIT TIME
JSR HBIT DELAY 1/2 BIT TIME

```

Figure 9: Typical Listing

#### Listing 1: DISKDUMP

```

1000 '=====
=====
1100 '
1200 ' DISK DUMP PROGRAM
1300 CLEAR 1000
1400 CLS
1500 INPUT "DISK#, TRACK#, SECTOR
#"; DN, TN, SN
1600 DSKI$ DN, TN, SN, A$, B$
1700 '-----
1800 FOR I=0 TO 15
1900 PRINT RIGHT$( "0" + HEX$( I
* 8 ), 2 ) + ": ";
2000 FOR J=0 TO 7
2100 '-----
2200 C$=MID$(A$, (I)*8 + J + 1, 1
)
2300 C$=HEX$( ASC( C$ ) )
2400 PRINT RIGHT$( "0" + C$, 2 )
+ " ";
2500 NEXT J
2600 '-----
2700 FOR J = 0 TO 7
2800 C$=MID$( A$, I*8 + J + 1, 1)
2900 IF C$<" " THEN PRINT "."; EL
SE PRINT C$;
3000 NEXT J
3100 '-----
3200 PRINT " ";
3300 PRINT RIGHT$( "0" + HEX$( I
* 8 + 128 ), 2 ) + ": ";
3400 '-----
3500 FOR J=0 TO 7
3600 C$=MID$(B$, (I)*8 + J + 1, 1
)
3700 C$=HEX$( ASC( C$ ) )
3800 PRINT RIGHT$( "0" + C$, 2 )
+ " ";
3900 NEXT J
4000 '-----
4100 FOR J = 0 TO 7
4200 C$=MID$( B$, I*8 + J + 1, 1)
4300 IF C$<" " THEN PRINT "."; EL
SE PRINT C$;
4400 NEXT J
4500 '-----
4600 PRINT
4700 NEXT I
4800 '-----
4900 PRINT "PRESS <ENTER> FOR NEX
T, ANY OTHER KEY FOR NEW"
5000 A$=INKEY$: IF A$="" THEN 5000
5100 IF A$<>CHR$(13) THEN GOTO 14
0
5200 SN=SN+1: IF SN=19 THEN SN=1:
TN=TN+1: IF TN=35 THEN TN=0
5300 PRINT USING "DISK NO: # TRAC
K NO: ## SECTOR NO: ##"; DN, TN,
SN
5400 GOTO 1600
5500 '
5600 '=====
=====

```

✓	340	.....14	880	.....145
	510	.....158	1140	.....180
	710	.....210	END	.....2

## Listing 2: DISKDIR

```

100 '=====
=====
110 ' DISK DIR/LIST UTILITY
120 ' LISTS DIRECTORY IN FIRST-I
N ORDER, LISTS ANY FILE ON SCREE
N.
130 CLEAR 2000
140 DIM FA( 67 )
150 DIM N$( 71 )
160 DIM F( 71 )
170 DIM A( 71 )
180 DIM G( 71 )
190 DIM B( 71 )
200 FT = 0
210 CLS
220 PRINT "DIR/LIST UTILITY"
230 PRINT
240 PRINT "    1. DIR"
250 PRINT "    2. LIST"
260 PRINT
270 INPUT "SELECTION (1-2)"; RE
280 IF RE < 1 OR RE > 2 THEN 270
290 ON RE GOTO 320,630
300 '
310 '=====
=====
320 ' DIR FUNCTION
330 CLS
340 PRINT "    NAME            TYPE
    FORMAT    BYTES SEG"
350 PRINT "-----"
    "-----"
360 GOSUB 970
370 TB = 0: TL = 0: NF = 0
380 FOR I = 0 TO 71
390 IF N$( I ) = STRING$( 11, CH
R$( 255 ) ) THEN GOTO 550
400 NF = NF + 1
410 A$ = LEFT$( N$( I ), 8 ) + "
." + MID$( N$( I ), 9, 3 )
420 A$ = A$ + " " + MID$( "BASIC
PROGBASICDATAMACHINELATEXTEDITR"
F( I )
,
* 9 + 1, 9 )
430 IF A( I ) = 0 THEN A$ = A$ +
" BINARY " ELSE A$ = A$ + " ASC

```

# The RAINBOW

THE COLOR COMPUTER MONTHLY MAGAZINE

## Back Issue Availability

For greater convenience, order RAINBOW Back Issues through the Rainbow Magazine Services area of our Delphi CoCo SIG.

### BACK ISSUES STILL AVAILABLE

Have you explored the wealth of information in our past issues? From our very first, four-page issue to many with more than 300 pages of material, it's all just for CoCo users — a great way to expand your library!

### A WORLD OF INFO AT A BARGAIN PRICE

All back issues sell for the single issue cover price. In addition, there is a \$3.50 charge for the first issue, plus 50 cents for each additional issue for postage and handling if sent by United Parcel Service. There is a \$5 charge for the first issue, plus a \$1 charge for each additional issue on orders sent by U.S. Mail. UPS *will not* deliver to a post office box or to another country.

### MOST ISSUES STILL AVAILABLE

Issues July 1981 through June 1982 are available on white paper in a reprint form. All others are in regular magazine form. VISA, MasterCard and American Express accepted. Kentucky residents please add 5 percent state sales tax. In order to hold down costs, we do not bill, and no C.O.D. orders are accepted.

Due to heavy demand, we suggest you order the back issues you want now while supplies last.

To check availability and order, review and fill out the form on the next page and mail it with your payment to:

**THE RAINBOW**  
The Falsoft Building  
P.O. Box 385  
Prospect, KY 40059

## BACK ISSUE ORDER FORM

(See overleaf for instructions.)

Please send me the following back issues:

MONTH/YEAR	PRICE	MONTH/YEAR	PRICE
<b>VOLUME 1</b>			
JUL '81 Premier Issue	\$2.00 <input type="checkbox"/>	AUG '85 Games	\$3.95 <input type="checkbox"/>
AUG '81	\$2.00 <input type="checkbox"/>	SEP '85 Education	\$3.95 <input type="checkbox"/>
SEP '81 Education	\$2.00 <input type="checkbox"/>	OCT '85 Graphics	\$3.95 <input type="checkbox"/>
OCT '81 Printer	\$2.00 <input type="checkbox"/>	NOV '85 Data Comm.	\$3.95 <input type="checkbox"/>
NOV '81	\$2.00 <input type="checkbox"/>	JAN '86 Beginners	\$3.95 <input type="checkbox"/>
DEC '81 Holiday	\$2.00 <input type="checkbox"/>	FEB '86 Utilities	\$3.95 <input type="checkbox"/>
JAN '82	\$2.00 <input type="checkbox"/>	MAR '86 Business	\$3.95 <input type="checkbox"/>
FEB '82	\$2.00 <input type="checkbox"/>	APR '86 Home Help	\$3.95 <input type="checkbox"/>
MAR '82	\$2.50 <input type="checkbox"/>	MAY '86 Printer	\$3.95 <input type="checkbox"/>
APR '82	\$2.50 <input type="checkbox"/>	JUN '86 Music	\$3.95 <input type="checkbox"/>
JUN '82	\$2.50 <input type="checkbox"/>	JUL '86 Anniversary	\$3.95 <input type="checkbox"/>
<b>VOLUME 2</b>			
JUN '83 Printers	\$2.95 <input type="checkbox"/>	AUG '86 Games	\$3.95 <input type="checkbox"/>
JUL '83 Anniversary	\$2.95 <input type="checkbox"/>	SEP '86 Education	\$3.95 <input type="checkbox"/>
<b>VOLUME 3</b>			
AUG '83 Games	\$2.95 <input type="checkbox"/>	OCT '86 Graphics	\$3.95 <input type="checkbox"/>
SEP '83 Education	\$2.95 <input type="checkbox"/>	NOV '86 Data Comm.	\$3.95 <input type="checkbox"/>
OCT '83 Graphics	\$3.95 <input type="checkbox"/>	DEC '86 Holiday	\$3.95 <input type="checkbox"/>
DEC '83 Holiday	\$3.95 <input type="checkbox"/>	JAN '87 Beginners	\$3.95 <input type="checkbox"/>
MAR '84 Business	\$3.95 <input type="checkbox"/>	FEB '87 Utilities	\$3.95 <input type="checkbox"/>
APR '84 Gaming	\$3.95 <input type="checkbox"/>	MAR '87 Business	\$3.95 <input type="checkbox"/>
MAY '84 Printer	\$3.95 <input type="checkbox"/>	APR '87 Home Help	\$3.95 <input type="checkbox"/>
JUN '84 Music	\$3.95 <input type="checkbox"/>	MAY '87 Printer	\$3.95 <input type="checkbox"/>
JUL '84 Anniversary	\$3.95 <input type="checkbox"/>	JUN '87 Music	\$3.95 <input type="checkbox"/>
<b>VOLUME 4</b>			
AUG '84 Games	\$3.95 <input type="checkbox"/>	JUL '87 Anniversary	\$3.95 <input type="checkbox"/>
SEP '84 Education	\$3.95 <input type="checkbox"/>	AUG '87 Games	\$3.95 <input type="checkbox"/>
OCT '84 Graphics	\$3.95 <input type="checkbox"/>	SEP '87 Education	\$3.95 <input type="checkbox"/>
NOV '84 Data Comm.	\$3.95 <input type="checkbox"/>	OCT '87 Graphics	\$3.95 <input type="checkbox"/>
DEC '84 Holiday	\$3.95 <input type="checkbox"/>	NOV '87 Data Comm.	\$3.95 <input type="checkbox"/>
JAN '85 Beginners	\$3.95 <input type="checkbox"/>	DEC '87 Holiday	\$3.95 <input type="checkbox"/>
FEB '85 Utilities	\$3.95 <input type="checkbox"/>	JAN '88 Beginners	\$3.95 <input type="checkbox"/>
MAR '85 Business	\$3.95 <input type="checkbox"/>		
APR '85 Simulations	\$3.95 <input type="checkbox"/>		
MAY '85 Printer	\$3.95 <input type="checkbox"/>		
JUN '85 Music	\$3.95 <input type="checkbox"/>		
JUL '85 Anniversary	\$3.95 <input type="checkbox"/>		

**RAINBOW INDEX** A complete index to the first three years, July 1981 through June 1984, is printed in the July 1984 issue. Separate copies are available for \$2.50 ☐

The Fourth and Fifth Year Indexes including RAINBOW ON TAPE are in the July 1985 and July 1986 issues, respectively. The Sixth Year Index is in the July 1987 issue.

TOTAL \_\_\_\_\_  
 KY RESIDENTS ADD 5% \_\_\_\_\_  
 U.S. MAIL CHARGE \_\_\_\_\_  
 SHIPPING & HANDLING \_\_\_\_\_  
 U.P.S. CHARGE \_\_\_\_\_  
 TOTAL AMOUNT \_\_\_\_\_  
 ENCLOSED \_\_\_\_\_

### Article Reprints

In instances where a given issue is now out of print and not available for purchase, we do provide photocopies of specific articles. The cost for this service is \$1.50 plus 50 cents S/H per article. This service is provided *only* in the case of out-of-stock issues.

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

☐ Payment Enclosed, or

Charge to my: ☐ VISA ☐ MC ☐ AE

CARD # \_\_\_\_\_

EXPIRATION DATE \_\_\_\_\_ PHONE ( ) \_\_\_\_\_

SIGNATURE \_\_\_\_\_

**TO ORDER BY PHONE** (credit card orders only) call (800) 847-0309, 8 a.m. to 5 p.m. EST. All other inquiries call (502) 228-4492.

```

II "
44Ø BY = Ø: NG = 1
45Ø HD = G( I )
46Ø IF FA( HD ) > 67 THEN GOTO 5
1Ø
47Ø BY = BY + 23Ø4
48Ø IF FA( HD ) - HD <> 1 THEN N
G = NG + 1
49Ø HD = FA( HD )
50Ø GOTO 46Ø
51Ø BY = BY + 23Ø4
52Ø PRINT A$;; PRINT USING " ###
### "; BY, NG
53Ø TL = TL + 1: IF TL = 2Ø THEN
TL = Ø: GOSUB 128Ø
54Ø TB = TB + BY
55Ø NEXT I
56Ø PRINT "TOTAL BYTES="; TB;"#
BYTES LEFT="; 23Ø4*FG
57Ø PRINT 68 - TB/23Ø4 - FG; "GR
ANULES INACCESSIBLE ("; 156672 -
TB - FG*23Ø4; "BYTES)"
58Ø PRINT NF; "TOTAL FILES"
59Ø GOSUB 128Ø
60Ø GOTO 21Ø
61Ø '
62Ø '=====
=====
63Ø ' LIST FUNCTION
64Ø GOSUB 97Ø
65Ø CLS
66Ø INPUT "FILE TO LIST"; RE$
67Ø IF LEN( RE$ ) = Ø THEN GOTO
94Ø ELSE IF LEN( RE$ ) <= 12 THE
N GOTO 69Ø
68Ø GOTO 65Ø
69Ø FOR L = 1 TO LEN( RE$ )
70Ø IF ( MID$( RE$, L, 1 ) = " "
) OR ( MID$( RE$, L, 1 ) = "."
) THEN GOTO 72Ø
71Ø NEXT L
72Ø C$ = LEFT$( LEFT$( RE$, L -
1 ) + " ", 8 )
73Ø C$ = C$ + LEFT$( MID$( RE$,
L + 1, 3 ) + " ", 3 )
74Ø FOR I=Ø TO 71
75Ø IF N$( I ) = C$ THEN 79Ø
76Ø NEXT I
77Ø PRINT "FILE "; RE$; " NOT FO
UND"
78Ø GOTO 93Ø
79Ø HD = G( I )
80Ø IF HD > 33 THEN TK = INT( (
HD + 2 ) / 2 ) ELSE TK = INT( HD
/ 2 )
81Ø SC = ( ( HD AND 1 ) * 9 ) +
1

```

```

820 IF FA(HD) <= 67 THEN J = 9 E
LSE J = FA( HD ) AND 31
830 FOR L = 1 TO J
840 DSKI$ 0, TK, SC, A$, B$
850 IF FA( HD ) <= 67 THEN PRINT
A$; B$;: GOTO 890
860 IF L <> J THEN PRINT A$; B$;
: GOTO 890
870 IF B( I ) <= 128 THEN PRINT
LEFT$( A$, B( I ) )
880 IF B( I ) > 128 THEN PRINT A
$;: PRINT LEFT$( B$, B( I ) - 12
8 );
890 SC=SC + 1
900 NEXT L
910 IF FA( HD ) > 67 THEN 920 EL
SE HD = FA( HD ): GOTO 800
920 PRINT
930 GOSUB 1280
940 GOTO 210
950 '
960 '=====
=====
970 ' READ IN AND STRIP DIRECTOR
Y
980 IF FT = 1 THEN GOTO 1250
990 DSKI$ 0, 17, 2, A$, B$
1000 FG = 0
1010 FOR I = 0 TO 67
1020 FA(I) = ASC( MID$( A$, I +
1, 1 ) )
1030 IF FA(I) = 255 THEN FG = FG
+ 1
1040 NEXT I
1050 K = 0
1060 FOR I = 3 TO 11
1070 DSKI$ 0, 17, I, A$, B$
1080 FOR J = 0 TO 3
1090 N$( J + K ) = MID$( A$, J *
32 + 1, 11 )
1100 F( J + K ) = ASC( MID$( A$,
J * 32 + 12, 1 ) )

```

```

1110 A( J + K ) = ASC( MID$( A$,
J * 32 + 13, 1 ) )
1120 G( J + K ) = ASC( MID$( A$,
J * 32 + 14, 1 ) )
1130 B( J + K ) = ASC( MID$( A$,
J * 32 + 15, 1 ) ) * 256 +
ASC( MID$( A$, J * 32 + 16, 1
) )
1140 NEXT J
1150 FOR J = 0 TO 3
1160 N$( J + K + 4 ) = MID$( B$,
J * 32 + 1, 11 )
1170 F( J + K + 4 ) = ASC( MID$(
B$, J * 32 + 12, 1 ) )
1180 A( J + K + 4 ) = ASC( MID$(
B$, J * 32 + 13, 1 ) )
1190 G( J + K + 4 ) = ASC( MID$(
B$, J * 32 + 14, 1 ) )
1200 B( J + K + 4 ) = ASC( MID$(
A$, J * 32 + 15, 1 ) ) * 256 +
ASC( MID$( B$, J * 32 + 16
, 1 ) )
1210 NEXT J
1220 K = K + 8
1230 NEXT I
1240 FT = 1
1250 RETURN
1260 '
1270 '=====
=====
1280 ' MORE SUBROUTINE
1290 PRINT "PRESS ANY KEY TO CON
TINUE"
1300 D$=INKEY$: IF D$="" THEN 13
00
1310 RETURN
1320 '=====
=====
=====

```

**\*\*\* LANGUAGE PROGRAMMING THE BOOK**

TRS-80 COLOR COMPUTER

This hands-on guide for the CoCo 1 & 2 begins with the basics and progresses to the expert level. Written as a tutorial, it takes you each step to assembly language programming, use, and interrupt handlers. All the internal secrets of the SAM, PIA, MPU, memory, stack display, joysticks, serial port, cassette, stack keyboard, ROM, and sound are revealed. The best - excellent reference book - Be a CoCo expert - 289 pages - \$18.00 + \$1.50 s/h

**THE ADDENDUM**

This picks up where The Book left off. It describes all the CoCo 3 enhancements and how to use them with assembly language. It - what features and many are not explained any place else. Without this book your CoCo 3 is just idling. Super-Res Graphics - Virtual Memory - New Interrupts - \$12.00 + \$1.00 s/h

**COCO 3 SPECIAL ! ! ! ! !**

Both Books for \$27.00 + \$2.00 s/h

U.S. check or money order  
RI residents please add 6% sales tax

**TEPCO**  
30 Water Street  
Portsmouth, RI 02871

# Racksellers

**The retail stores listed below carry THE RAINBOW on a regular basis and may have other products of interest to Tandy Color Computer users. We suggest you patronize those in your area.**

<b>ALABAMA</b> Birmingham Brewton Florence Greenville Madison Montgomery Tuscaloosa	Jefferson News Co. McDowell Electronics Anderson News Co. M & B Electronics Madison Books Trade 'N' Books Injun John's, Inc.	Cambridge Ipswich Littleton Lynn Swansea	Out Of Town News Ipswich News Computer Plus North Shore News Co. Newsbreak, Inc.
<b>ALASKA</b> Fairbanks	Electronic World	<b>MICHIGAN</b> Allen Park Birmingham Durand E. Detroit Harrison Hillsdale Holland Howell Lowell Muskegon Perry Riverview Roseville	Book Nook, Inc. Border's Book Shop Robbins Electronics Merit Book Center Harrison Radio Shack Electronics Express/Radio Shack Fris News Company Howell Auto Parts Curt's Sound & Home Arcade Center The Eight Bit Corner Perry Computers Riverview Book Store New Horizons Book Shop
<b>ARIZONA</b> Cottonwood Lake Havasu City Phoenix Sierra Vista Tempe Tucson	A & W Graphics Co. Book Nook TRI-TEK Computers Livingston's Books Books, Etc. Computer Library Anderson News Co.	<b>MINNESOTA</b> Burnsville Crystal Duluth Edina Minneapolis Minnetonka Roseville St. Paul	Shinder's Burnsville Shinder's Crystal Gallery Carlson Books Shinder's Leisure Lane Shinder's (2 Locations) Shinder's Ridge Square Shinder's Roseville Shinder's Annex Shinder's Maplewood Shinder's St. Pauls The Photo Shop
<b>ARKANSAS</b> Fayetteville Ft. Smith Little Rock	Vaughn Electronics/Radio Shack Hot Off the Press Newsstand Anderson News Co.	<b>MISSOURI</b> Farmington Flat River Florissant Jefferson City Kirksville Moberly St. Louis St. Robert	Ray's TV & Radio Shack Ray's TV & Radio Shack Book Brokers Unlimited Cowley Distributing T&R Electronics Audio Hut Book Emporium Bailey's TV & Radio
<b>CALIFORNIA</b> Berkeley Citrus Heights Grass Valley Half Moon Bay Hollywood La Jolla Los Angeles Marysville Napa Oakland Sacramento San Francisco Santa Monica San Jose Santa Rosa Stockton Sunnyvale Torrance	Lyon Enterprises Software Plus Advance Radio, Inc. Strawflower Electronics Levity Distributors Stef-Jen, Inc. Butler & Mayes Booksellers Circus of Books (2 Locations) Bookland Bookends Bookstore DeLauer's News Agency Deibert's Readerama Tower Magazine Booksmith Bookworks Castro Kiosk Midnight Special Bookstore Computer Literacy Bookshops Sawyer's News, Inc. Harding Way News Paperbacks Unlimited Computer Literacy El Camino College Bookstore	<b>NEBRASKA</b> Lincoln Omaha <b>NEVADA</b> Carson City Las Vegas <b>NEW HAMPSHIRE</b> Manchester West Lebanon <b>NEW JERSEY</b> Atlantic City Cedar Knolls Clinton Marmora Pennsville Rockaway <b>NEW MEXICO</b> Alamogordo Albuquerque Santa Fe <b>NEW YORK</b> Amherst Brookport Brooklyn Elmira Heights Fredonia Hudson Falls Huntington Johnson City New York	Consumer Electronics of Whitefish Nebraska Bookstore Nelson News Bookcellar Hurley Electronics Steve's Books & Magazines Bookwrights Verham News Corp. Atlantic City News Agency Village Computer & Software Micro World II Outpost Radio Shack Dave's Elect. Radio Shack Software Station New Horizons Computer Systems Front Page Newsstand Page One Newsstand Downtown Subscription Village Green-Buffalo Books Liff Bridge Book Shop, Inc. Cromland, Inc. Southern Tier News Co., Inc. On Line: Computer Access Center G.A. West & Co. Oscar's Bookshop Unicom Electronics Barnes & Noble—Sales Annex Coliseum Books Eastern Newsstand Grand Central Station, Track 37 200 Park Ave., (Pan Am #1) 55 Water Street World Trade Center #2 First Stop News Idle Hours Bookstore International Smoke Shop Jonli Smoke Penn Book Software City State News Walden Books World Wide Media Services
<b>COLORADO</b> Aurora Colorado Springs Denver Glenwood Springs Grand Junction Longmont	Aurora Newsstand Hathaway's News Gallery The Book Train Readmore Book & Magazine City Newsstand	<b>FLORIDA (cont'd)</b> Tallahassee Titusville <b>GEORGIA</b> Atlanta Bremen Forest Park Jesup Marietta Thomasville Toccoa <b>IDAHO</b> Boise Moscow <b>ILLINOIS</b> Belleville Champaign Chicago Decatur East Moline Evanston Kewanee Liste Lombard Newton Paris Peoria Springfield Sunnyland West Frankfort Wheeling <b>INDIANA</b> Angola Berne Bloomington Columbus Crawfordsville Dyer Franklin Garrett Indianapolis Lebanon Martinsville Wabash <b>IOWA</b> Davenport Des Moines Fairfield Ottumwa <b>KANSAS</b> Hutchinson Topeka Wellington Wichita <b>KENTUCKY</b> Hazard Henderson Hopkinsville Louisville Paducah <b>LOUISIANA</b> Baton Rouge New Orleans Monroe <b>MAINE</b> Bangor Brockton Caribou Oxford Sanford <b>MARYLAND</b> College Park <b>MASSACHUSETTS</b> Boston Brocton	Anderson News Co. DuBay's News Center Computrac Border's Bremen Electronics/Radio Shack Ellers News Center Radio Shack Act One Video Smokehouse Newsstand Martin Music Radio Shack Book Shelf, Inc. Johnson News Agency Software or Systems Bookmark B. Dalton Booksellers Book Emporium K-Mart Plaza Northgate Mall Book Emporium Norris Center Bookstore Book Emporium Book Nook Empire Periodicals Bill's TV Radio Shack Book Emporium Book Emporium Sheridan Village Westlake Shopping Center Illinois News Service Book Emporium Sangamon Center North Town & Country Shopping Ctr. Book Emporium Paper Place North Shore Distributors D & D Electronics Radio Shack White Cottage Electronics Book Corner Micro Computer Systems, Inc. Koch's Books Miles Books Gallery Book Shop Finn News Agency, Inc. Bookland, Inc. Borders Bookshop Delmar News Indiana News Southside News Gallery Book Shop Radio Shack Mitting's Electronics Interstate Book Store Thacker's Books, Inc. Kramers Books & Gifts Southside Drug Crossroads, Inc. Palmer News, Inc. Town Crier of Topeka, Inc. Dandy's/Radio Shack Dealer Amateur Radio Equipment Co. Lloyd's Radio Daniel Boone Gulf Mart Hobby's News & Gifts Mab's Shop Hawley-Cooke Booksellers (2 Locations) Radio Shack City News Stand Sidney's News Stand Uptown The Book Rack Magazines, Inc. Voyager Bookstore Radio Shack Books-N-Things Radio Shack University Bookstore Eastern Newsstand Voyager Bookstore
<b>DELAWARE</b> Middletown Milford Newark Wilmington	Delmar Co. Milford News Stand Newark Newsstand Normar, Inc.—The Smoke Shop	<b>FLORIDA</b> Boca Raton Clearwater Cocoa Dania Davie Ft. Lauderdale Gainesville Jacksonville North Miami Beach Panama City Pensacola Pinellas Park South Pasadena Starke Sunrise	Chronicles News Room World News, Inc.
<b>DISTRICT OF COLUMBIA</b> Washington, DC	Great American Book Co. Software, Software, Inc. The Avid Reader The Open Door Dania News & Books Software Plus More Bob's News & Book-Store Clarks Out of Town News Mike's Electronics Distributor Paper Chase Book Co. The Book Nook White's of Downtown Bookstore Almar Bookstore Boyd-Ebert Corp. Anderson News Co. Wolf's Newsstand Poling Place Bookstore Record Junction, Inc. Radio Shack Dealer Sunny's at Sunset	<b>FLORIDA (cont'd)</b> Tallahassee Titusville <b>GEORGIA</b> Atlanta Bremen Forest Park Jesup Marietta Thomasville Toccoa <b>IDAHO</b> Boise Moscow <b>ILLINOIS</b> Belleville Champaign Chicago Decatur East Moline Evanston Kewanee Liste Lombard Newton Paris Peoria Springfield Sunnyland West Frankfort Wheeling <b>INDIANA</b> Angola Berne Bloomington Columbus Crawfordsville Dyer Franklin Garrett Indianapolis Lebanon Martinsville Wabash <b>IOWA</b> Davenport Des Moines Fairfield Ottumwa <b>KANSAS</b> Hutchinson Topeka Wellington Wichita <b>KENTUCKY</b> Hazard Henderson Hopkinsville Louisville Paducah <b>LOUISIANA</b> Baton Rouge New Orleans Monroe <b>MAINE</b> Bangor Brockton Caribou Oxford Sanford <b>MARYLAND</b> College Park <b>MASSACHUSETTS</b> Boston Brocton	

**NEW YORK (cont'd)**

Pawling Universal Computer Service  
 Rochester Village Green  
 World Wide News  
 Woodhaven Spectrum Projects

**NORTH CAROLINA**

Cary News Center in Cary Village  
 Chapel Hill University News & Sundry  
 Charlotte Newsstand Int'l  
 Papers & Paperback  
 Computer Plus  
 Hickory C2 Books & Comics  
 Jacksonville Michele's, Inc.  
 Kernersville K & S Newsstand  
 Marion Boomers Rhythm Center  
 Winston-Salem K & S Newsstand (3 Locations)  
 Rainbow News Ltd.

**OHIO**

Akron Churchill News & Tobacco  
 Blanchester JR Computer Control  
 Canton Little Professor Book Center  
 Chardon Thrasher Radio & TV  
 Cincinnati Cinsoft  
 Cleveland Erievue News  
 Columbiana Fidelity Sound & Electronics  
 Columbus B5 Software  
 Micro Center  
 The Newsstand  
 Books & Co.  
 Dayton Huber Heights Book & Card  
 Wilke News  
 Wright News & Books  
 Book Barn  
 News-Readers  
 Wilke's University Shoppe  
 Open Book  
 The News Shop  
 Lakewood Lakewood International News  
 Lima Edu-Caterers  
 Miamisburg Wilke News  
 Parma Bookmark Newscenter  
 Toledo Leo's Book & Wine Shop  
 Warren Book Nook, Inc.  
 Xenia Fine Print Books  
 Youngstown Plaza Book & Smoke Shop

**OKLAHOMA**

Okahoma City Merit Micro Software  
 Taklequah Thomas Sales, Inc. dba Radio Shack  
 Tulsa Steve's Book Store

**OREGON**

Eugene Libra Books — Book Mark  
 Portland Fifth Avenue News  
 Rich Cigar Store, Inc.  
 Sixth & Washington News  
 Capitol News Center  
 Checkmate Book

**PENNSYLVANIA**

Allentown Owl Services  
 Altoona Newborn Enterprises  
 Bryn Mawr Bryn Mawr News  
 Feasterville Global Books  
 King of Prussia Gene's Books  
 Malvern Personal Software  
 Phoenixville Stevens Radio Shack  
 Reading Smith's News & Card Center  
 Temple Software Corner  
 West Chester Chester County Book Co.  
 Wind Gap Micro World  
 York The Computer Center of York  
 Tollgate Bookstore

**RHODE ISLAND**

Newport Bellevue News  
 Warwick Software Connection

**SOUTH CAROLINA**

Charleston Hts. Software Haus, Inc.  
 Clemson Clemson Newsstand  
 Florence Ray's #1  
 Greenville Palmetto News Co.  
 Spartanburg Software City  
 Union Fleming's Electronics

**TENNESSEE**

Brentwood Bookworld #5  
 Chattanooga Anderson News Co.  
 Guild Books & Periodicals  
 Highland Electronics  
 Anderson News Co.  
 Davis-Kidd Bookseller  
 Computer Center  
 Davis-Kidd Booksellers  
 Mosko's Place  
 R.M. Mills Bookstore

**TENNESSEE (cont'd)**

Smyrna Delker Electronics

**TEXAS**

Big Spring Poncho's News  
 Brenham Moore's Electronics  
 Desoto Maxwell Books  
 Elgin The Homing Pigeon  
 Harlington Book Mark

**UTAH**

Provo Valley Book Center

**VIRGINIA**

Danville K & S Newsstand  
 Hampton Benders  
 Norfolk I-O Computers  
 Turn The Page  
 Volume I Bookstore

**WASHINGTON**

Port Angeles Port Book & News  
 Seattle Adams News Co., Inc.  
 Bulldog News  
 Tacoma B & I Magazines & Books  
 Nybbles 'N Bytes

**WEST VIRGINIA**

Huntington Nick's News  
 Logan Stan's Electronics & Radio Shack  
 Madison Communications, LTD  
 Parkersburg Valley News Service  
 South Charleston Spring Hill News

**WISCONSIN**

Appleton Badger Periodicals  
 Cudahy Cudahy News & Hobby  
 Kenosha R.K. News, Inc.  
 Madison Pic A Book  
 University Bookstore  
 Juneau Village Reader  
 Little Professor Book Center  
 Holt Variety

**ARGENTINA**

Cordoba Information Telecommunications

**AUSTRALIA**

Blaxland Blaxland Computers  
 Kingsford Paris Radio Electronics

**CANADA:****ALBERTA**

Banff Banff Radio Shack  
 Blairmore L & K Sports & Music  
 Bonnyville Paul Tiercer  
 Brooks Double "D" A.S.C. Radio Shack  
 Calgary Billy's News  
 Claresholm Radio Shack Associated Stores  
 Drayton Valley Langard Electronics  
 Edmonton CMD Micro  
 Radio Shack, asd  
 Edson D.N.R. Furniture & TV  
 Fairview Fox City Color & Sound  
 Fox Creek A.S.C. Radio Shack

Ft. Saskatchewan Ft. Mall Radio Shack, ASC

Grande Cache The Stereo Hut

Grande Centre The Book Nook

Hinton Jim Cooper

Innisfail L & S Stereo

Lacombe Brian's Electronics

Leduc Radio Shack Associated Stores

Lethbridge Datatron

Lloydminster Lloyd Radio Shack

Okotoks Okotoks Radio Shack

Peace River Radio Shack Associated Stores

St. Paul Taverner Software

Stettler Walter's Electronics

Strathmore Stettler Radio Shack

Wheatland Electronics

**ALBERTA (cont'd)**

Taber Pynewood Sight & Sound  
 Westlock Westlock Stereo  
 Wetaskiwin Radio Shack

**BRITISH COLUMBIA**

Burnaby Compulift  
 Burns Lake VT. Video Works  
 Campbell River TRS Electronics  
 Chilliwack Charles Parker  
 Coorntenay Rick's Music & Stereo  
 Dawson Creek Bell Radio & TV  
 Golden Taks Home Furnishings  
 Kelowna Telesoft Marketing  
 Langley Langley Radio Shack  
 N. Vancouver Microwest Distributors  
 Nelson Oliver's Books  
 Parksville Parksville TV  
 Penficton D.J.'s  
 Four Corner Grocery  
 Sidney Sidney Electronics  
 Smithers Wall's Home Furniture  
 Squamish Kotyk Electronics  
 100 Mile House Tip Top Radio & TV

**MANITOBA**

Altona L.A. Wiebr Ltd.  
 Lunder Goranson Elec.  
 Morden Central Sound  
 The Pas Jodi's Sight & Sound  
 Selkirk G.L. Enns Elec.  
 Virden Archer Enterprises  
 Winnipeg J & J Electronics Ltd.

**NEW BRUNSWICK**

Moncton Jeffries Enterprises  
 Sussex Dewitt Elec.

**NEWFOUNDLAND**

Botwood Seaport Elec.  
 Carbonear Slade Realities

**NOVA SCOTIA**

Halifax Atlantic News

**ONTARIO**

Angus Micro Computer Services  
 Aurora Compu Vision  
 Concord Ingram Software  
 Exceter J. Maclean & Sons  
 Hanover Modern Appliance Centre  
 Huntsville Huntsville Elec.  
 Kenora Donny "B"  
 Kingston T.M. Computers  
 Listowel Modern Appliance Centre  
 South River Max TV  
 Dennis TV

**QUEBEC**

LaSalle Messageries de Presse Benjamin Enr.  
 Pont. Rouge Boutique Bruno Laroche  
 Ville St. Gabriel Gilles Comeau Enr/Radio Shack

**SASKATCHEWAN**

Assiniboia Telstar News  
 Estevan Kotyk Electronics  
 Moose Jaw D&S Computer Place  
 Nipawan Cornerstone Sound  
 Regina Regina CoCo Club  
 Software Supermarket  
 Saskatoon Everybody's Software Library  
 Shellbrooke Gec. Laberge Radio Shack  
 Tisdale Paul's Service  
 Unity Grant's House of Sound

**YUKON**

Whitehorse H & O Holdings

**JAPAN**

Tokyo America Ado, Inc.

**PUERTO RICO**

San Juan Software City

*Also available at all B. Dalton Booksellers, and selected Coles — in Canada, Waldenbooks, Pickwick Books, Encore Books, Barnes & Noble, Little Professors, Tower Book & Records, Kroch's & Brentano's, and Community Newscenters.*

# Advertisers Index

**We encourage you to patronize our advertisers — all of whom support the Tandy Color Computer. We will appreciate your mentioning THE RAINBOW when you contact these firms.**


A to Z Unlimited .....127  
 After Five Software .....120  
 Alpha Products .....21  
 Bob's Software .....89  
 Burke & Burke .....159  
 Cer-Comp .....46, 47  
 Cinsoft .....55  
 Clearbrook Software  
 Group .....39  
 CNR Engineering .....105  
 Cognitec .....83  
 Colorware .....22, 23  
 Computer Center .....67  
 Computer Island .....137  
 Computer Plus .....3  
 Computer Villa .....139  
 Computerware .....77  
 Computize .....56, 57  
 CY-BURNET-ICS .....95  
 D.P. Johnson .....165  
 Dayton Associates of  
 W. R. Hall, Inc. ....118, 119  
 Delphi .....122, 123  
 Diecom .....IFC, IBC  
 DISKMASTER, INC. ....69  
 Disto .....63  
 Dorsett Education  
 Systems .....65  
 E.Z. Friendly Software .....95  
 Eric Ackley .....70  
 Federal Hill Software .....109  
 Frank Hogg Laboratory 91, 157, 167  
 Gimmesoft .....81  
 Hard Drive Specialists .....141  
 Hawkes Research  
 Services .....55  
 Howard Medical .....66, 194  
 ICR Futuresoft .....35  
 J & R Electronics .....71  
 Kelly Software  
 Distributors .....177  
 Metric Industries .....29  
 Micro Works, The .....75  
 Microcom Software ...9, 11, 13, 15,  
 153  
 Microtech Consultants  
 Inc. ....79

MicroWorld .....103  
 Other Guys Software, The .....135  
 Owl-Ware .....145, 146, 147  
 Paparis Enterprises .....125  
 Performance Peripherals .....97  
 Perry Computers .....175  
 Preble's Programs, Dr. ....BC  
 Public Domain .....148  
 PXE Computing .....7  
 R.A.D. Products .....71  
 Rainbow Binder .....34  
 Rainbow Bookshelf .....114, 115  
 Rainbow Gift Subscription .....99  
 Rainbow on Tape and Disk .....94  
 RTR Development Systems ....185  
 Sardis Technologies .....121  
 SD Enterprises .....139  
 Seibyte Software .....183  
 Softbyte .....91  
 Software House, The .....93

SpectroSystems .....41  
 Spectrum Projects Inc. ....17, 25, 27  
 Speech Systems .....50, 51, 52, 53  
 Sugar Software .....193  
 Sundog Systems .....179  
 Sunrise Software .....125  
 T & D Software .....32, 33, 155  
 Tandy/Radio Shack .....42, 43  
 Tepco .....189  
 TMM/Hemphill Electronics ....164  
 Tom Mix Software .....117  
 True Data Products .....132, 133  
 Try-O-Byte .....177  
 Valkyrie .....89  
 Vidicom Corporation .....181  
 Wasatchware .....159  
 Woodstown Electronics .....127  
 York 10 .....151  
 Zebra Systems .....61

 **Call:**  
**Belinda Kirby**  
**Advertising Representative**  
 The Falsoft Building  
 9509 U.S. Highway 42  
 P.O. Box 385  
 Prospect, KY 40059  
**(502) 228-4497**

 **Call:**  
**Kim Vincent**  
**Advertising Representative**  
 The Falsoft Building  
 9509 U.S. Highway 42  
 P.O. Box 385  
 Prospect, KY 40059  
**(502) 228-4492**



# Sugar Software Gazette

Volume 1 Issue 1

Winter, 1988

## OS9 Calligrapher

Turn your CoCo into a calligrapher's quill. Make beautiful invitations, diplomas, certificates, love letters and labels. Use your CoCo for desktop publishing to print newsletters, flyers and ads. All this is possible with the OS9 Calligrapher.

The OS9 Calligrapher is a text formatting program for OS9. It reads a standard file which contains text and formatting codes.

## Calligrapher Type Styles

Calli uses many different type styles in both half and quarter inch size which are printed on a dot-matrix printer. For example, this ad was formatted and printed using the OS9 Calligrapher.

The OS9 Calligrapher comes with three half-inch fonts:

**Old English**  
**Gay Nineties**  
**Cartoon**

Many other fonts are available.

## CoCo Calligrapher

The CoCo Calligrapher prints the same fonts as the OS9 Calligrapher. Though not as powerful as the OS9 Calli, the CoCo Calli is an easy to use, menu driven program for those of you that don't use OS9. It can print lines left justified or centered and can print in condensed mode on some printers.

Either Calligrapher may be purchased with all 54 fonts as a Combo Package.

**The Calligrapher Programs** - Both the OS9 and CoCo Calligrapher come with three 1/2-inch fonts: Old English, Gay Nineties and Cartoon. Both come with support for Epson, Gemini, Radio Shack, Okidata 92A, Banana and Prowriter printers. Both print the same fonts.

**CoCo Calligrapher** - (Hybrid BASIC/ML) Tape or Disk; \$24.95.

**OS9 Calligrapher** - (C) Requires OS9 Level I or II; Disk only; \$24.95.

**The Calligrapher Fonts** - Requires OS9 or CoCo Calligrapher. Each set on tape or disk; \$14.95 each. Set #1 - (9 fonts) Reduced, reversed and reduced-reversed versions of Gay Nineties, Old English and Cartoon; Set #2 - (8 fonts) Old Style and Broadway; Set #3 - (8 fonts) Antique and Business; Set #4 - (8 fonts) Wild West and Checkers; Set #5 - (10 fonts) Stars, Hebrew and Victorian; Set #6 - (8 fonts) Block and Computer;

**The Economy Font Packages** on disk; 29.95: Font Package #1 - Above font sets 1, 2 and 3 (25 fonts) on one disk. Font Package #2 - Above font sets 4, 5 and 6 (26 fonts) on one disk. Both Packages #1 and #2 (51 fonts); Disk only; 49.95.

**The Calligrapher Combo** - Everything!; Our most popular package includes the Calligrapher and both Font Packages (51 fonts); Disk only; \$69.95.

This ad was composed using 1/2-inch Reversed Old English for the headline, 1/4-inch Block for headers and 1/4-inch Checks for the body. A 2 1/4-inch column was printed and cut to three columns. The sample fonts shown above are 1/4-inch although the 1/2-inch versions are included with the Calligrapher programs. Specify OS9 or CoCo (RSDOS) when ordering.

A complete catalog of other sweet Sugar Software products is available.



**SUGAR SOFTWARE**  
P.O. Box 7446  
Hollywood, Florida 33081  
(305) 981-1241

\*TRS-80 is a trademark of Tandy Corp.

All programs run on the CoCo 1, 2 and 3, 32K Extended Basic, unless otherwise noted. Add \$1.50 per tape or disk for postage and handling. Florida residents add 5% sales tax. COD orders add \$4. Dealer inquiries invited. Orders generally shipped in 24-48 hours. No refunds or exchanges without prior authorization.

# Star NX-10 Printer Only \$238

## NOW WITH FREE SP-C (\$68.45 value)

### DISK NEW FROM J&M CONTROLLER


The DC-4 is a scaled-down version of the popular DC-2 without a parallel port. It includes a switch with 2 ROM sockets, JDOS, manual and such features as gold connectors and metal box. It accesses double sided drives and accepts RSDOS 1.1 for Radio Shack compatibility.

**\$65** DC-4 with memory minder (\$2 shipping)

### RS DOS ROM CHIP

ROM chip fits inside disk controller. 24 pin fits both J&M and RS controller Release 1.1. For CoCo 3 Compatibility.

**\$20** each Reg. \$40 (\$2 shipping)



### DISK DRIVE SPECIALS DRIVE 0 +

Howards Drive 0 gives you a DD-3 MPI drive, a CA-1 cable and a J&M DC-4 Disk Controller for only. Add \$34 for a Disto DC-3 replacement. (\$5 shipping)

**\$178.45** DOUBLE SIDED DOUBLE DENSITY 360K

### Separate Disk Drive Components

DD-3 An MPI 52 double-sided, double density, 360K disk drive in a full height case and heavy-duty power supply.

**\$98** (\$2 shipping) **DRIVE ONE**

TEAC T-3 1/2 height, double sided, double density, 720K bare drive, includes all mounting hardware.

**NEW \$159** (\$2 shipping)

TEAC 55B bare drive, 1/2 height, double-sided, double density with all mounting hardware, needs CA-2 below to fit R.S. 501.

**\$118** (\$2 shipping) **BARE**

### SP-C

Serial to parallel converter converts the CoCo 4 pin serial output to run a parallel printer like Star or Epson. Includes all cables. Add \$10 for modem attachment. (\$2 shipping)

**\$68.45**

CA-1 Cable that connects the disk controller to the drive.

**\$24.95** One Drive


CA-2 **\$29.95** Two Drive

**GUARANTEE** — Howard Medical's 30-day guarantee is meant to eliminate the uncertainty of dealing with a company through the mail. Once you receive our hardware, try it out, test it for compatibility. If you're not happy with it for any reason, return it in 30 days and we'll give you your money back (less shipping).

### EPSON

#### LX-800 \$239

Friction and tractor feed included  
160 CPS  
3K Buffer  
NLQ on front buttons  
Package includes free SP-C serial to parallel converter and Epson tutorial on disk.



### Star NX-10 Only \$238

FREE SP-C serial to parallel converter while supplies last (\$5 shipping)

#### WORD PACK RS

**\$49**

#### BASIC SCREEN EDITOR

**\$19.95**

- Full documentation
- Works on CoCo 1, 2 & 3
- Add lines without renumbering

#### MYDOS by Chris Hawks

**\$15**

- Simplify your directory
- Accesses double sided drives
- Use J&M on CoCo 3

#### CoCo MAX by Colorware

**\$78.45**

- Specify II or III
- Includes high res interface
- Animation
- Printers supported include, R.S. 105, 106, 130; Star: & Epson (\$2 shipping on software)

### MONITORS

#### Sony KV-1311CR

**\$449**

Regular \$625 (\$15 shipping)

- Vivid Color
- Vertically flat 13" screen
- Monitor/Trinitron TV with remote control
- 640 X 240 resolution at 15MHZ .37 mm Dot pitch
- RGB analog & digital; TTL; and composite inputs
- VCR inputs
- Cable to CoCo 3 \$36

#### SONYCPD-1310

**\$375**

Regular \$550 (\$15 shipping)

- Monitors versions of KV-1311CR, above without TV
- Cable to CoCo 3 \$36

### HARD DRIVE


- 20,000,000 Bytes
- equivalent to 125 R.S. 501's on line
- micro stepping heads have 15 position per track
- automatic temperature compensation realigns head every five minutes for trouble free reads and writes
- will also work with IBM & clones
- complete package includes 20 meg drive, case & power supply, controller, and interface that plugs into slot #3 of multipack interface.
- 1 year warranty

**\$699.00**

(5 ship)

BASIC driver lets you access this hard drive without need for OS-9 \$49.95.

Howard Medical Computers 1690 N. Elston Chicago, IL 60622



ORDERS

INQUIRIES AND ORDER STATUS

**(800) 443-1444**

**(312) 278-1440**

Showroom Hours:  
8:00 - 5:00 Mon. - Fri.  
10:00 - 3:00 Sat.

WE ACCEPT: VISA • MASTERCARD • AMERICAN EXPRESS  
C.O.D. OR CHECKS • SCHOOL P.O.'S

Shipping charges are for 48 states.  
APO and Canada order slightly higher.



# DIECOM PRODUCTS INC.


## MISSION: RUSH'N ASSAULT

One or two players can take on the mission to rescue POW'S hidden deep inside enemy territory. Watch out for enemy soldiers, snipers, grenade launchers and many other hazards as you journey farther over enemy lines. Forge your way through jungles and swamps and other hazardous terrain as you search for the missing soldiers. Pick up grenades, extra ammo and more powerful weapons as you continue farther into your mission. The enemy is out in great force to stop your mission. Dozens of screens will keep you playing for hours. Can you succeed and rescue the prisoners? Only time will tell.

Tape or Disk

**\$28.95 U.S.**  
**\$38.95 Can.**

AVAILABLE APPROX. SEPT. 1, 1987




Requires 64 k and one joystick. For the Coco 1, 2 or 3

## GRANDPRIX CHALLENGE

Race alone against the computer, or with a friend against the computer in this high speed racing game. You compete in 5 lap races around twisting and turning race courses. Finish the race ahead of all the computer cars and you will progress to a more challenging course. Collect repair tools as you race around the track and you will be able to increase the speed and handling of your race car. But watch out for oil slicks and water puddles on the track or you might find your car crashing into a wall. Detailed 320 x 200 graphics and realistic driving conditions make this a must for your Coco 3 collection. Many different race tracks will keep you challenged.

Tape or Disk

**\$28.95 U.S.** **\$38.95 Can.**  
AVAILABLE APPROX. SEPT. 1, 1987




Requires 128 k Coco 3 with one joystick.

## GANTELET II

It's back and better than ever. It's Gantelet II for your Coco 3. Using 320 x 200 hi-res graphics with 16 colors, we have created one of the best arcade style games you will ever see for your Coco. Four people can now play simultaneously in one game. Dozens of new levels with new monsters will challenge even the best players. Collect keys to open doors and chests, treasures, and many new magic potions to help you battle more powerful monsters. Watch out for hidden traps as you search for the exit to next level.

Tape or Disk

**\$28.95 U.S.** **\$38.95 Can.**  
AVAILABLE APPROX. SEPT. 1, 1987



Requires 128 k Coco 3

NEW LOW PRICE ON CALADURIL FLAME OF LIGHT & LANSFORD MANSION, AVAILABLE ON DISK ONLY  
**\$28.95 U.S.**  
**\$38.95 Can.**

## CALADURIL FLAME OF LIGHT



For the Coco 1, 2 or 3

## LANSFORD MANSION



ALSO AVAILABLE: MISSION: F-16 ASSAULT • PAPER ROUTE • KNOCK OUT • KARATE • MARBLE MAZE

# DIECOM PRODUCTS INC.

6715 FIFTH LINE, MILTON, ONT., CANADA L9T 2X8

We accept:



cheque or money order

24 hr. order line:  
(416) 878-8358  
personal service 9-5

Please add \$2 for shipping & handling.  
Ontario residents add 7% sales tax.  
C.O.D. Canada only. Dealer inquiries  
invited. Looking for new software.

SEE FRONT COVER  
FOR OTHER DIECOM GAMES

**\$28.95 U.S.**  
**\$38.95 CAN.**  
AVAILABLE ON TAPE OR DISK  
64K REQUIRED

# New!

# DR. PREBLE'S PROGRAMS

## Introducing PYRAMIX For your Color Computer 3!

Product of  
ColorVenture

PYRAMIX is a 100% machine language game written exclusively to take advantage of all the power in your 128K CoCo 3. The colors are brilliant, the graphics sharp, the action hot.

PYRAMIX features the finest in animation, graphics, sound effects and game play available today. It has all the extras you want, too, such as a pause option, RGB and CMP modes, keyboard or joystick play, help screen, multiple skill level, and the ability to backup your disk.

Best of all is the low price! Available today, for only \$24.95 on disk + s/h!




## And Lightning Strikes!

**LIGHTNING RAM DISK** is the most versatile RAM disk for your 512K Color Computer 3! LIGHTNING RAM DISK will allow you to use up to 4 mechanical drives and 2 RAM drives simultaneously for a total of 6 Drives! This RAM DISK will also work simultaneously with our amazing LIGHTNING PRINTER SPOOLER! \$19.95 on disk + s/h.

**LIGHTNING PRINTER SPOOLER** for the 128K or 512K Color Computer 3. Multitask your computer! Dump more than 400K of text to the spooler "instantly." Then, continue your keyboard work while it all prints out! Also compatible with our LIGHTNING RAM DISK above. \$14.95 on disk + s/h.

**LIGHTNING BACKUP** utility for your 512K Color Computer 3 reads your master disk once and then makes superfast multiple disk backups on all your drives! No need to format blank disks. Supports 35, 40 or 80 tracks, double or single sided disks and adjustable step rate. \$14.95 on disk + s/h.

Order all 3 for only \$44.95 + s/h



## Dr. Preble's Prescriptions

**BASIC FREEDOM!** No one wants to be chained down. And yet, if you type in BASIC programs, you have been subject to involuntary servitude! The culprit? BASIC's limited EDIT command.

Demand Your **BASIC FREEDOM!** Programmed by Chris Babcock for ColorVenture, this software gives you a full screen editor for typing in and editing BASIC programs! Move the cursor anywhere on the screen. Insert, delete or add text. It's the same concept as in a word processor, except you never have to leave BASIC! **BASIC FREEDOM** is an invisible machine language program which you can turn on and off at will. Even pressing RESET will not hurt your BASIC FREEDOM! Simple, yet powerful with an easy to read manual. Many extra "nice touches" included, like KEY REPEAT and LOWERCASE INTERPRETER which lets you type BASIC commands in upper or lower case for ease of programming. Translation to uppercase is automatic for commands. Text in quotes is not affected.

For CoCo 1, 2, or 3!

**SPECIAL COOD 3 VERSION** lets you work in 32, 40, or 80 column display modes. A separate version is available for the CoCo 1 and 2. Available on disk for \$24.95 + s/h.

**MENTAL FREEDOM** by Dr. Preble! IMAGINE! Some day, a computer so advanced that it responds to your very thoughts and emotions. Imagine, some day, thought-controlled graphics: levitation and materialization! **PLUS IN YOUR MIND AND UNHOOK YOUR JOYSTICKS**—that day is now! The Radio Shack Color Computer has many advanced capabilities, just waiting to be tapped. Dr. Preble's Programs combines the advanced technology of the CoCo with the amazing Radio Shack Biofeedback Monitor to bring you "Mental Freedom."

For CoCo 2 or 3

**THOUGHT-CONTROLLED VIDEO CHALLENGE?** Unlike any video game you have ever played, our Thoughtware tests your ability to handle stress, to remain calm under adverse circumstances. **LIGHTNING FAST** reflexes will do you no good here, unless you first tame the fickle dragon of your mind. Are you the secretly nervous type? Many people can keep a "Poker Face" even when they are worried so that others may not notice; but can you really stop the worry itself? Find out with **Mental Freedom!**

**AND IT TALKS!** Did you know that the CoCo can produce incredibly realistic digital speech without a special speech synthesizer? The voice quality is so good, it sounds human! Honest. Best of all, no extra hardware is required for speech, just some clever programming by Dr. Preble.

**MENTAL FREEDOM** - Next time your friends ask what your computer can do, show them Dr. Preble's Thoughtware! Requires Radio Shack's Biofeedback Monitor Catalogue #63-675. **Mental Freedom** - DISK only \$24.95 + s/h



Vocal Freedom lets you ...

- \* Record voice or any sound into RAM
- \* Record and playback at 2 speeds
- \* Save and Load voice to disk
- \* Select normal or high fidelity
- \* Record more than 2 minutes of speech if you have a 512K CoCo 3
- \* Fully compatible with CoCo 1 and 2
- \* Features Sound Activated Playback. Messages will playback automatically for your family when any noise is made. Could also scare off prowlers.

Vocal Freedom includes special cable. Requires only a low cost amplifier (RS cat. #277-1008) and any microphone.

On Disk, only \$39.95 + s/h

**Extra ... Hacker's Pos!**

Incorporate digitally recorded voices or sound into your own programs. Requires Vocal Freedom, above.

On disk, only \$14.95 + s/h

**VDOS**, the UnDISK: Save multiple programs in memory. Or save multiple graphic pictures in memory. Works with or without a disk. Let's you SAVE, LOAD and KILL stored programs or graphics. DIRECTORY function lists files, gives the start, end and execution addresses of machine language programs and number of free bytes remaining. Own a RAM disk without buying a disk drive! Requires 64K CoCo 1 or 2. Available on tape or disk for \$24.95 + shipping/handling.

**VDUMP**, for the UnDISK: Backup all your UnDISK files to a single tape file for easy reloading. A must for VDOS users! On tape for \$14.95 + shipping/handling.

**VPRINT**, for the UnDISK: Paper printout for UnDISK Directory. On tape, \$9.95 + shipping/handling.

Check, money order, Mastercard  
Visa or C.O.D. For Shipping  
in U.S.A. or Canada add \$2.50,  
to other Countries, add \$5.00.



Order From  
Dr. Preble's Programs  
6540 Outer Loop  
Louisville, KY 40228  
(502) 969-1818

For CoCo  
1, 2 or 3

## Disk Directory Dazzler

Dress up your Disk Directory with colorful messages and borders. Create useful help messages. Add that professional touch to your creations! Only \$9.95

RX For Intellectual Stimulation  
CoCo Programs, T.I.B.

## CoCoBraille

Emboss Grade 1 or Grade 2 Braille using your CoCo 1, 2 or 3 and a Brother Daisy Wheel printer! Fast! Print to Braille conversion algorithms converts word processor files, program listings and data files into touch readable Braille. For use by the blind or the sighted. No knowledge of the Braille code is necessary. Just send print to the program and out comes Braille! Note: The complex Grade 2 conversion is very good and though not always perfect, quite readable. Requires 64K or more. Brother IBM series printer or the IP-50 interface series required. Low Cost! Similar software costs 3 times as much. Only \$29.95 + s/h



Check, Money Order or  
C.O.D.